

Item no.	1876 Same as: 1877, 1878, 1879
No. to identify the observations received from the public	No. 110927/25.08.2006 Same as: No. 110926/25.08.2006, No. 110925/25.08.2006, No. 110924/25.08.2006
Proposal	<p>The questioner does not agree to the promotion of the Roşia Montană Project, making the following comments:</p> <ul style="list-style-type: none"> <li>- In EIA there are no presented all the possible risks derived from this project;</li> <li>- Total costs for closing the mine are unrealistic;</li> <li>- There isn't until now an approved Zonal Urbanism Plan for the Protected Areas;</li> <li>- The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate;</li> <li>- Information about the foundation which RMGC will establish and subsidize is not given. This foundation follows to assume the obligations which the mining operation can not assume;</li> <li>- The present urbanism plans of the Roşia Montană commune do not correspond with the mining project proposal described in EIA;</li> <li>- There is no liner proposed for the tailings pond;</li> <li>- The proposed waste deposits will be not constructed according to the legislation in force;</li> <li>- No financial guarantees have been stipulated;</li> </ul> <p>- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;</p> <ul style="list-style-type: none"> <li>- The EIA report does not assess the "zero alternative";</li> <li>- The Project poses a threat for protected flora and fauna;</li> <li>- The EIA report does not refer to the impact on the listed heritage buildings of noise and vibrations caused by the mining operations;</li> <li>- The public/ONGs wish to consult the contracts and agreements between Company and Romanian State;</li> <li>- The Urbanism Plan has been modified without public consultation;</li> <li>- From archeological point of view, the area proposed to be occupied by project was not legally investigated;</li> <li>- The questioner contests the protection of the architectural and spiritual monuments with the responsibility of the state institutions for the protection operation.</li> </ul> <p>SEE THE CONTENT OF TYPE 1 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures,</p>

the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.

More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than  $10^{-6}$  (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.

A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and

weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;
- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;
- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;
- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m<sup>2</sup> is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m<sup>2</sup> is within a circle of 15 m radius;
- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);
- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;
- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;
- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m<sup>3</sup> hourly average and 179µ g/m<sup>3</sup> 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;
- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m<sup>3</sup> discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m<sup>3</sup>/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:
- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;
- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

\*

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be

updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being too low—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

\*

According to Law 5/2000, regarding the approval of the Territory Arrangement Plan – 3<sup>rd</sup> Section – protected areas (“Law 5/2000”) (article 5, paragraphs 2-3), local public authorities, with the support of the competent central public authorities, had the obligation to establish the boundaries of the protection areas for the cultural heritage elements stipulated in Annex III to the above-mentioned law. This measure should have been taken within 12 months from the effective date of Law 5/2000, based on specialized studies. For this purpose, the local public authorities had to prepare the town planning documentation and its related regulations, developed and approved according to the law. This documentation must comprise the necessary protection and conservation measures for the national cultural heritage elements located in this area.

Concurrently, Law 350/2001 on the territory arrangement and urbanism stipulates the right of legal or natural persons interested in arranging the territory, to initiate the development of urbanism plans.

In accordance with these legal provisions, in 2001, RMGC initiated the preparation of these specific town-planning documentations - the General Urbanism Plan and the Zonal Urbanism Plan. These plans have been developed by Romanian certified companies and followed the legal approval procedure. The permit for the establishment of the Roşia Montană Historical Centre Protected Area was issued by the Ministry of Culture and Religious Affairs in 2002 (permits no. 61/14.02.2002 and no. 178/20.06.2002) as part of the procedure for the approval of the town planning documentation. Based on these permits, the Ministry

of Culture and Religious Affairs requested the company to develop a Zonal Urbanism Plan for the Historical Centre of Roşia Montană. Out of the 41 historical buildings in Roşia Montană, thirty-five (35) are located inside the protected area of the Roşia Montană Historical Centre.

As for the heritage elements located in the future industrial development area (6 historical buildings), these are discussed in the Industrial Zonal Urbanism Plan prepared by SC Proiect Alba SA. The regulations included in this document will contain measures for the protection of these monuments.

In conclusion, the town planning studies and the specialized studies conducted for the purpose of establishing the boundaries of the protection areas within the future mining operations perimeter are currently pending approval, in accordance with the legal provisions, by the competent institutions and committees. Please note that none of the historical houses located in the perimeter of the proposed project will be affected; on the contrary, all the 41 historic buildings will be included in a complex restoration and rehabilitation program (see the Management Plan). This program is mandatory, regardless of the implementation of the mining project, if we want to prevent these buildings from collapsing because of their advanced degradation.

\*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15<sup>th</sup> May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14<sup>th</sup> December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15<sup>th</sup> May 2006) and prior to the public debate start up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26<sup>th</sup> 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot ( art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

\*

Introduced as part of the Environmental Impact Assessment Report Study (EIA), the Roşia Montană Foundation is shifting in focus. The Community Sustainable Development Plan activities initially conceived as coming under the Foundation umbrella (business oriented activities: business incubator, business advisory center, micro-finance facility, as well as social oriented activities: education and training center) have been advanced independently, via partnerships and with community participation in

decision-making – a preferable way to advance social and economic development programs.

Going forward, the Foundation will take shape around preservation, patrimony and cultural heritage issues, with its final form determined in consultation with the community.

In terms of the philosophy that guides the company's Sustainable Development efforts, the Roșia Montană Gold Corporation (RMGC) sees itself not as principal provider, but as a partner. Community involvement is considered the starting point; over time, as the community builds the capacity to maintain programs in its own right, the company will turn over control of currently-established programs to the community and its institutions.

For more information, please see Roșia Montană Sustainable Development and the Roșia Montană Project – annex 4.

\*

We underline the fact that your statement is false. The General Urbanism Plan for the Roșia Montană commune, endorsed in 2002 allows the development of Roșia Montană project, as it has been presented during the public consultations.

Concurrently, pursuant to the provisions of art. 41, paragraph 2, from the Mining Law no.85/2003, the authorities from the local administration have the liability to adjust and/or update the territory arrangement plans and the general urbanism plans, in order to allow the development of all operations necessary for the development of mining activities.

RMGC has also initiated the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roșia Montană Industrial Area and Zonal Urbanism Plan – Roșia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no.78/26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water



is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

With respect to your comments made as regards a presumptive infringement of the provisions of Government Decision No.351/2005 (“GD 351/2005”), there are several aspects to be taken into consideration. Thus:

1. Firstly, please note that, according to the provisions of art. 6 of GD 351/2005, any activity that might determine the discharge of dangerous substances into the environment is subject to the prior approval of the water management authorities and shall comply with the provisions of the water permit issued in accordance with the relevant legislation.

The GD 351/2005 provides that the water permit shall be issued only after all technical-construction measures are implemented as prevent the indirect discharge of dangerous substances into the underground waters. The maximum discharge limits are expressly provided under GD 351/2005 and compliance with such is a condition for granting and maintaining the water permit.

In accordance with the provisions of GD 351/2005, the actual discharge limits should be authorized by the relevant authority, such process being understood by the lawmaker in consideration of the complexity and variety of industrial activities, as well as the latest technological achievements.

Therefore, please note that the EIA stage is not intended to be finalized into an overall comprehensive permit, but it represents only a part of a more complex permitting process. Please note that, according with art. 3 of GD 918/2002, the data’s level of detail provided in the EIA is the one available in the feasibility stage of the project, obviously making impossible for both the titleholder and authority to exhaust all required technical data and permits granted.

The adequate protection of the ground water shall be ensured by the terms and conditions of the water permit. The issuance of the water permit shall be performed following an individual assessment of the project, considering its particular aspects and the relevant legal requirements applicable for mining activities. Until the water permit is obtained, any allegation regarding the infringement of GD 351/2005 is obviously premature mainly because the water permit shall regulate, in accordance with the relevant legal provisions, the conditions to be observed by the developer as regards the protection of the ground water;

2. Secondly, kindly note that the complexity and specificity of mining projects generated the need of a particular legal framework. Therefore, for such projects, the reading of the legal provisions of a certain enactment should be corroborated with the relevant provisions of the other regulations applicable.

In this respect, please not that the understanding of GD 351/2005 must be corroborated with the provisions of the entire relevant legislation enforceable as regards Roşia Montană Project, with a particular accent to Directive 2006/21/EC on the management of waste from the extractive industries (“Directive 21”).

The very scope of Directive 21 is to provide a specific legal framework for the extractive wastes and waste facilities related to mining projects, considering the complexity of such projects and the particular aspects of mining activities that can not always be subject to the common regulations on waste management and landfill.

From this perspective, Directive 21 provides that, an operator of a waste facility, as such is defined thereunder (please note that the TMF proposed by RMGC is considered a “waste facility” under Directive 21), must inter alia, ensure that:

- a) *“the waste facility is [...]designed so as to meet the necessary conditions for, in the short and long-term perspectives, preventing pollution of the soil, air, groundwater or surface water, taking into account especially Directives 76/464/EEC (1), 80/68/EEC (2) and 2000/60/EC, and ensuring efficient collection of contaminated water and leachate as and when required under the permit, and reducing erosion caused by water or wind as far as it is technically possible and economically viable;”*
- b) *“the waste facility is suitably constructed, managed and maintained to ensure its physical stability and to*

*prevent pollution or contamination of soil, air, surface water or groundwater in the short and long-term perspectives as well as to minimize as far as possible damage to landscape.”*

In addition, it should be mentioned that RMGC was required by MWEM under the Terms of Reference, to perform the EIA considering the provisions of Directive 21 and the BAT Management of Mining Waste. The Directive 21 was intended by the EU DG of Environment to be the legislative regime applicable to sound management of mining waste throughout Europe and therefore compliance with its provisions is mandatory.

\*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

The Security Report has been made available for public access by being posted at the following Internet address [http://www.mmediu.ro/dep\\_mediu/rosia\\_montana\\_securitate.htm](http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm) as well as through the printed version which could have been found at several information locations established for public hearings.

\*

Chapter 5 of the Report on the environment impact assessment study (EIA) (*Assessment of Alternatives*) presents an assessment of the “no-project” alternative in Section 1 (*No-Project Alternatives*). This section covers the immediate impact of not advancing the project and looks beyond this at potential alternative industries. The conclusions are clear: “A diverse multi-sector economic base is important for the sustained economic growth of the region”, and the Roşia Montană Project (RMP) is capable of providing the required economic stimuli and would serve to achieve the economic goal of sustainable prosperity.

The EIA also assessed a wide range of alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the RMP. But while other industries do not have this capability, their development in parallel is not precluded “and to the contrary, [the RMP] solves several key problems for attracting investment”.

Clearly, the assessment of the no-project alternative has been undertaken in a full and considered manner.

\*

The impacts on protected flora and fauna will occur only locally, but these impacts will not lead to the disappearance of any species. The mining project was designed even from the beginning to meet all Romanian and European environmental legal requirements.

The company believes that the project’s impact on the environment remains significant, especially because the project will cover previous environmental impact. But, the investments required to restore/rehabilitate Roşia Montană area in order to resolve current complex environmental issues, are possible only after the implementation of economic projects capable of generating and warranting responsible and direct courses of action as a base component of sustainable development concepts. Clean economic processes and technologies may develop only in the presence of a solid economic system, in a total respect towards environment that will resolve even previous impacts caused by all anthropic activities.

Project’s base documents are an unbiased reasoning of its implementation, taking into account the complex environmental commitments assumed for Roşia Montană area.

For a complete answer, the annexes will be consulted, because all issues included in contestations as well as the ones included in reports submitted by various experts are addressed in Annex 6.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The species characterization can be found in the species tables included in Chapter 4.6, Biodiversity of the Report on Environmental Impact Assessment Study (EIA) as well as in its Annexes. Due to the large amount of information, these tables are available in the electronic format of EIA. 6,000 electronic copies of EIA Report presented on DVD/CDs have been disclosed to the public both in English and Romanian. Moreover, the EIA is also available on RMGC’s website and on the websites of Ministry of Environment and Waters Management and Local and Regional Environment Protection Agencies of Alba, Cluj and Sibiu, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area an SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU

Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution.[...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species , taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

This statement is ungrounded, because the environmental impact assessment (EIA) process has included preliminary cumulative estimates for stationary motorized equipment and linear (vehicular) sources were prepared in order to provide an initial understanding of the potential cumulative noise and vibration impacts from background and Roşia Montană Project sources, and to guide future monitoring and measurement activities as well as the selection of appropriate Best Management Practices/Best Available Techniques for further mitigation of the potential noise and vibration impacts from Project activities.

These preliminary estimates apply to major construction activities, as well as the operation and decommissioning/closure of the mine and process plant. They are documented as data tables and isopleth maps for major noise-generating activities in selected, representative Project years; see **Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9**. All these details related to the applied assessment methodology, the input data of the dispersion model, the modeling results and the measures established for the prevention/mitigation/elimination of the potential impact for all project stages (construction, operation, closure) are included in Chapter 4, Section 4.3 Noise and Vibrations of the EIA Report.

Project Years 0, 9, 10, 12, 14, and 19 were selected for modeling because they are considered to be representative of the most significant levels of noise-generating activity. They are also the same years used for air impact modeling purposes in Section 4.2, as air and noise impacts share many of the same sources or are otherwise closely correlated. In order to more accurately reflect potential receptor impacts, all of these exhibits integrate the background traffic estimates discussed in Section 4.3.6.1.

The Project site plan and process plant area and facility drawings were used to establish the position of the noise sources and other relevant physical characteristics of the site. Receptor locations were established using background reports and project engineering and environmental documentation provided by RMGC. With this information, the source locations and receptor locations were translated into input (x, y, and z) co-ordinates for the noise-modeling program.

**Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9** present the average maximum noise values likely to be experienced by the receptor community over all Project phases after incorporation of a variety of initial mitigation measures designed specifically to reduce the impacts associated with mobile and stationary machinery sources. The influence of non-mining related background (primarily traffic) noise is also included.

To evaluate the sound levels associated with haul trucks and other mobile sources crossing the site carrying excavated ore, waste rock, and soil, a noise analysis program based on the (U.S.) Federal Highway Administration's (FHWA) standard RD-77-108 [1] model was used to calculate reference noise emissions values for heavy trucks along the project roadways. The FHWA model predicts hourly  $L_{eq}$  values for free-flowing traffic conditions and is generally considered to be accurate within 1.5 decibels (dB).

The model is based on the standardized noise emission factors for different types and weights of vehicles (e.g., automobiles, medium trucks, and heavy trucks), with consideration given to vehicle volume, speed, roadway configuration, distance to the receiver, and the acoustical characteristics of the site. The emission levels of all three vehicle types increase as a function of the logarithm of their speed.

To evaluate the sound sources from the proposed mine processing facility and the semi-stationary material handling equipment (at the ore extraction, waste rock and soil stockpiling areas), a proprietary computerized noise prediction program was used by AAC to simulate and model the future equipment noise emissions throughout the area. The modeling program uses industry-accepted propagation algorithms based on the following American National Standards Institute (ANSI) and International Organization for Standardization (ISO) standards:

- *ANSI S1.26-1995 (R2004), Method for the Calculation of the Absorption of Sound by the Atmosphere;*
- *ISO 9613-1:1993, Acoustics -- Attenuation of sound during propagation outdoors-- Part 1: Calculation of the absorption of sound by the atmosphere;*
- *ISO 9613-2:1996, Acoustics -- Attenuation of sound during propagation outdoors -- Part 2: General method of calculation;*
- *ISO 3891:1978, Acoustics -- Procedure for describing aircraft noise heard on the ground.*

The calculations account for classical sound wave divergence (i.e., spherical spreading loss with adjustments for source directivity from point sources) plus attenuation factors due to air absorption, minimal ground effects, and barriers/shielding.

This model has been validated by AAC over a number of years via noise measurements at several operating industrial sites that had been previously modeled during the engineering design phases. The comparison of modeled predictions versus actual measurements has consistently shown close agreement; typically in the range of 1 to 3 dB (A).

References:

[1] FHWA Highway Traffic Noise Prediction Model; see Federal Highway Administration Report Number FHWA-RD-77-108, USA, Washington, D.C., 1978.

***A detailed presentation of blasting technology can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project.***

\*

The partnership between Gabriel Resources and Regia Autonomă a Cuprului Deva (currently, CNCAF Minvest SA) has been established based on Law no. 15/1990 on the reorganization of the state owned companies as autonomous directions and trade companies, published in the Official Gazette, Section I, no. 98/08.08.1990, as subsequently amended and supplemented. Art. 35 of this law provides the possibility of the regies autonomous to enter into partnerships with legal third parties, Romanian or foreign, for the purpose of setting up new trading companies.

Roşia Montană Gold Corporation SA was set up in 1997, according to the legal provisions in force as at that time, the setting up being made by observing all the conditions imposed by Company Law no. 31/1990 and Trade Register Law no. 26/1990, in regard of the setting up of the joint stock companies with mixed capital.

We underline that the Articles of Associations of Roşia Montană Gold Corporation SA, representing the result of the parties agreement in regard of the terms and conditions under which the partnership between the Romanian state and investor takes place represents a public document, being included in the category of documents which, as per Law no. 26/1990 on the Trade Register, are published in the Romanian Official Gazette and for which the Trade Register is obliged to issue, on the expense of the persons submitting a request, certified copies.

As for the agreement concerning the setting up of the mixed company together with Gabriel Resources Ltd., this has been expressed by the Ministry of Industry and Trade, the conditions imposed by the setting up of the mixed company being the following: (i) ensuring of the jobs at the level existing upon the conclusion of the agreement concerning the setting up of the mixed company; (ii) the expenses incurred by the fulfillment of the exploration stage should be fully supported by Gabriel; (iii) the obtaining of the approval from the ANRM by the Copper Autonomous Direction Deva and (iv) the observance of all legal provisions in force concerning the setting up of the mixed companies with foreign partners. These conditions have been fully complied with as at the setting up of the company and during the development of its activity.

We also specify that the establishing of the shareholders' quotas to the benefits and losses of Roşia Montană Gold Corporation SA has been made by considering their contribution quota to the company's share capital. The current percentage of 80% for Gabriel Resources Ltd. and of 19.31% for CNCAF Minvest SA resulted from the initial contribution and the subsequent contributions of the shareholders to the company's share capital, in consideration also of Gabriel Resources Ltd. advancing all expenses and costs related to the development-exploitation and permitting of the Roşia Montană Mining Project.

The provisions of the Articles of Associations of Roşia Montană Gold Corporation SA on the necessary majority and quorum conditions for the decision-making process within the General Shareholders Meeting and the quotas to the benefits and losses of the company are taken from Law no. 31/1990, and no derogation exists in regard of this aspect.

\*

This claim is not true; the Urbanism Plan has been prepared with public consultation.

S.C. Roşia Montană Gold Corporation S.A. has requested and obtained from Alba County Council the Urbanism Certificate no. 78 of 26.04.2006, for the entire Roşia Montană mining project, including the tailings management facility. The Urbanism Certificate also stipulated the preparation of a Zonal Urbanism Plan, to reflect all changes made to the Roşia Montană Project, following the public consultations and debates organized in relation to this project, and the consultations with the permitting

authorities. This plan, entitled “Modification of the Zonal Urbanism Plan, Roşia Montană Industrial Area”, was prepared and subject to public debate in June 2006 in accordance with the provisions of Order no.176/N/2000 issued by the Ministry of Public Works and Territory Development for the approval of the technical regulations “Guidelines regarding the methodology applied for the preparation and framework content of the Zonal Urbanism Plan” and, at present, it is pending approval.

Concerning the Roşia Montană General Urbanism Plan approved in 2002, such plan was prepared in parallel with the Zonal Urbanism Plan of 2002, all the provisions of the General Urbanism Plan being also included in the Zonal Urbanism Plan. Also, the approval procedure related to the two urbanism plans was carried out in parallel.

\*

Preventive archaeological researches within the Roşia Montană mining project area have been undertaken based on specific techniques, specifically trial trenches in all accessible areas that are suitable for human habitation, taking into account the bibliographical information and the observations recorded during the archaeological survey campaigns, the geophysical studies and the analyses of the photogrammetric flights. In addition, surface investigations were undertaken, where appropriate.

The archaeological researches at Roşia Montană covered a large surface and focused on the areas known to have archaeological potential. THEREFORE, ALL AREAS THAT HAVE BEEN ARCHAEOLOGICALLY DISCHARGED HAD BEEN PREVIOUSLY INVESTIGATED. All research programs, beginning with the 2004 campaign, have been undertaken in full compliance with the current legal requirements, i.e. Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs.

The proposed gold mining project at Roşia Montană has raised a series of issues related to the rescue of the historical-archaeological heritage within the area, as well as issues related to its scientific development and also the enhancement of heritage within a museum. Given the complex difficulties encountered in this respect, the Ministry of Culture and Religious Affairs decided to initiate the “Alburnus Maior” National Research Program.

The company’s role was to provide the necessary financial resources for the assessment, research and enhancement of the archaeological remains, in full compliance with the Romanian current legislation. The development of the research and of the archaeological discharge works has been conducted through specific means and methodologies that have been adjusted to the realities of every site researched, in our case, Roşia Montană. They consisted in:

- Archives studies;
- Archaeological surveys; trial trenches;
- aerial reconnaissance/survey and aerial photo interpretation ; high resolution satellite images;
- mining archaeology studies; underground topography and 3D modeling;
- geophysical surveys;
- extensive archaeological investigations in the areas with an identified archaeological potential- this implied carrying out archaeological excavations;
- Interdisciplinary studies- sedimentology, archaeo-zoology, comparative palynology, archaeo-metallurgy, geology, mineralogy;
- Radiocarbon dating and dendrochronology;
- This research and its results were included in an integrated database;
- traditional and digital archaeological topography and development of the GIS project; generate a photo archive- both traditional and digital;
- restoration of artifacts;
- an inventory and a digital catalogue of the artifacts;
- studies conducted by specialists in order to enhance the research results - publication of monographs/scientific books and journals, exhibitions, websites, etc.

All the preventive archaeological researches undertaken at Roşia Montană since 2000 have been carried out as part of a complex research program; permits for preventive archaeological excavations being issued in compliance with the current legislation. These archaeological investigations have been undertaken by

representatives of 21 specialized institutions from Romania and 3 others from abroad, under the scientific coordination of the Romanian National Museum of History. All archaeological researches have been conducted in full compliance with the existing legislation. The investigations undertaken during each archaeological research campaign have been approved by the Ministry of Culture and Religious Affairs based on the Annual Archaeological Research Plan approved by the National Commission of Archaeology.

Under the current legislation (Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs) the archaeologists who have conducted the research may ask that an archaeological discharge certificate be granted. Based on a complex research program, the archaeologists prepare comprehensive documentation with regard to the researched area. Upon consideration of the submitted documentation, the National Commission of Archaeology makes a decision as to whether to recommend or not the granting of the archaeological discharge certificate. In the case of the research conducted in the period 2001-2006, the archaeological discharge certificate was issued directly by the Ministry of Culture and Religious Affairs or by its local agencies.

Preventive archaeological researches at Roșia Montană have allowed the research of five Roman cremation necropolis (Tău Corna, Hop-Găuri, Țarina, Jig - Piciorag and Pârâul Porcului – Tăul Secuilor), two funerary areas (Carpeni, Nanului Valley), sacred areas (Hăbad, Nanului Valley), habitation areas (Hăbad, Carpeni, Tăul Țapului, Hop), the most significant being the Roman structures on the Carpeni Hill and the circular funerary monument at Tău Găuri. In addition, for the first time in Romania, surface investigations have been paralleled by underground investigations of Cetate, Cârnic, Jig and Orlea massifs, with important discoveries in the Pietra Corbului, area, Cătălina-Monulești gallery and the Păru Carpeni mining sector.

The research consisted of aerial photo interpretation, archaeological magnetometric studies, electrical resistivity, palynology, sedimentology, geology studies, radiocarbon and dendrochronology dating. For a better management of the research units and of the archaeological findings, data bases were used, including text and photographs-among which 4 satellite images (an archive satellite image type SPOT Panchromatic (10m) from 1997; 2 satellite images LANDSAT 7 MS (30 m), dating from 2000 and 2003; a satellite image with priority programming SPOT 5 SuperMode color (2,5 m resolution-19 July 2004); all data have been included in a comprehensive GIS program, a first in the Romanian archaeological research.

In the case of archaeological monuments that are located close to industrial facilities, plans have been redesigned to ensure that the archaeological remains in question will not be affected. Where appropriate, the archaeological monument was preserved in situ and restored, i.e. the circular funerary monument at Hop-Găuri (see The "Alburnus Maior" monograph series, volume II, Bucharest, 2004). Another example in this respect is the Carpeni Hill, designated an "archaeological " reserve, and the Pietra Corbului area. In 2004, after being thoroughly investigated, these areas have been included on the List of Historic Monuments. Add to this the areas where ancient mining remains will be preserved, such as the Cătălina Monulești gallery and the mining sector Păru Carpeni, as well as the protected area Roșia Montană Historic Center, including a number of heritage assets (35 historic monument houses).

We emphasise in this respect that the identified and researched structures have been published in preliminary form in the Archaeological Research Chronicle of Romania, after every archaeological research campaign, as well as in volume 1 of the Alburnus Maior monographic series. We mention here the areas where Roman habitation structures have been identified and researched, as well as the references to be consulted for further information: Hop-Găuri, Carpeni, Tăul Țapului (CCA 2001 (2002), p. 254-257, no. 182; 261-262, nr. 185; 264-265, no. 188; 265-266, no. 189. Alburnus Maior I, 2003, p. 45-80; 81-122; 123-148; CCA 2001 (2002), 257-261; CCA 2003 (2004) ,280-283; Alburnus Maior I, 2003, p. 387-431, 433-446, 447-467).

For further details related to the applicable legal framework, the responsibilities of the Project titleholder, or for a detailed description of the preventive archaeological researches undertaken to date and of the Cultural Heritage Management Plans, please see Annex called "Information on the Cultural heritage of Roșia and Related Management Aspects". In addition, the annex includes supplementary information with regard to the result of the researches undertaken as part of the "Alburnus Maior" National Research Program between 2001 and 2006.

---

In conclusion, the area mentioned by the questioner has been researched in accordance with the



Romanian legal requirements, as well as with European standards and practices in the field.

Note that the type of research undertaken at Roşia Montană, known as preventive/rescue archaeological research, as well as other related heritage studies, are done everywhere in the world in close connection with the economic development of certain areas. Both the costs for the research and for the enhancement and maintenance of the preserved areas are provided by investors, in a public-private partnership set up in order to protect the cultural heritage, as per the provisions of the European Convention on the Protection of the Archaeological Heritage (Malta-1992) [1].

References:

[1]The text of the Convention is available at the following address: <http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

\*

In 2000, in the context of the proposal of a new mining project in the Roşia Montană area, the Ministry of Culture and Religious Affairs approved a series of studies to be conducted in order to research the archaeological and architectural heritage of the area. And at the end of that year, the Design Centre for National Cultural Heritage (now the National Institute for Historical Monuments) presented the preliminary results of these researches to the National Commission for Historical Monuments and of the National Commission of Archaeology. Based on these results, in 2001, the Ministry of Culture and Religious Affairs initiated the “Alburnus Maior” National Research Program (the Order no. 2504 / 07.03.2001 of the Minister of Culture and Religious Affairs) in compliance with the Law 378/2001 (as subsequently amended by Law 462/2003 and by Law 258/2006 and Law 259/2006). Thus, since 2000, the Ministry of Culture and Religious Affairs – directly or through its subordinate institutions - has fulfilled its duties with regard to the management of the issues related to Roşia Montană’s heritage.

Thus, the preventive archaeological researches have been conducted by the representatives of 21 national institutions and 3 others from abroad under the scientific coordination of the National Museum of History of Romania. They have been carried out based on the annual approval of the National Commission of Archaeology of the Ministry of Culture and Religious Affairs. In accordance with the legislation in force, this research program is carried out with the financial support provided by RMGC (the company that plans to expand and continue to mine the gold-silver deposit in Roşia Montană). Thus, large-scale preventive investigations have been conducted or are underway in the RMP impact area. A proposal will be made based on the results thereof either for the archaeological discharge of some researched perimeters from the project perimeter or the preservation *in situ* of certain representative structures and monuments, in compliance with the legislation in force. In the case of the areas proposed for conservation and the ones for which the archaeological discharge measure was applied, the decision was made based on the surveys conducted by specialists and on the analysis of the National Commission of Archaeology. In the period 2000-2005, the mining project underwent a series of modifications designed to promote the implementation of the decision regarding the conservation of the local heritage. Examples of these include: extending the duration of the field investigations on several years (e.g. Ţarina, Pârâul Porcului, Orlea) and changing the location of some elements of infrastructure in order to allow the conservation of the archaeological remains found in the Carpeni, Tău Găuri and Pietra Corbului areas.

**The architectural and town-planning surveys** have been conducted, in accordance with the legislation in force, by companies certified by the Ministry of Culture and Religious Affairs, while the town-planning documentations drafted by these companies and the restoration and conservation works undertaken so far have been approved by the National Commission for Historical Monuments. Thus, the town-planning documentations have been approved and implemented in accordance with current legislation, and the company has agreed to these decisions and modified the mine development plans accordingly:

**Extensive ethnographic research** was conducted in the Roşia Montană-Abrud-Corna area in the period 2001-2004 coordinated by a team of specialists for the Romanian Village Museum „Dimitrie Gusti” (a National Museum directly under the coordination of the Ministry of Culture and Religious Affairs). Moreover, a broad series of oral history interviews was conducted in the period 2001-2002 by the Romanian Radio Broadcasting Company through the „Gheorghe Brătianu” Oral History Centre, Bucharest (SRR - CIO).

In compliance with the requirements of the Ministry of Environment and Waters Management and the Ministry of Culture and Religious Affairs, specific management plans have been drawn up for the management and conservation of the heritage remains from the Roşia Montană area, in the context of the implementation of the mining project. These plans have been included in the documentation prepared for the Report on the Environmental Impact Assessment Study. (see EIA Report, volume 32-33, Plan M- *Cultural Heritage Management Plan*, part I –*Management Plan for the Archaeological Heritage from Roşia Montană Area*; part II-*Management Plan for the Historical Monuments and Protected Zone from Roşia Montană*; part III- *Cultural Heritage Management Plan*).

These management plans comprise detailed presentations of the obligations and responsibilities regarding the protection and conservation of the heritage remains from the Roşia Montană area, which the company has assumed in the context of the implementation of the mining project, according to the decision of the central government. These heritage remains include: archaeological remains above and under the ground, historic buildings, protected areas, intangible heritage assets, cultural landscape items, etc. In this context, it should be noted that besides the works for the protection and preservation of the archaeological heritage, works are being carried out for the rehabilitation and conservation of the protected area Historical Centre Roşia Montană (comprising 35 historic buildings, and projects for the restoration of 11 of these buildings are currently being drafted), Tăul Mare, Tăul Brazi and Tăul Anghel as well as remains of the surface mining works form the Vaidoia area and the creation of a modern museum dedicated to the history of mining in the Apuseni Mountains area. This museum will be established in the coming years and it will include exhibitions of geology, archaeology, industrial and ethnographic heritage as well as an underground section organized around the Cătălina Monuleşti gallery.

Moreover, representatives of the Directorate for Culture, Religious Affairs and National Cultural Heritage of Alba County have visited Roşia Montană many times in order to collect information and to check the situation. The same administrative body was the intermediary for the specific stages of acquisitions of historic buildings made by RMGC. The Ministry of Culture and Religious Affairs expressed its pre-emption right regarding the acquisition of these buildings.

Note that apart from the obligations undertaken by RMGC as regards the protection and conservation of the archaeological remains and historical monuments, there are a whole series of obligations, which rest with the local public authorities from Roşia Montană and from Alba County and with the central public authorities, namely the Romanian Government.

These aspects are further detailed in the Cultural Heritage Management Plans included in the EIA Report (see EIA Report, volume 32, *Management Plan for the Archaeological Heritage from Roşia Montană Area*, pages 21-22, 47, 52-53, 66-67-Romanian version/ 22-24; 47; 55-56; 71-72 English version) and the EIA Report, volume 33- *Management Plan for the Historical Monuments and Protected Zone from Roşia Montană* pages 28-29, 48-50, 52-53, 64-65, page 98 – Annex 1- Romanian version/ 28-29; 47-50; 51-53; 65-66; 103- Annex 1- English version).

---

Item no. 1880

No. to identify the observations received from the public  
No.  
110923/  
25.08.2006

The questioner expresses the following remarks:

- The gold and silver reserves from Roşia Montană represent one of the strategic reserves of Romania
- From economic point of view, the distribution of the benefits resulted from gold and silver extraction is opposite to the international practice
- The urbanism plans do not correspond to the project proposal;
- Within the EIA report there are no financial guarantees regarding the safety assurance of the waste deposit

**Proposal**

- From technical point of view, the tailings management facility will be not "lined". It is situated above the Abrud town and could have a catastrophic consequence in case of failure
- The EIA report does not contain an evaluation of the phenomenon so-called "cyanide rain" nor a description of the trans-frontier impact on some natural important areas in case of accident
- The EIA report does not assess the "zero alternative";
- The data provided by EIA report infringe the standards of environment protection

**SEE THE CONTENT OF THE TYPE 2 CONTESTATION**

The Romanian Mine Law, Law 85/2003, does not put any restrictions on the licenses to be given for exploration for gold and development of gold reserves. Both Romanian and foreign companies, both public and private companies, may apply to obtain a license to work a gold deposit. The Romanian state no longer has a monopoly on gold production.

We agree that Roşia Montană represents an issue of national strategic importance, designed to raise the bar for long-term investment in Romania. RMGC is the largest employer in this disadvantaged region and indeed the whole county and is the largest local taxpayer. Romania will receive about US\$ 1 billion for its share of the project, and a total of about US\$ 1.5 billion when one includes the value of goods and services procured in Romania. The project meets or exceeds all Romanian and EU standards, creates new jobs for Romanians, especially in Roşia Montană and the surrounding region, and will be a catalyst for reviving the mining sector, which is strategic to the Romanian economy and an important tool for rural development.

**Solution**

However, we disagree that this means the project should not be approved. RMGC has been working on this project since 1998 and has invested over US\$ 200 million to date. By the time production begins, the company will have invested almost US \$1 billion. Mining is a high risk industry; it is an industry rule of thumb that for every 1,000 projects considered, 100 merit drilling, and only one is opened as an actual productive mine. In fact, no country in the developed world is currently involved directly in assuming the risk of mining operations; instead, private capital assumes the risk and will bring the best available techniques to Romania. Approval of this project will show the world that Romania welcomes this type of productive foreign investment. The profits from the mine and the jobs provided by the mine are tangible benefits to Romania.

As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that *"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"*.

Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining:

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

\*

Unlike the common international practice related to the distribution of profits, it should be noted that in relation to the Roşia Montană Project, the distribution of benefits is more favorable to Romania/Romanian State than to the investor/the titleholder of the project.

Furthermore, please observe that the Romanian government has an ownership stake in the project (without putting up any capital) and has a direct share in the profits in the expected amount of USD 306 million, along with the right to receive profit taxes, royalties and other taxes and fees. Nowhere else in the developed world does a government have a direct profit sharing interest in a mining project such as this.

\*

We would like to state that your statement is erroneous. The General Urbanism Plan (PUG) of Roşia Montană approved in 2002, allows the development of Roşia Montană Project as it was presented during public debates.

At the same time, pursuant to the provisions under art. 41, 2<sup>nd</sup> paragraph from Mines Law no. 85/2003, the local authorities must alter and/or update existing territorial arrangement plans and general urban plans, in order to allow execution of all required actions to develop mining activities.

RMGC has also commenced the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no 78 from 26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

### **Tailings Management Facility**

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

### **Proximity to Abrud**

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake (MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, “TMF Potential Failure Scenarios” of the EIA.

\*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the populated areas close by industrial site will be of 4 to 80 µg/m<sup>3</sup>, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection - the national legislation and European Union (EU) legislation on the Quality of Air, don't stipulate limit values for the population's health protection);
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

**On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.**

Also, the specialty literature doesn't comprise information related to the effect of air-borne HCN emissions on fauna and flora.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.4.3).

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to

potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU Best Available Techniques (BAT) – compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1

\*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

According to the provisions of art. 44 (3) of the Order of Ministry of Water and Environment Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure („Order no. 860/2002”), the project titleholder prepares „an evaluation of the public’s grounded proposals,



*containing solutions for the settlement of the underlined problems, which shall be submitted to the relevant public authority for environmental protection, according to the form presented in anenx no. IV.2”.*

We consider that, as no exact specification is made in regard of the enactments allegedly breached by the report to the environmental impact assessment study (EIA), the project’s titleholder cannot answer in regard of this affirmation of a generic character.

Though your statement is not grounded and/or supported in any way, the only authority empowered to analyze such breaches of the European legislation is the environmental authority. To this end, we specify the provisions of art. 45 of the Order no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure (“Order no. 860/2002”), which provide: *“after the examination of the report to the environmental impact assessment study, of the conclusions of the parties involved in the evaluation, of the possibilities to fulfill the project and the grounded evaluation of the public’s proposals, the public authority competent in regard of the environmental protection shall take the decision concerning the issuing of the environmental approval/integrated environmental approval or the grounded rejection of the project on the respective location”.*

---

Item no.	1881 Same as: 1882, 1883
No. to identify the observations received from the public	No. 110922/25.08.2006 Same as: No. 110921/25.08.2006, No. 110920/25.08.2006
Proposal	<p>The questioner does not agree to the promotion of the Roşia Montană Project, making the following comments:</p> <ul style="list-style-type: none"> <li>- In EIA there are no presented all the possible risks derived from this project;</li> <li>- Total costs for closing the mine are unrealistic;</li> <li>- There isn't until now an approved Zonal Urbanism Plan for the Protected Areas;</li> <li>- The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate;</li> <li>- Information about the foundation which RMGC will establish and subsidize is not given. This foundation follows to assume the obligations which the mining operation can not assume;</li> <li>- The present urbanism plans of the Roşia Montană commune do not correspond with the mining project proposal described in EIA;</li> <li>- The tailings management facility is not lined;</li> <li>- The proposed waste deposits will be not constructed according to the legislation in force;</li> <li>- Financial guarantees were not fixed</li> </ul> <p>There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;</p> <ul style="list-style-type: none"> <li>- The EIA report does not evaluate the "Zero alternative";</li> <li>- The project represents a threatening for the protected flora and fauna;</li> <li>- The EIA report does not refer to the impact on the listed heritage buildings of noise and vibrations caused by the mining operations;</li> <li>- The public/ONGs wish to consult the contracts and agreements between Company and Romanian State;</li> <li>- Modification of the urbanism plan without the public consultation;</li> <li>- From archeological point of view, the area proposed to by occupied by project was not legally investigated;</li> <li>- The questioner contests the protection of the architectural and spiritual monuments with the responsibility of the state institutions for the protection operation.</li> </ul> <p><b>SEE THE CONTENT OF THE TYPE 1 CONTESTATION</b></p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of he potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures,</p>

the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.

More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than  $10^{-6}$  (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.

A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;
- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;
- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and

weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;
- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;
- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;
- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m<sup>2</sup> is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m<sup>2</sup> is within a circle of 15 m radius;
- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);
- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;
- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;
- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m<sup>3</sup> hourly average and 179µ g/m<sup>3</sup> 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;
- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m<sup>3</sup> discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m<sup>3</sup>/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:
- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;
- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

\*

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be

updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being too low—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

\*

According to Law 5/2000, regarding the approval of the Territory Arrangement Plan – 3<sup>rd</sup> Section – protected areas (“Law 5/2000”) (article 5, paragraphs 2-3), local public authorities, with the support of the competent central public authorities, had the obligation to establish the boundaries of the protection areas for the cultural heritage elements stipulated in Annex III to the above-mentioned law. This measure should have been taken within 12 months from the effective date of Law 5/2000, based on specialized studies. For this purpose, the local public authorities had to prepare the town planning documentation and its related regulations, developed and approved according to the law. This documentation must comprise the necessary protection and conservation measures for the national cultural heritage elements located in this area.

Concurrently, Law 350/2001 on the territory arrangement and urbanism stipulates the right of legal or natural persons interested in arranging the territory, to initiate the development of urbanism plans.

In accordance with these legal provisions, in 2001, RMGC initiated the preparation of these specific town-planning documentations - the General Urbanism Plan and the Zonal Urbanism Plan. These plans have been developed by Romanian certified companies and followed the legal approval procedure. The permit for the establishment of the Roşia Montană Historical Centre Protected Area was issued by the Ministry of Culture and Religious Affairs in 2002 (permits no. 61/14.02.2002 and no. 178/20.06.2002) as part of the procedure for the approval of the town planning documentation. Based on these permits, the Ministry

of Culture and Religious Affairs requested the company to develop a Zonal Urbanism Plan for the Historical Centre of Roşia Montană. Out of the 41 historical buildings in Roşia Montană, thirty-five (35) are located inside the protected area of the Roşia Montană Historical Centre.

As for the heritage elements located in the future industrial development area (6 historical buildings), these are discussed in the Industrial Zonal Urbanism Plan prepared by SC Proiect Alba SA. The regulations included in this document will contain measures for the protection of these monuments.

In conclusion, the town planning studies and the specialized studies conducted for the purpose of establishing the boundaries of the protection areas within the future mining operations perimeter are currently pending approval, in accordance with the legal provisions, by the competent institutions and committees. Please note that none of the historical houses located in the perimeter of the proposed project will be affected; on the contrary, all the 41 historic buildings will be included in a complex restoration and rehabilitation program (see the Management Plan). This program is mandatory, regardless of the implementation of the mining project, if we want to prevent these buildings from collapsing because of their advanced degradation.

\*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15<sup>th</sup> May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14<sup>th</sup> December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15<sup>th</sup> May 2006) and prior to the public debate start up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26<sup>th</sup> 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot ( art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

\*

Introduced as part of the Environmental Impact Assessment Report Study (EIA), the Roşia Montană Foundation is shifting in focus. The Community Sustainable Development Plan activities initially conceived as coming under the Foundation umbrella (business oriented activities: business incubator, business advisory center, micro-finance facility, as well as social oriented activities: education and training center) have been advanced independently, via partnerships and with community participation in

decision-making – a preferable way to advance social and economic development programs.

Going forward, the Foundation will take shape around preservation, patrimony and cultural heritage issues, with its final form determined in consultation with the community.

In terms of the philosophy that guides the company's Sustainable Development efforts, the Roșia Montană Gold Corporation (RMGC) sees itself not as principal provider, but as a partner. Community involvement is considered the starting point; over time, as the community builds the capacity to maintain programs in its own right, the company will turn over control of currently-established programs to the community and its institutions.

For more information, please see Roșia Montană Sustainable Development and the Roșia Montană Project – annex 4.

\*

We underline the fact that your statement is false. The General Urbanism Plan for the Roșia Montană commune, endorsed in 2002 allows the development of Roșia Montană project, as it has been presented during the public consultations.

Concurrently, pursuant to the provisions of art. 41, paragraph 2, from the Mining Law no.85/2003, the authorities from the local administration have the liability to adjust and/or update the territory arrangement plans and the general urbanism plans, in order to allow the development of all operations necessary for the development of mining activities.

RMGC has also initiated the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roșia Montană Industrial Area and Zonal Urbanism Plan – Roșia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no.78/26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.



The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water

is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

With respect to your comments made as regards a presumptive infringement of the provisions of Government Decision No.351/2005 (“GD 351/2005”), there are several aspects to be taken into consideration. Thus:

1. Firstly, please note that, according to the provisions of art. 6 of GD 351/2005, any activity that might determine the discharge of dangerous substances into the environment is subject to the prior approval of the water management authorities and shall comply with the provisions of the water permit issued in accordance with the relevant legislation.

The GD 351/2005 provides that the water permit shall be issued only after all technical-construction measures are implemented as prevent the indirect discharge of dangerous substances into the underground waters. The maximum discharge limits are expressly provided under GD 351/2005 and compliance with such is a condition for granting and maintaining the water permit.

In accordance with the provisions of GD 351/2005, the actual discharge limits should be authorized by the relevant authority, such process being understood by the lawmaker in consideration of the complexity and variety of industrial activities, as well as the latest technological achievements.

Therefore, please note that the EIA stage is not intended to be finalized into an overall comprehensive permit, but it represents only a part of a more complex permitting process. Please note that, according with art. 3 of GD 918/2002, the data’s level of detail provided in the EIA is the one available in the feasibility stage of the project, obviously making impossible for both the titleholder and authority to exhaust all required technical data and permits granted.

The adequate protection of the ground water shall be ensured by the terms and conditions of the water permit. The issuance of the water permit shall be performed following an individual assessment of the project, considering its particular aspects and the relevant legal requirements applicable for mining activities. Until the water permit is obtained, any allegation regarding the infringement of GD 351/2005 is obviously premature mainly because the water permit shall regulate, in accordance with the relevant legal provisions, the conditions to be observed by the developer as regards the protection of the ground water;

2. Secondly, kindly note that the complexity and specificity of mining projects generated the need of a particular legal framework. Therefore, for such projects, the reading of the legal provisions of a certain enactment should be corroborated with the relevant provisions of the other regulations applicable.

In this respect, please not that the understanding of GD 351/2005 must be corroborated with the provisions of the entire relevant legislation enforceable as regards Roşia Montană Project, with a particular accent to Directive 2006/21/EC on the management of waste from the extractive industries (“Directive 21”).

The very scope of Directive 21 is to provide a specific legal framework for the extractive wastes and waste facilities related to mining projects, considering the complexity of such projects and the particular aspects of mining activities that can not always be subject to the common regulations on waste management and landfill.

From this perspective, Directive 21 provides that, an operator of a waste facility, as such is defined thereunder (please note that the TMF proposed by RMGC is considered a “waste facility” under Directive 21), must inter alia, ensure that:

- a) *“the waste facility is [...]designed so as to meet the necessary conditions for, in the short and long-term perspectives, preventing pollution of the soil, air, groundwater or surface water, taking into account especially Directives 76/464/EEC (1), 80/68/EEC (2) and 2000/60/EC, and ensuring efficient collection of contaminated water and leachate as and when required under the permit, and reducing erosion caused by water or wind as far as it is technically possible and economically viable;”*
- b) *“the waste facility is suitably constructed, managed and maintained to ensure its physical stability and to*

*prevent pollution or contamination of soil, air, surface water or groundwater in the short and long-term perspectives as well as to minimize as far as possible damage to landscape.”*

In addition, it should be mentioned that RMGC was required by MWEM under the Terms of Reference, to perform the EIA considering the provisions of Directive 21 and the BAT Management of Mining Waste. The Directive 21 was intended by the EU DG of Environment to be the legislative regime applicable to sound management of mining waste throughout Europe and therefore compliance with its provisions is mandatory.

\*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

The Security Report has been made available for public access by being posted at the following Internet address [http://www.mmediu.ro/dep\\_mediu/rosia\\_montana\\_securitate.htm](http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm) as well as through the printed version which could have been found at several information locations established for public hearings.

\*

Chapter 5 of the Report on the environment impact assessment study (EIA) (*Assessment of Alternatives*) presents an assessment of the “no-project” alternative in Section 1 (*No-Project Alternatives*). This section covers the immediate impact of not advancing the project and looks beyond this at potential alternative industries. The conclusions are clear: “A diverse multi-sector economic base is important for the sustained economic growth of the region”, and the Roşia Montană Project (RMP) is capable of providing the required economic stimuli and would serve to achieve the economic goal of sustainable prosperity.

The EIA also assessed a wide range of alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the RMP. But while other industries do not have this capability, their development in parallel is not precluded “and to the contrary, [the RMP] solves several key problems for attracting investment”.

Clearly, the assessment of the no-project alternative has been undertaken in a full and considered manner.

\*

The impacts on protected flora and fauna will occur only locally, but these impacts will not lead to the disappearance of any species. The mining project was designed even from the beginning to meet all Romanian and European environmental legal requirements.

The company believes that the project’s impact on the environment remains significant, especially because the project will cover previous environmental impact. But, the investments required to restore/rehabilitate Roşia Montană area in order to resolve current complex environmental issues, are possible only after the implementation of economic projects capable of generating and warranting responsible and direct courses of action as a base component of sustainable development concepts. Clean economic processes and technologies may develop only in the presence of a solid economic system, in a total respect towards environment that will resolve even previous impacts caused by all anthropic activities.

Project’s base documents are an unbiased reasoning of its implementation, taking into account the complex environmental commitments assumed for Roşia Montană area.

For a complete answer, the annexes will be consulted, because all issues included in contestations as well as the ones included in reports submitted by various experts are addressed in Annex 6.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The species characterization can be found in the species tables included in Chapter 4.6, Biodiversity of the Report on Environmental Impact Assessment Study (EIA) as well as in its Annexes. Due to the large amount of information, these tables are available in the electronic format of EIA. 6,000 electronic copies of EIA Report presented on DVD/CDs have been disclosed to the public both in English and Romanian. Moreover, the EIA is also available on RMGC’s website and on the websites of Ministry of Environment and Waters Management and Local and Regional Environment Protection Agencies of Alba, Cluj and Sibiu, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area an SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU

Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution.[...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species , taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

This statement is ungrounded, because the environmental impact assessment (EIA) process has included preliminary cumulative estimates for stationary motorized equipment and linear (vehicular) sources were prepared in order to provide an initial understanding of the potential cumulative noise and vibration impacts from background and Roşia Montană Project sources, and to guide future monitoring and measurement activities as well as the selection of appropriate Best Management Practices/Best Available Techniques for further mitigation of the potential noise and vibration impacts from Project activities.

These preliminary estimates apply to major construction activities, as well as the operation and decommissioning/closure of the mine and process plant. They are documented as data tables and isopleth maps for major noise-generating activities in selected, representative Project years; see **Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9**. All these details related to the applied assessment methodology, the input data of the dispersion model, the modeling results and the measures established for the prevention/mitigation/elimination of the potential impact for all project stages (construction, operation, closure) are included in Chapter 4, Section 4.3 Noise and Vibrations of the EIA Report.

Project Years 0, 9, 10, 12, 14, and 19 were selected for modeling because they are considered to be representative of the most significant levels of noise-generating activity. They are also the same years used for air impact modeling purposes in Section 4.2, as air and noise impacts share many of the same sources or are otherwise closely correlated. In order to more accurately reflect potential receptor impacts, all of these exhibits integrate the background traffic estimates discussed in Section 4.3.6.1.

The Project site plan and process plant area and facility drawings were used to establish the position of the noise sources and other relevant physical characteristics of the site. Receptor locations were established using background reports and project engineering and environmental documentation provided by RMGC. With this information, the source locations and receptor locations were translated into input (x, y, and z) co-ordinates for the noise-modeling program.

**Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9** present the average maximum noise values likely to be experienced by the receptor community over all Project phases after incorporation of a variety of initial mitigation measures designed specifically to reduce the impacts associated with mobile and stationary machinery sources. The influence of non-mining related background (primarily traffic) noise is also included.

To evaluate the sound levels associated with haul trucks and other mobile sources crossing the site carrying excavated ore, waste rock, and soil, a noise analysis program based on the (U.S.) Federal Highway Administration's (FHWA) standard RD-77-108 [1] model was used to calculate reference noise emissions values for heavy trucks along the project roadways. The FHWA model predicts hourly  $L_{eq}$  values for free-flowing traffic conditions and is generally considered to be accurate within 1.5 decibels (dB).

The model is based on the standardized noise emission factors for different types and weights of vehicles (e.g., automobiles, medium trucks, and heavy trucks), with consideration given to vehicle volume, speed, roadway configuration, distance to the receiver, and the acoustical characteristics of the site. The emission levels of all three vehicle types increase as a function of the logarithm of their speed.

To evaluate the sound sources from the proposed mine processing facility and the semi-stationary material handling equipment (at the ore extraction, waste rock and soil stockpiling areas), a proprietary computerized noise prediction program was used by AAC to simulate and model the future equipment noise emissions throughout the area. The modeling program uses industry-accepted propagation algorithms based on the following American National Standards Institute (ANSI) and International Organization for Standardization (ISO) standards:

- *ANSI S1.26-1995 (R2004), Method for the Calculation of the Absorption of Sound by the Atmosphere;*
- *ISO 9613-1:1993, Acoustics -- Attenuation of sound during propagation outdoors-- Part 1: Calculation of the absorption of sound by the atmosphere;*
- *ISO 9613-2:1996, Acoustics -- Attenuation of sound during propagation outdoors -- Part 2: General method of calculation;*
- *ISO 3891:1978, Acoustics -- Procedure for describing aircraft noise heard on the ground.*

The calculations account for classical sound wave divergence (i.e., spherical spreading loss with adjustments for source directivity from point sources) plus attenuation factors due to air absorption, minimal ground effects, and barriers/shielding.

This model has been validated by AAC over a number of years via noise measurements at several operating industrial sites that had been previously modeled during the engineering design phases. The comparison of modeled predictions versus actual measurements has consistently shown close agreement; typically in the range of 1 to 3 dB (A).

References:

[1] FHWA Highway Traffic Noise Prediction Model; see Federal Highway Administration Report Number FHWA-RD-77-108, USA, Washington, D.C., 1978.

***A detailed presentation of blasting technology can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project.***

\*

The partnership between Gabriel Resources and Regia Autonomă a Cuprului Deva (currently, CNCAF Minvest SA) has been established based on Law no. 15/1990 on the reorganization of the state owned companies as autonomous directions and trade companies, published in the Official Gazette, Section I, no. 98/08.08.1990, as subsequently amended and supplemented. Art. 35 of this law provides the possibility of the regies autonomous to enter into partnerships with legal third parties, Romanian or foreign, for the purpose of setting up new trading companies.

Roşia Montană Gold Corporation SA was set up in 1997, according to the legal provisions in force as at that time, the setting up being made by observing all the conditions imposed by Company Law no. 31/1990 and Trade Register Law no. 26/1990, in regard of the setting up of the joint stock companies with mixed capital.

We underline that the Articles of Associations of Roşia Montană Gold Corporation SA, representing the result of the parties agreement in regard of the terms and conditions under which the partnership between the Romanian state and investor takes place represents a public document, being included in the category of documents which, as per Law no. 26/1990 on the Trade Register, are published in the Romanian Official Gazette and for which the Trade Register is obliged to issue, on the expense of the persons submitting a request, certified copies.

As for the agreement concerning the setting up of the mixed company together with Gabriel Resources Ltd., this has been expressed by the Ministry of Industry and Trade, the conditions imposed by the setting up of the mixed company being the following: (i) ensuring of the jobs at the level existing upon the conclusion of the agreement concerning the setting up of the mixed company; (ii) the expenses incurred by the fulfillment of the exploration stage should be fully supported by Gabriel; (iii) the obtaining of the approval from the ANRM by the Copper Autonomous Direction Deva and (iv) the observance of all legal provisions in force concerning the setting up of the mixed companies with foreign partners. These conditions have been fully complied with as at the setting up of the company and during the development of its activity.

We also specify that the establishing of the shareholders' quotas to the benefits and losses of Roşia Montană Gold Corporation SA has been made by considering their contribution quota to the company's share capital. The current percentage of 80% for Gabriel Resources Ltd. and of 19.31% for CNCAF Minvest SA resulted from the initial contribution and the subsequent contributions of the shareholders to the company's share capital, in consideration also of Gabriel Resources Ltd. advancing all expenses and costs related to the development-exploitation and permitting of the Roşia Montană Mining Project.

The provisions of the Articles of Associations of Roşia Montană Gold Corporation SA on the necessary majority and quorum conditions for the decision-making process within the General Shareholders Meeting and the quotas to the benefits and losses of the company are taken from Law no. 31/1990, and no derogation exists in regard of this aspect.

\*

This claim is not true; the Urbanism Plan has been prepared with public consultation.

S.C. Roşia Montană Gold Corporation S.A. has requested and obtained from Alba County Council the Urbanism Certificate no. 78 of 26.04.2006, for the entire Roşia Montană mining project, including the tailings management facility. The Urbanism Certificate also stipulated the preparation of a Zonal Urbanism Plan, to reflect all changes made to the Roşia Montană Project, following the public consultations and debates organized in relation to this project, and the consultations with the permitting

authorities. This plan, entitled “Modification of the Zonal Urbanism Plan, Roşia Montană Industrial Area”, was prepared and subject to public debate in June 2006 in accordance with the provisions of Order no.176/N/2000 issued by the Ministry of Public Works and Territory Development for the approval of the technical regulations “Guidelines regarding the methodology applied for the preparation and framework content of the Zonal Urbanism Plan” and, at present, it is pending approval.

Concerning the Roşia Montană General Urbanism Plan approved in 2002, such plan was prepared in parallel with the Zonal Urbanism Plan of 2002, all the provisions of the General Urbanism Plan being also included in the Zonal Urbanism Plan. Also, the approval procedure related to the two urbanism plans was carried out in parallel.

\*

Preventive archaeological researches within the Roşia Montană mining project area have been undertaken based on specific techniques, specifically trial trenches in all accessible areas that are suitable for human habitation, taking into account the bibliographical information and the observations recorded during the archaeological survey campaigns, the geophysical studies and the analyses of the photogrammetric flights. In addition, surface investigations were undertaken, where appropriate.

The archaeological researches at Roşia Montană covered a large surface and focused on the areas known to have archaeological potential. THEREFORE, ALL AREAS THAT HAVE BEEN ARCHAEOLOGICALLY DISCHARGED HAD BEEN PREVIOUSLY INVESTIGATED. All research programs, beginning with the 2004 campaign, have been undertaken in full compliance with the current legal requirements, i.e. Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs.

The proposed gold mining project at Roşia Montană has raised a series of issues related to the rescue of the historical-archaeological heritage within the area, as well as issues related to its scientific development and also the enhancement of heritage within a museum. Given the complex difficulties encountered in this respect, the Ministry of Culture and Religious Affairs decided to initiate the “Alburnus Maior” National Research Program.

The company’s role was to provide the necessary financial resources for the assessment, research and enhancement of the archaeological remains, in full compliance with the Romanian current legislation. The development of the research and of the archaeological discharge works has been conducted through specific means and methodologies that have been adjusted to the realities of every site researched, in our case, Roşia Montană. They consisted in:

- Archives studies;
- Archaeological surveys; trial trenches;
- aerial reconnaissance/survey and aerial photo interpretation ; high resolution satellite images;
- mining archaeology studies; underground topography and 3D modeling;
- geophysical surveys;
- extensive archaeological investigations in the areas with an identified archaeological potential- this implied carrying out archaeological excavations;
- Interdisciplinary studies- sedimentology, archaeo-zoology, comparative palynology, archaeo-metallurgy, geology, mineralogy;
- Radiocarbon dating and dendrochronology;
- This research and its results were included in an integrated database;
- traditional and digital archaeological topography and development of the GIS project; generate a photo archive- both traditional and digital;
- restoration of artifacts;
- an inventory and a digital catalogue of the artifacts;
- studies conducted by specialists in order to enhance the research results - publication of monographs/scientific books and journals, exhibitions, websites, etc.

All the preventive archaeological researches undertaken at Roşia Montană since 2000 have been carried out as part of a complex research program; permits for preventive archaeological excavations being issued in compliance with the current legislation. These archaeological investigations have been undertaken by



representatives of 21 specialized institutions from Romania and 3 others from abroad, under the scientific coordination of the Romanian National Museum of History. All archaeological researches have been conducted in full compliance with the existing legislation. The investigations undertaken during each archaeological research campaign have been approved by the Ministry of Culture and Religious Affairs based on the Annual Archaeological Research Plan approved by the National Commission of Archaeology.

Under the current legislation (Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs) the archaeologists who have conducted the research may ask that an archaeological discharge certificate be granted. Based on a complex research program, the archaeologists prepare comprehensive documentation with regard to the researched area. Upon consideration of the submitted documentation, the National Commission of Archaeology makes a decision as to whether to recommend or not the granting of the archaeological discharge certificate. In the case of the research conducted in the period 2001-2006, the archaeological discharge certificate was issued directly by the Ministry of Culture and Religious Affairs or by its local agencies.

Preventive archaeological researches at Roșia Montană have allowed the research of five Roman cremation necropolis (Tău Corna, Hop-Găuri, Țarina, Jig - Piciorag and Pârâul Porcului – Tăul Secuilor), two funerary areas (Carpeni, Nanului Valley), sacred areas (Hăbad, Nanului Valley), habitation areas (Hăbad, Carpeni, Tăul Țapului, Hop), the most significant being the Roman structures on the Carpeni Hill and the circular funerary monument at Tău Găuri. In addition, for the first time in Romania, surface investigations have been paralleled by underground investigations of Cetate, Cârnic, Jig and Orlea massifs, with important discoveries in the Pietra Corbului, area, Cătălina-Monulești gallery and the Păru Carpeni mining sector.

The research consisted of aerial photo interpretation, archaeological magnetometric studies, electrical resistivity, palynology, sedimentology, geology studies, radiocarbon and dendrochronology dating. For a better management of the research units and of the archaeological findings, data bases were used, including text and photographs-among which 4 satellite images (an archive satellite image type SPOT Panchromatic (10m) from 1997; 2 satellite images LANDSAT 7 MS (30 m), dating from 2000 and 2003; a satellite image with priority programming SPOT 5 SuperMode color (2,5 m resolution-19 July 2004); all data have been included in a comprehensive GIS program, a first in the Romanian archaeological research.

In the case of archaeological monuments that are located close to industrial facilities, plans have been redesigned to ensure that the archaeological remains in question will not be affected. Where appropriate, the archaeological monument was preserved in situ and restored, i.e. the circular funerary monument at Hop-Găuri (see The "Alburnus Maior" monograph series, volume II, Bucharest, 2004). Another example in this respect is the Carpeni Hill, designated an "archaeological " reserve, and the Pietra Corbului area. In 2004, after being thoroughly investigated, these areas have been included on the List of Historic Monuments. Add to this the areas where ancient mining remains will be preserved, such as the Cătălina Monulești gallery and the mining sector Păru Carpeni, as well as the protected area Roșia Montană Historic Center, including a number of heritage assets (35 historic monument houses).

We emphasise in this respect that the identified and researched structures have been published in preliminary form in the Archaeological Research Chronicle of Romania, after every archaeological research campaign, as well as in volume 1 of the Alburnus Maior monographic series. We mention here the areas where Roman habitation structures have been identified and researched, as well as the references to be consulted for further information: Hop-Găuri, Carpeni, Tăul Țapului (CCA 2001 (2002), p. 254-257, no. 182; 261-262, nr. 185; 264-265, no. 188; 265-266, no. 189. Alburnus Maior I, 2003, p. 45-80; 81-122; 123-148; CCA 2001 (2002), 257-261; CCA 2003 (2004) ,280-283; Alburnus Maior I, 2003, p. 387-431, 433-446, 447-467).

For further details related to the applicable legal framework, the responsibilities of the Project titleholder, or for a detailed description of the preventive archaeological researches undertaken to date and of the Cultural Heritage Management Plans, please see Annex called "Information on the Cultural heritage of Roșia and Related Management Aspects". In addition, the annex includes supplementary information with regard to the result of the researches undertaken as part of the "Alburnus Maior" National Research Program between 2001 and 2006.

---

In conclusion, the area mentioned by the questioner has been researched in accordance with the

Romanian legal requirements, as well as with European standards and practices in the field.

Note that the type of research undertaken at Roşia Montană, known as preventive/rescue archaeological research, as well as other related heritage studies, are done everywhere in the world in close connection with the economic development of certain areas. Both the costs for the research and for the enhancement and maintenance of the preserved areas are provided by investors, in a public-private partnership set up in order to protect the cultural heritage, as per the provisions of the European Convention on the Protection of the Archaeological Heritage (Malta-1992) [1].

References:

[1]The text of the Convention is available at the following address: <http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

\*

In 2000, in the context of the proposal of a new mining project in the Roşia Montană area, the Ministry of Culture and Religious Affairs approved a series of studies to be conducted in order to research the archaeological and architectural heritage of the area. And at the end of that year, the Design Centre for National Cultural Heritage (now the National Institute for Historical Monuments) presented the preliminary results of these researches to the National Commission for Historical Monuments and of the National Commission of Archaeology. Based on these results, in 2001, the Ministry of Culture and Religious Affairs initiated the “Alburnus Maior” National Research Program (the Order no. 2504 / 07.03.2001 of the Minister of Culture and Religious Affairs) in compliance with the Law 378/2001 (as subsequently amended by Law 462/2003 and by Law 258/2006 and Law 259/2006). Thus, since 2000, the Ministry of Culture and Religious Affairs – directly or through its subordinate institutions - has fulfilled its duties with regard to the management of the issues related to Roşia Montană’s heritage.

Thus, the preventive archaeological researches have been conducted by the representatives of 21 national institutions and 3 others from abroad under the scientific coordination of the National Museum of History of Romania. They have been carried out based on the annual approval of the National Commission of Archaeology of the Ministry of Culture and Religious Affairs. In accordance with the legislation in force, this research program is carried out with the financial support provided by RMGC (the company that plans to expand and continue to mine the gold-silver deposit in Roşia Montană). Thus, large-scale preventive investigations have been conducted or are underway in the RMP impact area. A proposal will be made based on the results thereof either for the archaeological discharge of some researched perimeters from the project perimeter or the preservation *in situ* of certain representative structures and monuments, in compliance with the legislation in force. In the case of the areas proposed for conservation and the ones for which the archaeological discharge measure was applied, the decision was made based on the surveys conducted by specialists and on the analysis of the National Commission of Archaeology. In the period 2000-2005, the mining project underwent a series of modifications designed to promote the implementation of the decision regarding the conservation of the local heritage. Examples of these include: extending the duration of the field investigations on several years (e.g. Țarina, Pârâul Porcului, Orlea) and changing the location of some elements of infrastructure in order to allow the conservation of the archaeological remains found in the Carpeni, Tău Găuri and Pietra Corbului areas.

**The architectural and town-planning surveys** have been conducted, in accordance with the legislation in force, by companies certified by the Ministry of Culture and Religious Affairs, while the town-planning documentations drafted by these companies and the restoration and conservation works undertaken so far have been approved by the National Commission for Historical Monuments. Thus, the town-planning documentations have been approved and implemented in accordance with current legislation, and the company has agreed to these decisions and modified the mine development plans accordingly:

**Extensive ethnographic research** was conducted in the Roşia Montană-Abrud-Corna area in the period 2001-2004 coordinated by a team of specialists for the Romanian Village Museum „Dimitrie Gusti” (a National Museum directly under the coordination of the Ministry of Culture and Religious Affairs). Moreover, a broad series of oral history interviews was conducted in the period 2001-2002 by the Romanian Radio Broadcasting Company through the „Gheorghe Brătianu” Oral History Centre, Bucharest (SRR - CIO).

In compliance with the requirements of the Ministry of Environment and Waters Management and the Ministry of Culture and Religious Affairs, specific management plans have been drawn up for the management and conservation of the heritage remains from the Roşia Montană area, in the context of the implementation of the mining project. These plans have been included in the documentation prepared for the Report on the Environmental Impact Assessment Study. (see EIA Report, volume 32-33, Plan M- *Cultural Heritage Management Plan*, part I –*Management Plan for the Archaeological Heritage from Roşia Montană Area*; part II-*Management Plan for the Historical Monuments and Protected Zone from Roşia Montană*; part III- *Cultural Heritage Management Plan*).

These management plans comprise detailed presentations of the obligations and responsibilities regarding the protection and conservation of the heritage remains from the Roşia Montană area, which the company has assumed in the context of the implementation of the mining project, according to the decision of the central government. These heritage remains include: archaeological remains above and under the ground, historic buildings, protected areas, intangible heritage assets, cultural landscape items, etc. In this context, it should be noted that besides the works for the protection and preservation of the archaeological heritage, works are being carried out for the rehabilitation and conservation of the protected area Historical Centre Roşia Montană (comprising 35 historic buildings, and projects for the restoration of 11 of these buildings are currently being drafted), Tăul Mare, Tăul Brazi and Tăul Anghel as well as remains of the surface mining works from the Vaidoia area and the creation of a modern museum dedicated to the history of mining in the Apuseni Mountains area. This museum will be established in the coming years and it will include exhibitions of geology, archaeology, industrial and ethnographic heritage as well as an underground section organized around the Cătălina Monuleşti gallery.

Moreover, representatives of the Directorate for Culture, Religious Affairs and National Cultural Heritage of Alba County have visited Roşia Montană many times in order to collect information and to check the situation. The same administrative body was the intermediary for the specific stages of acquisitions of historic buildings made by RMGC. The Ministry of Culture and Religious Affairs expressed its pre-emption right regarding the acquisition of these buildings.

Note that apart from the obligations undertaken by RMGC as regards the protection and conservation of the archaeological remains and historical monuments, there are a whole series of obligations, which rest with the local public authorities from Roşia Montană and from Alba County and with the central public authorities, namely the Romanian Government.

These aspects are further detailed in the Cultural Heritage Management Plans included in the EIA Report (see EIA Report, volume 32, *Management Plan for the Archaeological Heritage from Roşia Montană Area*, pages 21-22, 47, 52-53, 66-67-Romanian version/ 22-24; 47; 55-56; 71-72 English version) and the EIA Report, volume 33- *Management Plan for the Historical Monuments and Protected Zone from Roşia Montană* pages 28-29, 48-50, 52-53, 64-65, page 98 – Annex 1- Romanian version/ 28-29; 47-50; 51-53; 65-66; 103- Annex 1- English version).

---

Item no. 1884

No. to identify the observations received from the public No. 110919/25.08.2006

Proposal The questioner does not agree to the Roşia Montană project approval for ecological and social reasons and for earth protection for the next generations;

As related to your allegation, please consider the following aspects:

According to art. 44 (1) of the Order of the Minister of Waters and Environmental Protection no. 860/2002 regarding the environment impact assessment and the issuance of environmental agreement procedures ("Order no. 860/2002") *during the public debate meeting the project titleholder [...], provides grounded answers to the justified proposals of the public, which were received under a written form, previously to the respective hearing".*

Solution At the same time, art. 44 (3) of Order no. 860/2002 provides that " *based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests to the titleholder the supplementation of the Report on the Environmental Impact Assessment Study with an appendix comprising solutions for the solving of the indicated issues".*

Considering the legal wordings quoted above, as your allegation (i) does not identify nor indicate issues related to the project initiated by RMGC and undergoing the environment impact assessment procedure and (ii) refers to decisional capacities under the competence of certain public authorities, issues to which RMGC is not in the position to answer, we mention that the project titleholder cannot and does not have the capacity to provide an answer or make any comments in this respect.

Item no.	1885 Same as: 1886, 1887
No. to identify the observations received from the public	No. 110918/25.08.2006 Same as: No. 110917/25.08.2006, No. 110916/25.08.2006
Proposal	<p>The questioner expresses the following remarks:</p> <ul style="list-style-type: none"> <li>- The gold and silver reserves from Roşia Montană represent one of the strategic reserves of Romania</li> <li>- From economic point of view, the distribution of the benefits resulted from gold and silver extraction is opposite to the international practice</li> <li>- The urbanism plans do not correspond to the project proposal</li> <li>- Within the EIA report there are no financial guarantees regarding the safety assurance of the waste deposit</li> </ul> <p>- From technical point of view, the tailings management facility will be not "lined". It is situated above the Abrud town and could have a catastrophic consequence in case of failure</p> <ul style="list-style-type: none"> <li>- The EIA report does not contain an evaluation of the phenomenon so-called "cyanide rain" nor a description of the trans-frontier impact on some natural important areas in case of accident</li> <li>- The EIA report does not assess the "zero alternative";</li> <li>- The data provided by EIA report infringe the standards of environment protection</li> </ul> <p><b>SEE THE CONTENT OF THE TYPE 2 CONTESTATION</b></p>
Solution	<p>The Romanian Mine Law, Law 85/2003, does not put any restrictions on the licenses to be given for exploration for gold and development of gold reserves. Both Romanian and foreign companies, both public and private companies, may apply to obtain a license to work a gold deposit. The Romanian state no longer has a monopoly on gold production.</p> <p>We agree that Roşia Montană represents an issue of national strategic importance, designed to raise the bar for long-term investment in Romania. RMGC is the largest employer in this disadvantaged region and indeed the whole county and is the largest local taxpayer. Romania will receive about US\$ 1 billion for its share of the project, and a total of about US\$ 1.5 billion when one includes the value of goods and services procured in Romania. The project meets or exceeds all Romanian and EU standards, creates new jobs for Romanians, especially in Roşia Montană and the surrounding region, and will be a catalyst for reviving the mining sector, which is strategic to the Romanian economy and an important tool for rural development.</p> <p>However, we disagree that this means the project should not be approved. RMGC has been working on this project since 1998 and has invested over US\$ 200 million to date. By the time production begins, the company will have invested almost US \$1 billion. Mining is a high risk industry; it is an industry rule of thumb that for every 1,000 projects considered, 100 merit drilling, and only one is opened as an actual productive mine. In fact, no country in the developed world is currently involved directly in assuming the risk of mining operations; instead, private capital assumes the risk and will bring the best available techniques to Romania. Approval of this project will show the world that Romania welcomes this type of productive foreign investment. The profits from the mine and the jobs provided by the mine are tangible benefits to Romania.</p> <p>As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that <i>"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"</i>.</p> <p>Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and <u>only after examining:</u></p>

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

\*

Unlike the common international practice related to the distribution of profits, it should be noted that in relation to the Roşia Montană Project, the distribution of benefits is more favorable to Romania/Romanian State than to the investor/the titleholder of the project.

Furthermore, please observe that the Romanian government has an ownership stake in the project (without putting up any capital) and has a direct share in the profits in the expected amount of USD 306 million, along with the right to receive profit taxes, royalties and other taxes and fees. Nowhere else in the developed world does a government have a direct profit sharing interest in a mining project such as this.

\*

We would like to state that your statement is erroneous. The General Urbanism Plan (PUG) of Roşia Montană approved in 2002, allows the development of Roşia Montană Project as it was presented during public debates.

At the same time, pursuant to the provisions under art. 41, 2<sup>nd</sup> paragraph from Mines Law no. 85/2003, the local authorities must alter and/or update existing territorial arrangement plans and general urban plans, in order to allow execution of all required actions to develop mining activities.

RMGC has also commenced the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no 78 from 26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

### **Tailings Management Facility**

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

### **Proximity to Abrud**

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake (MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, “TMF Potential Failure Scenarios” of the EIA.

\*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:



- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the populated areas close by industrial site will be of 4 to 80 µg/m<sup>3</sup>, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection - the national legislation and European Union (EU) legislation on the Quality of Air, don't stipulate limit values for the population's health protection);
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

**On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.**

Also, the specialty literature doesn't comprise information related to the effect of air-borne HCN emissions on fauna and flora.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.4.3).

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to

potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU Best Available Techniques (BAT) – compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1

\*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

According to the provisions of art. 44 (3) of the Order of Ministry of Water and Environment Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure („Order no. 860/2002”), the project titleholder prepares „an evaluation of the public’s grounded proposals,

*containing solutions for the settlement of the underlined problems, which shall be submitted to the relevant public authority for environmental protection, according to the form presented in anenx no. IV.2”.*

We consider that, as no exact specification is made in regard of the enactments allegedly breached by the report to the environmental impact assessment study (EIA), the project’s titleholder cannot answer in regard of this affirmation of a generic character.

Though your statement is not grounded and/or supported in any way, the only authority empowered to analyze such breaches of the European legislation is the environmental authority. To this end, we specify the provisions of art. 45 of the Order no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure (“Order no. 860/2002”), which provide: *“after the examination of the report to the environmental impact assessment study, of the conclusions of the parties involved in the evaluation, of the possibilities to fulfill the project and the grounded evaluation of the public’s proposals, the public authority competent in regard of the environmental protection shall take the decision concerning the issuing of the environmental approval/integrated environmental approval or the grounded rejection of the project on the respective location”.*

---

Item no. 1888

No. to identify the observations received from the public No. 110915/25.08.2006

The questioner requests the MEWM not to emit the environment permit for the Roşia Montană mining project.  
The questioner formulated remarks and proposals as follows:

- The total costs for the mine closure are unrealistic;
- The financial guarantees have not been established;
- There is no liner proposed for the tailings pond;
- The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit.
- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;

**Proposal**

- The EIA report does not assess the "zero alternative";
- The Project poses a threat for the protected flora and fauna;
- S.C. Roşia Montană Gold corporation S.A. does not comply with the provisions of the art.11 from the Mining Law 85/2003
- The EIA report does not contain an impact assessment of the phenomenon "cyanide rain" caused by the cyanide evaporation from the tailings management facility and a description of the trans-boundary impact in case of accident on some natural important areas such as Koros Maros National park from Hungary located along the Mureş valley

**SEE THE CONTENT OF THE TYPE 3 CONTESTATION**

The mine closure costs are not unrealistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million,

makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world’s largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;

- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roșia Montană project.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in

protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

The Security Report has been made available for public access by being posted at the following Internet address [http://www.mmediu.ro/dep\\_mediu/rosia\\_montana\\_securitate.htm](http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm) as well as through the printed version which could have been found at several information locations established for public hearings.

\*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing,

tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species



which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in the atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this

compound;

- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the areas situated up to 2 km towards the north-eastern vicinity of the industrial site will be of 4 to 80 µg/m<sup>3</sup>/h, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection;
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). HCN is weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain will not effectively reduce the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

**On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.**

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mures and Tisa river basins in Hungary. Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

---

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic,

copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Border and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worst case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1.

---

Item no. 1889 Same as: 1890, 1891, 1892, 1893, 1894, 1895

No. to identify the observations received from the public No. 110914/25.08.2006 Same as: No. 110913/25.08.2006, No. 110912/25.08.2006, No. 110911/25.08.2006, No. 110910/25.08.2006, No. 110909/25.08.2006, No. 110908/25.08.2006

The questioner expresses the following remarks:

- The gold and silver reserves from Roşia Montană represent one of the strategic reserves of Romania
- From economic point of view, the distribution of the benefits resulted from gold and silver extraction is opposite to the international practice
- The urbanism plans do not correspond to the project proposal;
- Within the EIA report there are no financial guarantees regarding the safety assurance of the waste deposit

Proposal

- From technical point of view, the tailings management facility will be not "lined". It is situated above the Abrud town and could have a catastrophic consequence in case of failure
- The EIA report does not contain an evaluation of the phenomenon so-called "cyanide rain" nor a description of the trans-frontier impact on some natural important areas in case of accident
- The EIA report does not assess the "zero alternative";
- The data provided by EIA report infringe the standards of environment protection

**SEE THE CONTENT OF THE TYPE 2 CONTESTATION**

The Romanian Mine Law, Law 85/2003, does not put any restrictions on the licenses to be given for exploration for gold and development of gold reserves. Both Romanian and foreign companies, both public and private companies, may apply to obtain a license to work a gold deposit. The Romanian state no longer has a monopoly on gold production.

We agree that Roşia Montană represents an issue of national strategic importance, designed to raise the bar for long-term investment in Romania. RMGC is the largest employer in this disadvantaged region and indeed the whole county and is the largest local taxpayer. Romania will receive about US\$ 1 billion for its share of the project, and a total of about US\$ 1.5 billion when one includes the value of goods and services procured in Romania. The project meets or exceeds all Romanian and EU standards, creates new jobs for Romanians, especially in Roşia Montană and the surrounding region, and will be a catalyst for reviving the mining sector, which is strategic to the Romanian economy and an important tool for rural development.

Solution

However, we disagree that this means the project should not be approved. RMGC has been working on this project since 1998 and has invested over US\$ 200 million to date. By the time production begins, the company will have invested almost US \$1 billion. Mining is a high risk industry; it is an industry rule of thumb that for every 1,000 projects considered, 100 merit drilling, and only one is opened as an actual productive mine. In fact, no country in the developed world is currently involved directly in assuming the risk of mining operations; instead, private capital assumes the risk and will bring the best available techniques to Romania. Approval of this project will show the world that Romania welcomes this type of productive foreign investment. The profits from the mine and the jobs provided by the mine are tangible benefits to Romania.

As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that *"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"*.

Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining:

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

\*

Unlike the common international practice related to the distribution of profits, it should be noted that in relation to the Roşia Montană Project, the distribution of benefits is more favorable to Romania/Romanian State than to the investor/the titleholder of the project.

Furthermore, please observe that the Romanian government has an ownership stake in the project (without putting up any capital) and has a direct share in the profits in the expected amount of USD 306 million, along with the right to receive profit taxes, royalties and other taxes and fees. Nowhere else in the developed world does a government have a direct profit sharing interest in a mining project such as this.

\*

We would like to state that your statement is erroneous. The General Urbanism Plan (PUG) of Roşia Montană approved in 2002, allows the development of Roşia Montană Project as it was presented during public debates.

At the same time, pursuant to the provisions under art. 41, 2<sup>nd</sup> paragraph from Mines Law no. 85/2003, the local authorities must alter and/or update existing territorial arrangement plans and general urban plans, in order to allow execution of all required actions to develop mining activities.

RMGC has also commenced the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no 78 from 26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

### **Tailings Management Facility**

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

### **Proximity to Abrud**

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake (MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, “TMF Potential Failure Scenarios” of the EIA.

\*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the populated areas close by industrial site will be of 4 to 80 µg/m<sup>3</sup>, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection - the national legislation and European Union (EU) legislation on the Quality of Air, don't stipulate limit values for the population's health protection);
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

**On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.**

Also, the specialty literature doesn't comprise information related to the effect of air-borne HCN emissions on fauna and flora.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.4.3).

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to



potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU Best Available Techniques (BAT) – compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1

\*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

According to the provisions of art. 44 (3) of the Order of Ministry of Water and Environment Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure („Order no. 860/2002”), the project titleholder prepares „an evaluation of the public’s grounded proposals,

*containing solutions for the settlement of the underlined problems, which shall be submitted to the relevant public authority for environmental protection, according to the form presented in anenx no. IV.2”.*

We consider that, as no exact specification is made in regard of the enactments allegedly breached by the report to the environmental impact assessment study (EIA), the project’s titleholder cannot answer in regard of this affirmation of a generic character.

Though your statement is not grounded and/or supported in any way, the only authority empowered to analyze such breaches of the European legislation is the environmental authority. To this end, we specify the provisions of art. 45 of the Order no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure (“Order no. 860/2002”), which provide: *“after the examination of the report to the environmental impact assessment study, of the conclusions of the parties involved in the evaluation, of the possibilities to fulfill the project and the grounded evaluation of the public’s proposals, the public authority competent in regard of the environmental protection shall take the decision concerning the issuing of the environmental approval/integrated environmental approval or the grounded rejection of the project on the respective location”.*

---

Item no.	1896
No. to identify the observations received from the public	No. 112974/ 25.08.2006
Proposal	<p>The questioner requests the MEWM not to emit the environment permit for the Roşia Montană mining project.</p> <p>The questioner formulated remarks and proposals as follows:</p> <ul style="list-style-type: none"> <li>-The total costs for the mine closure are unrealistic;</li> <li>- The financial guarantees have not been established;</li> <li>- There is no liner proposed for the tailings pond;</li> <li>- The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit.</li> <li>- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;</li> <li>- The EIA report does not assess the "zero alternative";</li> <li>- The Project poses a threat for the protected flora and fauna;</li> <li>- S.C. Roşia Montană Gold corporation S.A. does not comply with the provisions of the art.11 from the Mining Law 85/2003</li> <li>- The EIA report does not contain an impact assessment of the phenomenon “cyanide rain” caused by the cyanide evaporation from the tailings management facility and a description of the trans-boundary impact in case of accident on some natural important areas such as Koros Maros National park from Hungary located along the Mureş valley.</li> </ul> <p><b>SEE THE CONTENT OF THE TYPE 3 CONTESTATION</b></p>
Solution	<p>The mine closure costs are not unrealistic. RMGC’s closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA’s Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.</p> <p>Closure and rehabilitation at Roşia Montană involves the following measures:</p> <ul style="list-style-type: none"> <li>• Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;</li> <li>• Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;</li> <li>• Covering and vegetating the tailings pond and its dam areas;</li> <li>• Dismantling of disused production facilities and revegetation of the cleaned-up areas;</li> <li>• Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;</li> <li>• Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.</li> </ul> <p>While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the</p>

rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world’s largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;

- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is

updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

The Security Report has been made available for public access by being posted at the following Internet address [http://www.mmediu.ro/dep\\_mediu/rosia\\_montana\\_securitate.htm](http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm) as well as through the printed version which could have been found at several information locations established for public hearings.

\*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

#### References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species

which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in the atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this



compound;

- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the areas situated up to 2 km towards the north-eastern vicinity of the industrial site will be of 4 to 80 µg/m<sup>3</sup>/h, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection;
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). HCN is weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain will not effectively reduce the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

**On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.**

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mures and Tisa river basins in Hungary. Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

---

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic,

copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1.

---

Item no. 1897

No. to identify the observations received from the public No. 110906/25.08.2006

Proposal

The questioner has the following questions and remarks:

- What guarantees there are that the project will be respected?
- Who controls the observance of the technology and environment standards?
- During operation, accidents with catastrophic effects may occur: floods, landslides, equipment breakdowns, etc.
- The cyanide represents the biggest danger: deficiencies at the tailings management facilities with cyanide can empoison the Arieș, Someș, Tisa and Danube rivers; Who pays the damages?
- If the company goes bankrupt after 15 years, will the rehabilitation works remain at the Romanian State's charge?

Solution

Roșia Montana Gold Corporation ("RMGC") has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roșia Montana. This assessment has led RMGC to conclude that Roșia Montana presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project's design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

We are also encouraged by the opportunity to pursue the project in a manner that advances the community's social, environmental, and economic welfare. During the life of the mine, the economic and social fabric of Roșia Montana will benefit from new economic opportunities. RMGC forecasts the creation 1,200 new jobs during the construction phase of the mine. Once the mine has been opened, we expect it to directly employ more than 630 people, and spark economic development in the region. This development is projected to lead to more than 6,000 new jobs, supporting the mine and the people working at the mine, in a region that has been designated a "disadvantaged zone" by the Romanian Government.

RMGC recognizes that mining, while permanently changing some surface topography, represents a temporary use of the land. Thus from the time the mine is constructed, continuing throughout its lifespan, closure-related activities – such as rehabilitating the land and water, and ensuring the safety and stability of the surrounding area – will be incorporated into our operating plans.

In Romania, the creation of an Environmental Financial Guarantee ("EFG") is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003). Two directives issued by the European Union also impact the EFG: the Mine Waste Directive ("MWD") and the Environmental Liability Directive ("ELD").

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility.

The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roșia Montana.

RMGC has already begun the process of complying with these directives, and once their implementation

instruments are enacted by the Romanian Government, we will be in full compliance.

There are two separate and distinct EFGs under Romanian law.

The first, which is updated annually, focuses on covering the projected reclamation costs associated with the operations of the mine in the following year. These costs are of no less than 1.5 percent per year, of total costs, reflective of annual work commitments.

The second, also updated annually, sets out the projected costs of the eventual closure of the Roşia Montana mine. The amount of the EFG to cover the final environmental rehabilitation is determined as an annual quota of the value of the environmental rehabilitation works provided within the monitoring program for the post-closure environmental elements. Such program is part of the Technical Program for Mine Closure, a document to be approved by the National Agency for Mineral Resources (“NAMR”).

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montana is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

The annual updates capture the following four variables:

- Changes in the project that impact reclamation objectives
- Changes in Romania’s legal framework, including the implementation of EU directives
- New technologies that improve the science and practice of reclamation
- Changes in prices for key goods and services associated with reclamation

Once these updates are completed, the new estimated closure costs will be incorporated into RMGC’s financial statements and made available to the public.

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit
- Trust funds
- Letter of credit
- Surety bonds
- Insurance policy

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montana project.

\*

According to the provisions stipulated by art. 3(2) of Governmental Decision no. 440/2005 on the reorganization and functioning of the National Environmental Guard (“GD no. 440/2005”) “The National Environmental Guard has executive duties regarding the implementation of the Governmental policies that govern prevention, identification and penalization measures taken after breaching legal provisions on the protection of environment, water, soil, air, and biodiversity as well as those mentioned in the laws specific to the field of the control of industrial pollution and risk management, of the environmental fund and of other fields stipulated by specific legislation in force, to include here legal environmental permitting procedures for issuing permits, endorsements and authorizations for both environment and water management fields issued by the competent authorities pursuant to current in force law governing the permitting process of projects, programs and specific activities”

The National Environment Guard is the authority competent to monitor the compliance with the environmental standards and regulations.

Under the provisions of art. 10 of GD no. 440/2005, the National Environment Guard has, among the others, the following responsibilities:

- monitors the activities with an impact on the environment and inflicts preventive civil penalties as stipulated by law for environmental protection, verifies the compliance with the provisions of the environmental protection permits as well as the compliance with the legal provisions governing the issuance of these documents; controls the activities which imply a risk of major accidents or of significant environmental impact, in order to prevent and limit the risk of pollution;
- monitors the investments during all the development phases;
- makes proposals to the competent authority as to the suspension or cancellation of the permits that were issued without complying with the existing legislation.

\*

Extreme natural events have been considered throughout the design of the Roşia Montană project. These include, but are not limited to extreme rainfalls (including rainfall and snow melt), extreme draught, and extreme earthquakes. In addition, consideration has been given to climate change factors during the development of the extreme natural events.

To illustrate this, special measures have been taken to prevent and mitigate the potential negative effects caused by heavy rainfalls. What is of interest, in view of the project, is the quantity of water flowing over the ground surface as a result of the floods. The measures have been detailed in Chapter 7, *Risks*, Subchapter 2.4.3, p. 38-42 '*Measures to Prevent, Reduce and Remediate the Effects of Floods and High Waters*'.

Overall, the measures include:

- the development of structures over almost the entire surface of the Roşia and Corna catchment areas. As a result, runoff on the surface covered by the site will be almost entirely retained (including pits, waste rock dumps, tailing's ponds and other types of impoundments). The Corna dam was designed to retain the total amount of water resulting from two successive PMPs (450 mm/24 h+450 mm/24 h), so as to avoid overtopping. Estimates indicate that the Probable Maximum Precipitation, defined as "*theoretically the greatest depth of precipitation for a given duration that is physically possible over a given size storm area at a particular geographical location at a certain time of year, without taking into consideration long-term climate changes*" (WMO, 1986) with a chance occurrence of 1 in more than 100 million years [1];
- as a safeguard relating to runoff volume, the project includes construction of diversion channels within both the Roşia and Corna valley drainage basins to route rainfall runoff around the mine waste materials. As an additional measure – and based on the absence of any diversion channels – the design provides ample freeboard in the case that excessive rainfall combines with wind conditions to generate waves.

To ensure increased stability, we have also buttressed the dam itself, with a ration of H:V well beyond any existing requirements, as outlined below.

The Corna Dam (the main dam) will be a rockfill structure built using the centerline method of construction. The dam will have a downstream slope of 3H: 1V. Typically, the slopes for such hydraulic structures range between 1.5H: 1V and 1.75H: 1V.

As for the broader range of extreme events, the following discussion present a summary of the conditions considered in the Roşia Montană Project design.

Chapter 4 of the Report on the Environmental Impact Assessment Study, subchapter 4.1 "Water", p. 20, as well as the Mine Rehabilitation and Closure Plan, p. 123 reflect all future potential changes of the basic climatic parameters and of the extreme events. The Water Management and Erosion Control Plan as well as Mine Rehabilitation and Closure Plan include continuous assessment procedures of learned data and climatic change forecasts, in such a manner that any implications regarding the management and design activities to be immediately identified and managed.

Climatic conditions that have been taken into account during the design activity developed for Corna Tailings Management Facility, with specific reference to extreme precipitations (the main factor that causes failures worldwide), are sufficient, even in the case of summation of forecasted values for extreme events (increase estimated at 15% for the period of project's development, the Mine Rehabilitation and Closure Plan, p. 123, subchapter 4.1. "Water", p.20 from the Report on Environmental Impact Assessment Study).

Finally, the probability of major landslides to appear in that specific area is also very low, as a result of the stable petrographic composition that hosts especially compacted rocks, without large volumes of rocks that have an unstable composition. At most, There may appear superficial landslides and rocks fragmentations, generating a minimal influence on the objectives (subchapter 2.6 Section 7 Risks).

References:

[1] Figure 4.1.8, Chapter 4.1 Water, the EIA Report.

\*

Cyanide is extremely toxic therefore its manufacturing, transport, handling and neutralization must be handled with care. However, cyanide has a great advantage for the environment because it breaks down quickly (biodegradation under UV light) becoming inert under normal weather conditions, and the compounds resulting from the degradation, hydrolysis, adsorption processes taking place in the TMF are very stable (basically, these compounds become inert within the environment in the TMF once the process tailings are stored); there is no possibility of bio-accumulation, i.e. mercury or heavy metals. This Project will implement the Best Available Techniques (BAT) for gold recovery and waste management (we refer here to waste resulting from mining and processing) and will comply with the European Directive for cyanide content mining waste.

The cyanide used for the ore processing will be handled/stored in compliance with the EU standards and the provisions of the International Code for the Management of the Cyanide (ICMC-[www.cyanidecode.org](http://www.cyanidecode.org)); it will be safely kept on the processing plant site in order to prevent any accidental spillage. The cyanide and its compounds will be subject to INCO detoxification procedure (DETOX) – this procedure is considered the Best Available Technique (BAT) as per BREF [1] document; the process tailings will be discharged into the TMF in accordance with EU Directive 2006/21/CE on the management of mining waste.

Section 4.3 „Alternatives for leaching agents” of Chapter 5 (Alternatives) of the EIA Report includes an assessment of the alternatives in what regards the use of cyanide, in consideration to the environmental protection and cost-efficiency, and implementation in the processing. The conclusion reached is that the use of the cyanide represents the best available technique (BAT) in accordance to the definition accepted by the European Union.

The tailings management facility (TMF) of the Roşia Montană Project complies, in full, with the international standards, as well as with the recommendations quoted from the “Terms of Reference” document regarding the Best Available Techniques for tailings and waste rock management in mining activities which ensure maximum mitigation of any potential impact generated by the tailings management facilities.

Therefore, the TMF will be built of rocks, will have a sealed core and is designed to cope with major earthquakes of 8 degrees on Richter scale, as well as to store 2 consecutive PMPs (probable maximum precipitations). Downstream the main dam, there will be a secondary dam built to collect any seepage, water which will be pumped back into the tailings dam. The strategy for seepage management, considered being potential contamination source, will include several items.

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The

following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam;
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective to groundwater. For the Roşia Montană project (RMP), this requirement is addressed by considering of the favorable geology (low permeability shale underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) re-compacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, "The Tailings Facility Management Plan" for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to protect human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted into pumping wells and will be used to extract the impacted water and pump it into the TMF where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

The possibility for lateral seepage flowing around the secondary containment facilities was investigated as part of the design studies. The hydro-geologic studies in the Corna valley indicated that groundwater was flowing toward the valley bottom and that the final elevation of the tailings pond surface was less than the elevation of the existing groundwater levels. Therefore, it is considered that there will not be a gradient for groundwater to flow to the adjacent valleys. The groundwater elevations in the sides of the TMF basin have been monitored over a five year period and only indicate small seasonal variations.

The EIA Report (Chapter 10 Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes a model of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The model created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and estimates the concentrations at key locations along the river, including at the Hungarian Border and in the Tisa after the Mures joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale un-programmed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

**For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program in Annex 5 and the full modeling report is presented as Annex 5.1.**

References:

[1] Best Available Techniques for Management of Tailings and Waste-Rock in Mining Activities. European Commission General-Directorate Joint Research Centre, Institute for Prospective Technological Studies, Technologies for Sustainable Development, European IPPC Bureau, Final Report, July 2004 (<http://eippcb.jrc.es/pages/FActivities.htm>)

\*

We would like to underline the fact that relevant legislation in the field punctually establishes all mandatory liabilities for the titleholder with regard to the environmental rehabilitation of the areas impacted by mining activities. The titleholder has to undertake these responsibilities both during the development of the mining operations and throughout the cessation of the mining activity. In this respect, we would like to ask you to take notice of the following mandatory legal provisions:

- (i) Art. 3 (1),e, of Government Emergency Ordinance no. 195/2005 regarding the environmental protection (“GEO no. 195/2005”) enforcing the “polluter pays” principle;
- (ii) Art. 39 (1), p, of Law no. 85/2003 the titleholder of the license is responsible “to carry out upon termination of the concession the works for care and maintenance/closure of the mine/quarry, as the case may be, including the Post Closure Monitoring Program, according to the activity cession plan”;
- (iii) Art. 37 (3) of Law no. 85/2003 “The titleholders, legal persons shall be liable for the improvement of all environment factors, affected by the mining activity, according to the environmental rehabilitation plans as approved by the Competent Authority”;
- (iv) Art. 37 (5) of Law no. 85/2003 “the titleholder of a license shall be further liable, in accordance with the rules which determine the civil extracontractual responsibility, for the damages caused to the third parties by its fault as a result of mining activities conducted prior to the date of termination of relinquishment, even if such damages are evidenced after the termination of concession or administration”.

In addition to the aforementioned information, we would like to ask you to take notice of the fact that, the titleholder is also liable to establish a financial guarantee for environmental rehabilitation. According to the provisions stipulated by art. 3(1) position 16 of Mining Law no. 85/2003, “Financial guarantee for environmental rehabilitation means the obligation and the responsibility of the natural or legal persons carrying out mining activities on the basis of the license or exploitation permit to ensure the necessary funds for environmental rehabilitation under the form of a bank deposit, irrevocable bank guarantee letter or any other ways provided by the law”.

Through its value, the financial guarantee for the environmental rehabilitation ensures the development of environmental rehabilitation works in the following cases: (i) the cessation of activity and (ii) the non-



execution of environmental rehabilitation work. The environmental financial guarantee is annual (ensures the development of environmental rehabilitation works undertaken by the titleholder through the design for environmental rehabilitation) and final (ensures the development of environmental rehabilitation works stipulated in the program for the cessation of mining operations).

Moreover, we would like to underline the fact that during the development of the project, RMGC is going to carry out the obligations related to the establishment and the maintenance of the environmental financial guarantee and it is going to make every effort to fulfill any other mandatory obligations according to legal provisions.

\*

Regardless of the financial condition of the Roșia Montană Gold Corporation (“RMGC”), the Romanian government will have no financial liability in connection with the rehabilitation of the Roșia Montană project.

RMGC has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roșia Montană. This assessment has led RMGC to conclude that Roșia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project’s design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

RMGC recognizes that mining, while permanently changing some surface topography, represents a temporary use of the land. Thus from the time the mine is constructed, continuing throughout its lifespan, closure-related activities – such as rehabilitating the land and water, and ensuring the safety and stability of the surrounding area – will be incorporated into our operating and closure plans.

In Romania, the creation of an Environmental Financial Guarantee (“EFG”) is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003). Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roșia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

There are two separate and distinct EFGs under Romanian law.

The first, which is updated annually, focuses on covering the projected reclamation costs associated with the operations of the mine in the following year. These costs are of no less than 1.5 percent per year, of total costs, reflective of annual work commitments.

The second, also updated annually, sets out the projected costs of the eventual closure of the Roșia Montană mine. The amount of the EFG to cover the final environmental rehabilitation is determined as an annual quota of the value of the environmental rehabilitation works provided within the monitoring program for the post-closure environmental elements. Such program is part of the Technical Program for Mine Closure, a document to be approved by the National Agency for Mineral Resources (“NAMR”).

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

The annual updates capture the following four variables:

- Changes in the project that impact reclamation objectives;
- Changes in Romania's legal framework, including the implementation of EU directives ;
- New technologies that improve the science and practice of reclamation;
- Changes in prices for key goods and services associated with reclamation.

Once these updates are completed, the new estimated closure costs will be incorporated into RMGC's financial statements and made available to the public.

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
  - Trust funds;
  - Letter of credit;
  - Surety bonds;
  - Insurance policy.
-

Item no.	1898 Same as: 1899, 1900, 1901
No. to identify the observations received from the public	No. 110724/25.08.2006 Same as: No. 110723/25.08.2006, No. 110722/25.08.2006, No. 110721/25.08.2006
Proposal	<p>The questioner does not agree to the promotion of the Roşia Montană Project, making the following comments:</p> <ul style="list-style-type: none"> <li>- In EIA there are no presented all the possible risks derived from this project;</li> <li>- Total costs for closing the mine are unrealistic;</li> <li>- There isn't until now an approved Zonal Urbanism Plan for the Protected Areas;</li> <li>- The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate;</li> <li>- Information about the foundation which RMGC will establish and subsidize is not given. This foundation follows to assume the obligations which the mining operation can not assume;</li> <li>- The present urbanism plans of the Roşia Montană commune do not correspond with the mining project proposal described in EIA;</li> <li>- The tailings management facility is not lined;</li> <li>- The proposed waste deposits will be not constructed according to the legislation in force;</li> <li>- Financial guarantees were not fixed</li> <li>- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;</li> <li>- The EIA report does not evaluate the "Zero alternative";</li> <li>- The project represents a threatening for the protected flora and fauna;</li> <li>- The EIA report does not refer to the impact on the listed heritage buildings of noise and vibrations caused by the mining operations;</li> <li>- The public/ONGs wish to consult the contracts and agreements between Company and Romanian State;</li> <li>- Modification of the urbanism plan without the public consultation;</li> <li>- From archeological point of view, the area proposed to by occupied by project was not legally investigated</li> <li>- The questioner contests the protection of the architectural and spiritual monuments with the responsibility of the state institutions for the protection operation.</li> </ul> <p><b>SEE THE CONTENT OF THE TYPE 1 CONTESTATION</b></p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of he potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences</p>

to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.

More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than  $10^{-6}$  (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.

A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source,

- surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;
- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;
  - Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;
  - Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;
  - Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m<sup>2</sup> is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m<sup>2</sup> is within a circle of 15 m radius;
  - Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);
  - Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;
  - Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;
  - In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

---

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology

adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m<sup>3</sup> hourly average and 179µ g/m<sup>3</sup> 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;
- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m<sup>3</sup> discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m<sup>3</sup>/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:
- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;
- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page 173-176.

\*

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of

surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being too low—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

\*

According to Law 5/2000, regarding the approval of the Territory Arrangement Plan – 3<sup>rd</sup> Section – protected areas (“Law 5/2000”) (article 5, paragraphs 2-3), local public authorities, with the support of the competent central public authorities, had the obligation to establish the boundaries of the protection areas for the cultural heritage elements stipulated in Annex III to the above-mentioned law. This measure should have been taken within 12 months from the effective date of Law 5/2000, based on specialized studies. For this purpose, the local public authorities had to prepare the town planning documentation and its related regulations, developed and approved according to the law. This documentation must comprise the necessary protection and conservation measures for the national cultural heritage elements located in this area.

Concurrently, Law 350/2001 on the territory arrangement and urbanism stipulates the right of legal or natural persons interested in arranging the territory, to initiate the development of urbanism plans.

In accordance with these legal provisions, in 2001, RMGC initiated the preparation of these specific town-planning documentations - the General Urbanism Plan and the Zonal Urbanism Plan. These plans have been developed by Romanian certified companies and followed the legal approval procedure. The permit for the establishment of the Roşia Montană Historical Centre Protected Area was issued by the Ministry of Culture and Religious Affairs in 2002 (permits no. 61/14.02.2002 and no. 178/20.06.2002) as part of the procedure for the approval of the town planning documentation. Based on these permits, the Ministry of Culture and Religious Affairs requested the company to develop a Zonal Urbanism Plan for the

Historical Centre of Roşia Montană. Out of the 41 historical buildings in Roşia Montană, thirty-five (35) are located inside the protected area of the Roşia Montană Historical Centre.

As for the heritage elements located in the future industrial development area (6 historical buildings), these are discussed in the Industrial Zonal Urbanism Plan prepared by SC Proiect Alba SA. The regulations included in this document will contain measures for the protection of these monuments.

In conclusion, the town planning studies and the specialized studies conducted for the purpose of establishing the boundaries of the protection areas within the future mining operations perimeter are currently pending approval, in accordance with the legal provisions, by the competent institutions and committees. Please note that none of the historical houses located in the perimeter of the proposed project will be affected; on the contrary, all the 41 historic buildings will be included in a complex restoration and rehabilitation program (see the Management Plan). This program is mandatory, regardless of the implementation of the mining project, if we want to prevent these buildings from collapsing because of their advanced degradation.

\*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15<sup>th</sup> May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14<sup>th</sup> December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15<sup>th</sup> May 2006) and prior to the public debate start up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26<sup>th</sup> 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot ( art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

\*

Introduced as part of the Environmental Impact Assessment Report Study (EIA), the Roşia Montană Foundation is shifting in focus. The Community Sustainable Development Plan activities initially conceived as coming under the Foundation umbrella (business oriented activities: business incubator, business advisory center, micro-finance facility, as well as social oriented activities: education and training center) have been advanced independently, via partnerships and with community participation in decision-making – a preferable way to advance social and economic development programs.



Going forward, the Foundation will take shape around preservation, patrimony and cultural heritage issues, with its final form determined in consultation with the community.

In terms of the philosophy that guides the company's Sustainable Development efforts, the Roşia Montană Gold Corporation (RMGC) sees itself not as principal provider, but as a partner. Community involvement is considered the starting point; over time, as the community builds the capacity to maintain programs in its own right, the company will turn over control of currently-established programs to the community and its institutions.

For more information, please see Roşia Montană Sustainable Development and the Roşia Montană Project – annex 4.

\*

We underline the fact that your statement is false. The General Urbanism Plan for the Roşia Montană commune, endorsed in 2002 allows the development of Roşia Montană project, as it has been presented during the public consultations.

Concurrently, pursuant to the provisions of art. 41, paragraph 2, from the Mining Law no.85/2003, the authorities from the local administration have the liability to adjust and/or update the territory arrangement plans and the general urbanism plans, in order to allow the development of all operations necessary for the development of mining activities.

RMGC has also initiated the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no.78/26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as

defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to

pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

With respect to your comments made as regards a presumptive infringement of the provisions of Government Decision No.351/2005 (“GD 351/2005”), there are several aspects to be taken into consideration. Thus:

1. Firstly, please note that, according to the provisions of art. 6 of GD 351/2005, any activity that might determine the discharge of dangerous substances into the environment is subject to the prior approval of the water management authorities and shall comply with the provisions of the water permit issued in accordance with the relevant legislation.

The GD 351/2005 provides that the water permit shall be issued only after all technical-construction measures are implemented as prevent the indirect discharge of dangerous substances into the underground waters. The maximum discharge limits are expressly provided under GD 351/2005 and compliance with such is a condition for granting and maintaining the water permit.

In accordance with the provisions of GD 351/2005, the actual discharge limits should be authorized by the relevant authority, such process being understood by the lawmaker in consideration of the complexity and variety of industrial activities, as well as the latest technological achievements.

Therefore, please note that the EIA stage is not intended to be finalized into an overall comprehensive permit, but it represents only a part of a more complex permitting process. Please note that, according with art. 3 of GD 918/2002, the data’s level of detail provided in the EIA is the one available in the feasibility stage of the project, obviously making impossible for both the titleholder and authority to exhaust all required technical data and permits granted.

The adequate protection of the ground water shall be ensured by the terms and conditions of the water permit. The issuance of the water permit shall be performed following an individual assessment of the project, considering its particular aspects and the relevant legal requirements applicable for mining activities. Until the water permit is obtained, any allegation regarding the infringement of GD 351/2005 is obviously premature mainly because the water permit shall regulate, in accordance with the relevant legal provisions, the conditions to be observed by the developer as regards the protection of the ground water;

2. Secondly, kindly note that the complexity and specificity of mining projects generated the need of a particular legal framework. Therefore, for such projects, the reading of the legal provisions of a certain enactment should be corroborated with the relevant provisions of the other regulations applicable.

In this respect, please not that the understanding of GD 351/2005 must be corroborated with the provisions of the entire relevant legislation enforceable as regards Roşia Montană Project, with a particular accent to Directive 2006/21/EC on the management of waste from the extractive industries (“Directive 21”).

The very scope of Directive 21 is to provide a specific legal framework for the extractive wastes and waste facilities related to mining projects, considering the complexity of such projects and the particular aspects of mining activities that can not always be subject to the common regulations on waste management and landfill.

From this perspective, Directive 21 provides that, an operator of a waste facility, as such is defined thereunder (please note that the TMF proposed by RMGC is considered a “waste facility” under Directive 21), must inter alia, ensure that:

- a) *“the waste facility is [...]designed so as to meet the necessary conditions for, in the short and long-term perspectives, preventing pollution of the soil, air, groundwater or surface water, taking into account especially Directives 76/464/EEC (1), 80/68/EEC (2) and 2000/60/EC, and ensuring efficient collection of contaminated water and leachate as and when required under the permit, and reducing erosion caused by water or wind as far as it is technically possible and economically viable;”*
- b) *“the waste facility is suitably constructed, managed and maintained to ensure its physical stability and to prevent pollution or contamination of soil, air, surface water or groundwater in the short and long-term*

*perspectives as well as to minimize as far as possible damage to landscape.”*

In addition, it should be mentioned that RMGC was required by MWEM under the Terms of Reference, to perform the EIA considering the provisions of Directive 21 and the BAT Management of Mining Waste. The Directive 21 was intended by the EU DG of Environment to be the legislative regime applicable to sound management of mining waste throughout Europe and therefore compliance with its provisions is mandatory.

\*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

The Security Report has been made available for public access by being posted at the following Internet address [http://www.mmediu.ro/dep\\_mediu/rosia\\_montana\\_securitate.htm](http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm) as well as through the printed version which could have been found at several information locations established for public hearings.

\*

Chapter 5 of the Report on the environment impact assessment study (EIA) (*Assessment of Alternatives*) presents an assessment of the “no-project” alternative in Section 1 (*No-Project Alternatives*). This section covers the immediate impact of not advancing the project and looks beyond this at potential alternative industries. The conclusions are clear: “A diverse multi-sector economic base is important for the sustained economic growth of the region”, and the Roşia Montană Project (RMP) is capable of providing the required economic stimuli and would serve to achieve the economic goal of sustainable prosperity.

The EIA also assessed a wide range of alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the RMP. But while other industries do not have this capability, their development in parallel is not precluded “and to the contrary, [the RMP] solves several key problems for attracting investment”.

Clearly, the assessment of the no-project alternative has been undertaken in a full and considered manner.

\*

The impacts on protected flora and fauna will occur only locally, but these impacts will not lead to the disappearance of any species. The mining project was designed even from the beginning to meet all Romanian and European environmental legal requirements.

The company believes that the project’s impact on the environment remains significant, especially because the project will cover previous environmental impact. But, the investments required to restore/rehabilitate Roşia Montană area in order to resolve current complex environmental issues, are possible only after the implementation of economic projects capable of generating and warranting responsible and direct courses of action as a base component of sustainable development concepts. Clean economic processes and technologies may develop only in the presence of a solid economic system, in a total respect towards environment that will resolve even previous impacts caused by all anthropic activities.

Project’s base documents are an unbiased reasoning of its implementation, taking into account the complex environmental commitments assumed for Roşia Montană area.

For a complete answer, the annexes will be consulted, because all issues included in contestations as well as the ones included in reports submitted by various experts are addressed in Annex 6.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The species characterization can be found in the species tables included in Chapter 4.6, Biodiversity of the Report on Environmental Impact Assessment Study (EIA) as well as in its Annexes. Due to the large amount of information, these tables are available in the electronic format of EIA. 6,000 electronic copies of EIA Report presented on DVD/CDs have been disclosed to the public both in English and Romanian. Moreover, the EIA is also available on RMGC’s website and on the websites of Ministry of Environment and Waters Management and Local and Regional Environment Protection Agencies of Alba, Cluj and Sibiu, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area an SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because

within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution.[...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species , taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

This statement is ungrounded, because the environmental impact assessment (EIA) process has included preliminary cumulative estimates for stationary motorized equipment and linear (vehicular) sources were prepared in order to provide an initial understanding of the potential cumulative noise and vibration impacts from background and Roşia Montană Project sources, and to guide future monitoring and measurement activities as well as the selection of appropriate Best Management Practices/Best Available Techniques for further mitigation of the potential noise and vibration impacts from Project activities. These preliminary estimates apply to major construction activities, as well as the operation and

decommissioning/closure of the mine and process plant. They are documented as data tables and isopleth maps for major noise-generating activities in selected, representative Project years; see **Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9**. All these details related to the applied assessment methodology, the input data of the dispersion model, the modeling results and the measures established for the prevention/mitigation/elimination of the potential impact for all project stages (construction, operation, closure) are included in Chapter 4, Section 4.3 Noise and Vibrations of the EIA Report.

Project Years 0, 9, 10, 12, 14, and 19 were selected for modeling because they are considered to be representative of the most significant levels of noise-generating activity. They are also the same years used for air impact modeling purposes in Section 4.2, as air and noise impacts share many of the same sources or are otherwise closely correlated. In order to more accurately reflect potential receptor impacts, all of these exhibits integrate the background traffic estimates discussed in Section 4.3.6.1.

The Project site plan and process plant area and facility drawings were used to establish the position of the noise sources and other relevant physical characteristics of the site. Receptor locations were established using background reports and project engineering and environmental documentation provided by RMGC. With this information, the source locations and receptor locations were translated into input (x, y, and z) co-ordinates for the noise-modeling program.

**Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9** present the average maximum noise values likely to be experienced by the receptor community over all Project phases after incorporation of a variety of initial mitigation measures designed specifically to reduce the impacts associated with mobile and stationary machinery sources. The influence of non-mining related background (primarily traffic) noise is also included.

To evaluate the sound levels associated with haul trucks and other mobile sources crossing the site carrying excavated ore, waste rock, and soil, a noise analysis program based on the (U.S.) Federal Highway Administration's (FHWA) standard RD-77-108 [1] model was used to calculate reference noise emissions values for heavy trucks along the project roadways. The FHWA model predicts hourly  $L_{eq}$  values for free-flowing traffic conditions and is generally considered to be accurate within 1.5 decibels (dB).

The model is based on the standardized noise emission factors for different types and weights of vehicles (e.g., automobiles, medium trucks, and heavy trucks), with consideration given to vehicle volume, speed, roadway configuration, distance to the receiver, and the acoustical characteristics of the site. The emission levels of all three vehicle types increase as a function of the logarithm of their speed.

To evaluate the sound sources from the proposed mine processing facility and the semi-stationary material handling equipment (at the ore extraction, waste rock and soil stockpiling areas), a proprietary computerized noise prediction program was used by AAC to simulate and model the future equipment noise emissions throughout the area. The modeling program uses industry-accepted propagation algorithms based on the following American National Standards Institute (ANSI) and International Organization for Standardization (ISO) standards:

- *ANSI S1.26-1995 (R2004), Method for the Calculation of the Absorption of Sound by the Atmosphere;*
- *ISO 9613-1:1993, Acoustics -- Attenuation of sound during propagation outdoors-- Part 1: Calculation of the absorption of sound by the atmosphere;*
- *ISO 9613-2:1996, Acoustics -- Attenuation of sound during propagation outdoors -- Part 2: General method of calculation;*
- *ISO 3891:1978, Acoustics -- Procedure for describing aircraft noise heard on the ground.*

The calculations account for classical sound wave divergence (i.e., spherical spreading loss with adjustments for source directivity from point sources) plus attenuation factors due to air absorption, minimal ground effects, and barriers/shielding.

This model has been validated by AAC over a number of years via noise measurements at several operating industrial sites that had been previously modeled during the engineering design phases. The comparison of modeled predictions versus actual measurements has consistently shown close agreement; typically in the range of 1 to 3 dB (A).

References:

---

[1] FHWA Highway Traffic Noise Prediction Model; see Federal Highway Administration Report Number FHWA-RD-77-108, USA, Washington, D.C., 1978.

***A detailed presentation of blasting technology can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project.***

\*

The partnership between Gabriel Resources and Regia Autonomă a Cuprului Deva (currently, CNCAF Minvest SA) has been established based on Law no. 15/1990 on the reorganization of the state owned companies as autonomous directions and trade companies, published in the Official Gazette, Section I, no. 98/08.08.1990, as subsequently amended and supplemented. Art. 35 of this law provides the possibility of the regies autonomous to enter into partnerships with legal third parties, Romanian or foreign, for the purpose of setting up new trading companies.

Roşia Montană Gold Corporation SA was set up in 1997, according to the legal provisions in force as at that time, the setting up being made by observing all the conditions imposed by Company Law no. 31/1990 and Trade Register Law no. 26/1990, in regard of the setting up of the joint stock companies with mixed capital.

We underline that the Articles of Associations of Roşia Montană Gold Corporation SA, representing the result of the parties agreement in regard of the terms and conditions under which the partnership between the Romanian state and investor takes place represents a public document, being included in the category of documents which, as per Law no. 26/1990 on the Trade Register, are published in the Romanian Official Gazette and for which the Trade Register is obliged to issue, on the expense of the persons submitting a request, certified copies.

As for the agreement concerning the setting up of the mixed company together with Gabriel Resources Ltd., this has been expressed by the Ministry of Industry and Trade, the conditions imposed by the setting up of the mixed company being the following: (i) ensuring of the jobs at the level existing upon the conclusion of the agreement concerning the setting up of the mixed company; (ii) the expenses incurred by the fulfillment of the exploration stage should be fully supported by Gabriel; (iii) the obtaining of the approval from the ANRM by the Copper Autonomous Direction Deva and (iv) the observance of all legal provisions in force concerning the setting up of the mixed companies with foreign partners. These conditions have been fully complied with as at the setting up of the company and during the development of its activity.

We also specify that the establishing of the shareholders' quotas to the benefits and losses of Roşia Montană Gold Corporation SA has been made by considering their contribution quota to the company's share capital. The current percentage of 80% for Gabriel Resources Ltd. and of 19.31% for CNCAF Minvest SA resulted from the initial contribution and the subsequent contributions of the shareholders to the company's share capital, in consideration also of Gabriel Resources Ltd. advancing all expenses and costs related to the development-exploitation and permitting of the Roşia Montană Mining Project.

The provisions of the Articles of Associations of Roşia Montană Gold Corporation SA on the necessary majority and quorum conditions for the decision-making process within the General Shareholders Meeting and the quotas to the benefits and losses of the company are taken from Law no. 31/1990, and no derogation exists in regard of this aspect.

\*

This claim is not true; the Urbanism Plan has been prepared with public consultation.

S.C. Roşia Montană Gold Corporation S.A. has requested and obtained from Alba County Council the Urbanism Certificate no. 78 of 26.04.2006, for the entire Roşia Montană mining project, including the tailings management facility. The Urbanism Certificate also stipulated the preparation of a Zonal Urbanism Plan, to reflect all changes made to the Roşia Montană Project, following the public consultations and debates organized in relation to this project, and the consultations with the permitting authorities. This plan, entitled "Modification of the Zonal Urbanism Plan, Roşia Montană Industrial Area",



was prepared and subject to public debate in June 2006 in accordance with the provisions of Order no.176/N/2000 issued by the Ministry of Public Works and Territory Development for the approval of the technical regulations "Guidelines regarding the methodology applied for the preparation and framework content of the Zonal Urbanism Plan" and, at present, it is pending approval.

Concerning the Roşia Montană General Urbanism Plan approved in 2002, such plan was prepared in parallel with the Zonal Urbanism Plan of 2002, all the provisions of the General Urbanism Plan being also included in the Zonal Urbanism Plan. Also, the approval procedure related to the two urbanism plans was carried out in parallel.

\*

Preventive archaeological researches within the Roşia Montană mining project area have been undertaken based on specific techniques, specifically trial trenches in all accessible areas that are suitable for human habitation, taking into account the bibliographical information and the observations recorded during the archaeological survey campaigns, the geophysical studies and the analyses of the photogrammetric flights. In addition, surface investigations were undertaken, where appropriate.

The archaeological researches at Roşia Montană covered a large surface and focused on the areas known to have archaeological potential. THEREFORE, ALL AREAS THAT HAVE BEEN ARCHAEOLOGICALLY DISCHARGED HAD BEEN PREVIOUSLY INVESTIGATED. All research programs, beginning with the 2004 campaign, have been undertaken in full compliance with the current legal requirements, i.e. Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs.

The proposed gold mining project at Roşia Montană has raised a series of issues related to the rescue of the historical-archaeological heritage within the area, as well as issues related to its scientific development and also the enhancement of heritage within a museum. Given the complex difficulties encountered in this respect, the Ministry of Culture and Religious Affairs decided to initiate the "Alburnus Maior" National Research Program.

The company's role was to provide the necessary financial resources for the assessment, research and enhancement of the archaeological remains, in full compliance with the Romanian current legislation. The development of the research and of the archaeological discharge works has been conducted through specific means and methodologies that have been adjusted to the realities of every site researched, in our case, Roşia Montană. They consisted in:

- Archives studies;
- Archaeological surveys; trial trenches;
- aerial reconnaissance/survey and aerial photo interpretation ; high resolution satellite images;
- mining archaeology studies; underground topography and 3D modeling;
- geophysical surveys;
- extensive archaeological investigations in the areas with an identified archaeological potential- this implied carrying out archaeological excavations;
- Interdisciplinary studies- sedimentology, archaeo-zoology, comparative palynology, archaeo-metallurgy, geology, mineralogy;
- Radiocarbon dating and dendrochronology;
- This research and its results were included in an integrated database;
- traditional and digital archaeological topography and development of the GIS project; generate a photo archive- both traditional and digital;
- restoration of artifacts;
- an inventory and a digital catalogue of the artifacts;
- studies conducted by specialists in order to enhance the research results - publication of monographs/scientific books and journals, exhibitions, websites, etc.

All the preventive archaeological researches undertaken at Roşia Montană since 2000 have been carried out as part of a complex research program; permits for preventive archaeological excavations being issued in compliance with the current legislation. These archaeological investigations have been undertaken by representatives of 21 specialized institutions from Romania and 3 others from abroad, under the scientific

coordination of the Romanian National Museum of History. All archaeological researches have been conducted in full compliance with the existing legislation. The investigations undertaken during each archaeological research campaign have been approved by the Ministry of Culture and Religious Affairs based on the Annual Archaeological Research Plan approved by the National Commission of Archaeology.

Under the current legislation (Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs) the archaeologists who have conducted the research may ask that an archaeological discharge certificate be granted. Based on a complex research program, the archaeologists prepare comprehensive documentation with regard to the researched area. Upon consideration of the submitted documentation, the National Commission of Archaeology makes a decision as to whether to recommend or not the granting of the archaeological discharge certificate. In the case of the research conducted in the period 2001-2006, the archaeological discharge certificate was issued directly by the Ministry of Culture and Religious Affairs or by its local agencies.

Preventive archaeological researches at Roşia Montană have allowed the research of five Roman cremation necropolis (Tău Corna, Hop-Găuri, Țarina, Jig - Piciorag and Pârâul Porcului – Tăul Secuilor), two funerary areas (Carpeni, Nanului Valley), sacred areas (Hăbad, Nanului Valley), habitation areas (Hăbad, Carpeni, Tăul Țapului, Hop), the most significant being the Roman structures on the Carpeni Hill and the circular funerary monument at Tău Găuri. In addition, for the first time in Romania, surface investigations have been paralleled by underground investigations of Cetate, Cârnic, Jig and Orlea massifs, with important discoveries in the Piatra Corbului, area, Cătălina-Monulești gallery and the Păru Carpeni mining sector.

The research consisted of aerial photo interpretation, archaeological magnetometric studies, electrical resistivity, palynology, sedimentology, geology studies, radiocarbon and dendrochronology dating. For a better management of the research units and of the archaeological findings, data bases were used, including text and photographs-among which 4 satellite images (an archive satellite image type SPOT Panchromatic (10m) from 1997; 2 satellite images LANDSAT 7 MS (30 m), dating from 2000 and 2003; a satellite image with priority programming SPOT 5 SuperMode color (2,5 m resolution-19 July 2004); all data have been included in a comprehensive GIS program, a first in the Romanian archaeological research.

In the case of archaeological monuments that are located close to industrial facilities, plans have been redesigned to ensure that the archaeological remains in question will not be affected. Where appropriate, the archaeological monument was preserved in situ and restored, i.e. the circular funerary monument at Hop-Găuri (see The "Alburnus Maior" monograph series, volume II, Bucharest, 2004). Another example in this respect is the Carpeni Hill, designated an "archaeological " reserve, and the Piatra Corbului area. In 2004, after being thoroughly investigated, these areas have been included on the List of Historic Monuments. Add to this the areas where ancient mining remains will be preserved, such as the Cătălina Monulești gallery and the mining sector Păru Carpeni, as well as the protected area Roşia Montană Historic Center, including a number of heritage assets (35 historic monument houses).

We emphasise in this respect that the identified and researched structures have been published in preliminary form in the Archaeological Research Chronicle of Romania, after every archaeological research campaign, as well as in volume 1 of the Alburnus Maior monographic series. We mention here the areas where Roman habitation structures have been identified and researched, as well as the references to be consulted for further information: Hop-Găuri, Carpeni, Tăul Țapului (CCA 2001 (2002), p. 254-257, no. 182; 261-262, nr. 185; 264-265, no. 188; 265-266, no. 189. Alburnus Maior I, 2003, p. 45-80; 81-122; 123-148; CCA 2001 (2002), 257-261; CCA 2003 (2004) ,280-283; Alburnus Maior I, 2003, p. 387-431, 433-446, 447-467).

For further details related to the applicable legal framework, the responsibilities of the Project titleholder, or for a detailed description of the preventive archaeological researches undertaken to date and of the Cultural Heritage Management Plans, please see Annex called "Information on the Cultural heritage of Roşia and Related Management Aspects". In addition, the annex includes supplementary information with regard to the result of the researches undertaken as part of the "Alburnus Maior" National Research Program between 2001 and 2006.

In conclusion, the area mentioned by the questioner has been researched in accordance with the Romanian legal requirements, as well as with European standards and practices in the field.

Note that the type of research undertaken at Roşia Montană, known as preventive/rescue archaeological research, as well as other related heritage studies, are done everywhere in the world in close connection with the economic development of certain areas. Both the costs for the research and for the enhancement and maintenance of the preserved areas are provided by investors, in a public-private partnership set up in order to protect the cultural heritage, as per the provisions of the European Convention on the Protection of the Archaeological Heritage (Malta-1992) [1].

References:

[1]The text of the Convention is available at the following address: <http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

\*

In 2000, in the context of the proposal of a new mining project in the Roşia Montană area, the Ministry of Culture and Religious Affairs approved a series of studies to be conducted in order to research the archaeological and architectural heritage of the area. And at the end of that year, the Design Centre for National Cultural Heritage (now the National Institute for Historical Monuments) presented the preliminary results of these researches to the National Commission for Historical Monuments and of the National Commission of Archaeology. Based on these results, in 2001, the Ministry of Culture and Religious Affairs initiated the “Alburnus Maior” National Research Program (the Order no. 2504 / 07.03.2001 of the Minister of Culture and Religious Affairs) in compliance with the Law 378/2001 (as subsequently amended by Law 462/2003 and by Law 258/2006 and Law 259/2006). Thus, since 2000, the Ministry of Culture and Religious Affairs – directly or through its subordinate institutions - has fulfilled its duties with regard to the management of the issues related to Roşia Montană’s heritage.

Thus, the preventive archaeological researches have been conducted by the representatives of 21 national institutions and 3 others from abroad under the scientific coordination of the National Museum of History of Romania. They have been carried out based on the annual approval of the National Commission of Archaeology of the Ministry of Culture and Religious Affairs. In accordance with the legislation in force, this research program is carried out with the financial support provided by RMGC (the company that plans to expand and continue to mine the gold-silver deposit in Roşia Montană). Thus, large-scale preventive investigations have been conducted or are underway in the RMP impact area. A proposal will be made based on the results thereof either for the archaeological discharge of some researched perimeters from the project perimeter or the preservation *in situ* of certain representative structures and monuments, in compliance with the legislation in force. In the case of the areas proposed for conservation and the ones for which the archaeological discharge measure was applied, the decision was made based on the surveys conducted by specialists and on the analysis of the National Commission of Archaeology. In the period 2000-2005, the mining project underwent a series of modifications designed to promote the implementation of the decision regarding the conservation of the local heritage. Examples of these include: extending the duration of the field investigations on several years (e.g. Țarina, Pârâul Porcului, Orlea) and changing the location of some elements of infrastructure in order to allow the conservation of the archaeological remains found in the Carpeni, Tău Găuri and Pietra Corbului areas.

**The architectural and town-planning surveys** have been conducted, in accordance with the legislation in force, by companies certified by the Ministry of Culture and Religious Affairs, while the town-planning documentations drafted by these companies and the restoration and conservation works undertaken so far have been approved by the National Commission for Historical Monuments. Thus, the town-planning documentations have been approved and implemented in accordance with current legislation, and the company has agreed to these decisions and modified the mine development plans accordingly:

**Extensive ethnographic research** was conducted in the Roşia Montană-Abrud-Corna area in the period 2001-2004 coordinated by a team of specialists for the Romanian Village Museum „Dimitrie Gusti” (a National Museum directly under the coordination of the Ministry of Culture and Religious Affairs). Moreover, a broad series of oral history interviews was conducted in the period 2001-2002 by the Romanian Radio Broadcasting Company through the „Gheorghe Brătianu” Oral History Centre, Bucharest (SRR - CIO).

---

In compliance with the requirements of the Ministry of Environment and Waters Management and the

Ministry of Culture and Religious Affairs, specific management plans have been drawn up for the management and conservation of the heritage remains from the Roşia Montană area, in the context of the implementation of the mining project. These plans have been included in the documentation prepared for the Report on the Environmental Impact Assessment Study. (see EIA Report, volume 32-33, Plan M- *Cultural Heritage Management Plan*, part I –*Management Plan for the Archaeological Heritage from Roşia Montană Area*; part II-*Management Plan for the Historical Monuments and Protected Zone from Roşia Montană*; part III- *Cultural Heritage Management Plan*).

These management plans comprise detailed presentations of the obligations and responsibilities regarding the protection and conservation of the heritage remains from the Roşia Montană area, which the company has assumed in the context of the implementation of the mining project, according to the decision of the central government. These heritage remains include: archaeological remains above and under the ground, historic buildings, protected areas, intangible heritage assets, cultural landscape items, etc. In this context, it should be noted that besides the works for the protection and preservation of the archaeological heritage, works are being carried out for the rehabilitation and conservation of the protected area Historical Centre Roşia Montană (comprising 35 historic buildings, and projects for the restoration of 11 of these buildings are currently being drafted), Tăul Mare, Tăul Brazi and Tăul Anghel as well as remains of the surface mining works form the Vaidoia area and the creation of a modern museum dedicated to the history of mining in the Apuseni Mountains area. This museum will be established in the coming years and it will include exhibitions of geology, archaeology, industrial and ethnographic heritage as well as an underground section organized around the Cătălina Monuleşti gallery.

Moreover, representatives of the Directorate for Culture, Religious Affairs and National Cultural Heritage of Alba County have visited Roşia Montană many times in order to collect information and to check the situation. The same administrative body was the intermediary for the specific stages of acquisitions of historic buildings made by RMGC. The Ministry of Culture and Religious Affairs expressed its pre-emption right regarding the acquisition of these buildings.

Note that apart from the obligations undertaken by RMGC as regards the protection and conservation of the archaeological remains and historical monuments, there are a whole series of obligations, which rest with the local public authorities from Roşia Montană and from Alba County and with the central public authorities, namely the Romanian Government.

These aspects are further detailed in the Cultural Heritage Management Plans included in the EIA Report (see EIA Report, volume 32, *Management Plan for the Archaeological Heritage from Roşia Montană Area*, pages 21-22, 47, 52-53, 66-67-Romanian version/ 22-24; 47; 55-56; 71-72 English version) and the EIA Report, volume 33- *Management Plan for the Historical Monuments and Protected Zone from Roşia Montană* pages 28-29, 48-50, 52-53, 64-65, page 98 – Annex 1- Romanian version/ 28-29; 47-50; 51-53; 65-66; 103- Annex 1- English version).

---

Item no.	1902
No. to identify the observations received from the public	No. 110720/ 25.08.2006
Proposal	<p>The questioner requests the MEWM not to emit the environment permit for the Roşia Montană mining project.</p> <p>The questioner formulated remarks and proposals as follows:</p> <ul style="list-style-type: none"> <li>- The total costs for the mine closure are unrealistic;</li> <li>- The financial guarantees have not been established;</li> <li>- There is no liner proposed for the tailings pond;</li> <li>- The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit.</li> <li>- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;</li> <li>- The EIA report does not assess the "zero alternative";</li> <li>- The Project poses a threat for the protected flora and fauna;</li> <li>- S.C. Roşia Montană Gold Corporation S.A. does not comply with the provisions of the art.11 from the Mining Law 85/2003</li> <li>- The EIA report does not contain an impact assessment of the phenomenon "cyanide rain" caused by the cyanide evaporation from the tailings management facility and a description of the trans-boundary impact in case of accident on some natural important areas such as Koros Maros National park from Hungary located along the Mureş valley.</li> </ul> <p>SEE THE CONTENT OF THE TYPE 3 CONTESTATION</p>
Solution	<p>The mine closure costs are not unrealistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.</p> <p>Closure and rehabilitation at Roşia Montană involves the following measures:</p> <ul style="list-style-type: none"> <li>• Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;</li> <li>• Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;</li> <li>• Covering and vegetating the tailings pond and its dam areas;</li> <li>• Dismantling of disused production facilities and revegetation of the cleaned-up areas;</li> <li>• Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;</li> <li>• Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.</li> </ul> <p>While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million,</p>

makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;

- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in

protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

The Security Report has been made available for public access by being posted at the following Internet address [http://www.mmediu.ro/dep\\_mediu/rosia\\_montana\\_securitate.htm](http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm) as well as through the printed version which could have been found at several information locations established for public hearings.

\*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing,

---



tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species

which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in the atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;

- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the areas situated up to 2 km towards the north-eastern vicinity of the industrial site will be of 4 to 80 µg/m<sup>3</sup>/h, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection;
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). HCN is weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain will not effectively reduce the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

**On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.**

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mures and Tisa river basins in Hungary. Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model

has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1.

---

Item no.	1903 Same as: 1904, 1905, 1906, 1907, 1908, 1909
No. to identify the observations received from the public	No. 110719/25.08.2006 Same as: No. 110718/25.08.2006, No. 110889/25.08.2006, No. 110888/25.08.2006, No. 110886/25.08.2006, No. 110887/25.08.2006, No. 110885/25.08.2006
Proposal	<p>The questioner does not agree to the promotion of the Roşia Montană Project, making the following comments:</p> <ul style="list-style-type: none"> <li>- In EIA there are no presented all the possible risks derived from this project;</li> <li>- Total costs for closing the mine are unrealistic;</li> <li>- There isn't until now an approved Zonal Urbanism Plan for the Protected Areas;</li> <li>- The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate;</li> <li>- Information about the foundation which RMGC will establish and subsidize is not given. This foundation follows to assume the obligations which the mining operation can not assume;</li> <li>- The present urbanism plans of the Roşia Montană commune do not correspond with the mining project proposal described in EIA;</li> <li>- There is no liner proposed for the tailings pond;</li> <li>- The proposed waste deposits will be not constructed according to the legislation in force;</li> <li>- No financial guarantees have been stipulated;</li> </ul> <p>- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;</p> <ul style="list-style-type: none"> <li>- The EIA report does not assess the "zero alternative";</li> <li>- The Project poses a threat for protected flora and fauna;</li> <li>- The EIA report does not refer to the impact on the listed heritage buildings of noise and vibrations caused by the mining operations;</li> <li>- The public/ONGs wish to consult the contracts and agreements between Company and Romanian State;</li> <li>- Modification of the urbanism plan without the public consultation;</li> <li>- From archeological point of view, the area proposed to by occupied by project was not legally investigated;</li> <li>- The questioner contests the protection of the architectural and spiritual monuments with the responsibility of the state institutions for the protection operation.</li> </ul> <p><b>SEE THE CONTENT OF THE TYPE 1 CONTESTATION</b></p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures,</p>

the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.

More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than  $10^{-6}$  (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.

A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and

weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;
- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;
- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;
- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m<sup>2</sup> is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m<sup>2</sup> is within a circle of 15 m radius;
- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);
- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;
- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;
- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m<sup>3</sup> hourly average and 179µ g/m<sup>3</sup> 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;
- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m<sup>3</sup> discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m<sup>3</sup>/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:
- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;
- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

\*

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be



updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being too low—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

\*

According to Law 5/2000, regarding the approval of the Territory Arrangement Plan – 3<sup>rd</sup> Section – protected areas (“Law 5/2000”) (article 5, paragraphs 2-3), local public authorities, with the support of the competent central public authorities, had the obligation to establish the boundaries of the protection areas for the cultural heritage elements stipulated in Annex III to the above-mentioned law. This measure should have been taken within 12 months from the effective date of Law 5/2000, based on specialized studies. For this purpose, the local public authorities had to prepare the town planning documentation and its related regulations, developed and approved according to the law. This documentation must comprise the necessary protection and conservation measures for the national cultural heritage elements located in this area.

Concurrently, Law 350/2001 on the territory arrangement and urbanism stipulates the right of legal or natural persons interested in arranging the territory, to initiate the development of urbanism plans.

In accordance with these legal provisions, in 2001, RMGC initiated the preparation of these specific town-planning documentations - the General Urbanism Plan and the Zonal Urbanism Plan. These plans have been developed by Romanian certified companies and followed the legal approval procedure. The permit for the establishment of the Roşia Montană Historical Centre Protected Area was issued by the Ministry of Culture and Religious Affairs in 2002 (permits no. 61/14.02.2002 and no. 178/20.06.2002) as part of the procedure for the approval of the town planning documentation. Based on these permits, the Ministry

of Culture and Religious Affairs requested the company to develop a Zonal Urbanism Plan for the Historical Centre of Roşia Montană. Out of the 41 historical buildings in Roşia Montană, thirty-five (35) are located inside the protected area of the Roşia Montană Historical Centre.

As for the heritage elements located in the future industrial development area (6 historical buildings), these are discussed in the Industrial Zonal Urbanism Plan prepared by SC Proiect Alba SA. The regulations included in this document will contain measures for the protection of these monuments.

In conclusion, the town planning studies and the specialized studies conducted for the purpose of establishing the boundaries of the protection areas within the future mining operations perimeter are currently pending approval, in accordance with the legal provisions, by the competent institutions and committees. Please note that none of the historical houses located in the perimeter of the proposed project will be affected; on the contrary, all the 41 historic buildings will be included in a complex restoration and rehabilitation program (see the Management Plan). This program is mandatory, regardless of the implementation of the mining project, if we want to prevent these buildings from collapsing because of their advanced degradation.

\*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15<sup>th</sup> May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14<sup>th</sup> December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15<sup>th</sup> May 2006) and prior to the public debate start up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26<sup>th</sup> 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot ( art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

\*

Introduced as part of the Environmental Impact Assessment Report Study (EIA), the Roşia Montană Foundation is shifting in focus. The Community Sustainable Development Plan activities initially conceived as coming under the Foundation umbrella (business oriented activities: business incubator, business advisory center, micro-finance facility, as well as social oriented activities: education and training center) have been advanced independently, via partnerships and with community participation in

decision-making – a preferable way to advance social and economic development programs.

Going forward, the Foundation will take shape around preservation, patrimony and cultural heritage issues, with its final form determined in consultation with the community.

In terms of the philosophy that guides the company's Sustainable Development efforts, the Roșia Montană Gold Corporation (RMGC) sees itself not as principal provider, but as a partner. Community involvement is considered the starting point; over time, as the community builds the capacity to maintain programs in its own right, the company will turn over control of currently-established programs to the community and its institutions.

For more information, please see Roșia Montană Sustainable Development and the Roșia Montană Project – annex 4.

\*

We underline the fact that your statement is false. The General Urbanism Plan for the Roșia Montană commune, endorsed in 2002 allows the development of Roșia Montană project, as it has been presented during the public consultations.

Concurrently, pursuant to the provisions of art. 41, paragraph 2, from the Mining Law no.85/2003, the authorities from the local administration have the liability to adjust and/or update the territory arrangement plans and the general urbanism plans, in order to allow the development of all operations necessary for the development of mining activities.

RMGC has also initiated the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roșia Montană Industrial Area and Zonal Urbanism Plan – Roșia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no.78/26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water

is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

With respect to your comments made as regards a presumptive infringement of the provisions of Government Decision No.351/2005 (“GD 351/2005”), there are several aspects to be taken into consideration. Thus:

1. Firstly, please note that, according to the provisions of art. 6 of GD 351/2005, any activity that might determine the discharge of dangerous substances into the environment is subject to the prior approval of the water management authorities and shall comply with the provisions of the water permit issued in accordance with the relevant legislation.

The GD 351/2005 provides that the water permit shall be issued only after all technical-construction measures are implemented as prevent the indirect discharge of dangerous substances into the underground waters. The maximum discharge limits are expressly provided under GD 351/2005 and compliance with such is a condition for granting and maintaining the water permit.

In accordance with the provisions of GD 351/2005, the actual discharge limits should be authorized by the relevant authority, such process being understood by the lawmaker in consideration of the complexity and variety of industrial activities, as well as the latest technological achievements.

Therefore, please note that the EIA stage is not intended to be finalized into an overall comprehensive permit, but it represents only a part of a more complex permitting process. Please note that, according with art. 3 of GD 918/2002, the data’s level of detail provided in the EIA is the one available in the feasibility stage of the project, obviously making impossible for both the titleholder and authority to exhaust all required technical data and permits granted.

The adequate protection of the ground water shall be ensured by the terms and conditions of the water permit. The issuance of the water permit shall be performed following an individual assessment of the project, considering its particular aspects and the relevant legal requirements applicable for mining activities. Until the water permit is obtained, any allegation regarding the infringement of GD 351/2005 is obviously premature mainly because the water permit shall regulate, in accordance with the relevant legal provisions, the conditions to be observed by the developer as regards the protection of the ground water;

2. Secondly, kindly note that the complexity and specificity of mining projects generated the need of a particular legal framework. Therefore, for such projects, the reading of the legal provisions of a certain enactment should be corroborated with the relevant provisions of the other regulations applicable.

In this respect, please not that the understanding of GD 351/2005 must be corroborated with the provisions of the entire relevant legislation enforceable as regards Roşia Montană Project, with a particular accent to Directive 2006/21/EC on the management of waste from the extractive industries (“Directive 21”).

The very scope of Directive 21 is to provide a specific legal framework for the extractive wastes and waste facilities related to mining projects, considering the complexity of such projects and the particular aspects of mining activities that can not always be subject to the common regulations on waste management and landfill.

From this perspective, Directive 21 provides that, an operator of a waste facility, as such is defined thereunder (please note that the TMF proposed by RMGC is considered a “waste facility” under Directive 21), must inter alia, ensure that:

- a) *“the waste facility is [...]designed so as to meet the necessary conditions for, in the short and long-term perspectives, preventing pollution of the soil, air, groundwater or surface water, taking into account especially Directives 76/464/EEC (1), 80/68/EEC (2) and 2000/60/EC, and ensuring efficient collection of contaminated water and leachate as and when required under the permit, and reducing erosion caused by water or wind as far as it is technically possible and economically viable;”*
- b) *“the waste facility is suitably constructed, managed and maintained to ensure its physical stability and to*

*prevent pollution or contamination of soil, air, surface water or groundwater in the short and long-term perspectives as well as to minimize as far as possible damage to landscape.”*

In addition, it should be mentioned that RMGC was required by MWEM under the Terms of Reference, to perform the EIA considering the provisions of Directive 21 and the BAT Management of Mining Waste. The Directive 21 was intended by the EU DG of Environment to be the legislative regime applicable to sound management of mining waste throughout Europe and therefore compliance with its provisions is mandatory.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation (“RMGC”) has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project’s design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

The Security Report has been made available for public access by being posted at the following Internet address [http://www.mmediu.ro/dep\\_mediu/rosia\\_montana\\_securitate.htm](http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm) as well as through the printed version which could have been found at several information locations established for public hearings.

\*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and

by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

This statement is ungrounded, because the environmental impact assessment (EIA) process has included preliminary cumulative estimates for stationary motorized equipment and linear (vehicular) sources were



prepared in order to provide an initial understanding of the potential cumulative noise and vibration impacts from background and Roşia Montană Project sources, and to guide future monitoring and measurement activities as well as the selection of appropriate Best Management Practices/Best Available Techniques for further mitigation of the potential noise and vibration impacts from Project activities. These preliminary estimates apply to major construction activities, as well as the operation and decommissioning/closure of the mine and process plant. They are documented as data tables and isopleth maps for major noise-generating activities in selected, representative Project years; see **Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9**. All these details related to the applied assessment methodology, the input data of the dispersion model, the modeling results and the measures established for the prevention/mitigation/elimination of the potential impact for all project stages (construction, operation, closure) are included in Chapter 4, Section 4.3 Noise and Vibrations of the EIA Report.

Project Years 0, 9, 10, 12, 14, and 19 were selected for modeling because they are considered to be representative of the most significant levels of noise-generating activity. They are also the same years used for air impact modeling purposes in Section 4.2, as air and noise impacts share many of the same sources or are otherwise closely correlated. In order to more accurately reflect potential receptor impacts, all of these exhibits integrate the background traffic estimates discussed in Section 4.3.6.1.

The Project site plan and process plant area and facility drawings were used to establish the position of the noise sources and other relevant physical characteristics of the site. Receptor locations were established using background reports and project engineering and environmental documentation provided by RMGC. With this information, the source locations and receptor locations were translated into input (x, y, and z) co-ordinates for the noise-modeling program.

**Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9** present the average maximum noise values likely to be experienced by the receptor community over all Project phases after incorporation of a variety of initial mitigation measures designed specifically to reduce the impacts associated with mobile and stationary machinery sources. The influence of non-mining related background (primarily traffic) noise is also included.

To evaluate the sound levels associated with haul trucks and other mobile sources crossing the site carrying excavated ore, waste rock, and soil, a noise analysis program based on the (U.S.) Federal Highway Administration's (FHWA) standard RD-77-108 [1] model was used to calculate reference noise emissions values for heavy trucks along the project roadways. The FHWA model predicts hourly  $L_{eq}$  values for free-flowing traffic conditions and is generally considered to be accurate within 1.5 decibels (dB).

The model is based on the standardized noise emission factors for different types and weights of vehicles (e.g., automobiles, medium trucks, and heavy trucks), with consideration given to vehicle volume, speed, roadway configuration, distance to the receiver, and the acoustical characteristics of the site. The emission levels of all three vehicle types increase as a function of the logarithm of their speed.

To evaluate the sound sources from the proposed mine processing facility and the semi-stationary material handling equipment (at the ore extraction, waste rock and soil stockpiling areas), a proprietary computerized noise prediction program was used by AAC to simulate and model the future equipment noise emissions throughout the area. The modeling program uses industry-accepted propagation algorithms based on the following American National Standards Institute (ANSI) and International Organization for Standardization (ISO) standards:

- *ANSI S1.26-1995 (R2004), Method for the Calculation of the Absorption of Sound by the Atmosphere;*
- *ISO 9613-1:1993, Acoustics -- Attenuation of sound during propagation outdoors-- Part 1: Calculation of the absorption of sound by the atmosphere;*
- *ISO 9613-2:1996, Acoustics -- Attenuation of sound during propagation outdoors -- Part 2: General method of calculation;*
- *ISO 3891:1978, Acoustics -- Procedure for describing aircraft noise heard on the ground.*

The calculations account for classical sound wave divergence (i.e., spherical spreading loss with adjustments for source directivity from point sources) plus attenuation factors due to air absorption, minimal ground effects, and barriers/shielding.

---

This model has been validated by AAC over a number of years via noise measurements at several operating

industrial sites that had been previously modeled during the engineering design phases. The comparison of modeled predictions versus actual measurements has consistently shown close agreement; typically in the range of 1 to 3 dB (A).

References:

[1] FHWA Highway Traffic Noise Prediction Model; see Federal Highway Administration Report Number FHWA-RD-77-108, USA, Washington, D.C., 1978.

***A detailed presentation of blasting technology can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project.***

\*

The partnership between Gabriel Resources and Regia Autonomă a Cuprului Deva (currently, CNCAF Minvest SA) has been established based on Law no. 15/1990 on the reorganization of the state owned companies as autonomous directions and trade companies, published in the Official Gazette, Section I, no. 98/08.08.1990, as subsequently amended and supplemented. Art. 35 of this law provides the possibility of the regies autonomous to enter into partnerships with legal third parties, Romanian or foreign, for the purpose of setting up new trading companies.

Roşia Montană Gold Corporation SA was set up in 1997, according to the legal provisions in force as at that time, the setting up being made by observing all the conditions imposed by Company Law no. 31/1990 and Trade Register Law no. 26/1990, in regard of the setting up of the joint stock companies with mixed capital.

We underline that the Articles of Associations of Roşia Montană Gold Corporation SA, representing the result of the parties agreement in regard of the terms and conditions under which the partnership between the Romanian state and investor takes place represents a public document, being included in the category of documents which, as per Law no. 26/1990 on the Trade Register, are published in the Romanian Official Gazette and for which the Trade Register is obliged to issue, on the expense of the persons submitting a request, certified copies.

As for the agreement concerning the setting up of the mixed company together with Gabriel Resources Ltd., this has been expressed by the Ministry of Industry and Trade, the conditions imposed by the setting up of the mixed company being the following: (i) ensuring of the jobs at the level existing upon the conclusion of the agreement concerning the setting up of the mixed company; (ii) the expenses incurred by the fulfillment of the exploration stage should be fully supported by Gabriel; (iii) the obtaining of the approval from the ANRM by the Copper Autonomous Direction Deva and (iv) the observance of all legal provisions in force concerning the setting up of the mixed companies with foreign partners. These conditions have been fully complied with as at the setting up of the company and during the development of its activity.

We also specify that the establishing of the shareholders' quotas to the benefits and losses of Roşia Montană Gold Corporation SA has been made by considering their contribution quota to the company's share capital. The current percentage of 80% for Gabriel Resources Ltd. and of 19.31% for CNCAF Minvest SA resulted from the initial contribution and the subsequent contributions of the shareholders to the company's share capital, in consideration also of Gabriel Resources Ltd. advancing all expenses and costs related to the development-exploitation and permitting of the Roşia Montană Mining Project.

The provisions of the Articles of Associations of Roşia Montană Gold Corporation SA on the necessary majority and quorum conditions for the decision-making process within the General Shareholders Meeting and the quotas to the benefits and losses of the company are taken from Law no. 31/1990, and no derogation exists in regard of this aspect.

\*

This claim is not true; the Urbanism Plan has been prepared with public consultation.

---

S.C. Roşia Montană Gold Corporation S.A. has requested and obtained from Alba County Council the

Urbanism Certificate no. 78 of 26.04.2006, for the entire Roşia Montană mining project, including the tailings management facility. The Urbanism Certificate also stipulated the preparation of a Zonal Urbanism Plan, to reflect all changes made to the Roşia Montană Project, following the public consultations and debates organized in relation to this project, and the consultations with the permitting authorities. This plan, entitled “Modification of the Zonal Urbanism Plan, Roşia Montană Industrial Area”, was prepared and subject to public debate in June 2006 in accordance with the provisions of Order no.176/N/2000 issued by the Ministry of Public Works and Territory Development for the approval of the technical regulations “Guidelines regarding the methodology applied for the preparation and framework content of the Zonal Urbanism Plan” and, at present, it is pending approval.

Concerning the Roşia Montană General Urbanism Plan approved in 2002, such plan was prepared in parallel with the Zonal Urbanism Plan of 2002, all the provisions of the General Urbanism Plan being also included in the Zonal Urbanism Plan. Also, the approval procedure related to the two urbanism plans was carried out in parallel.

\*

Preventive archaeological researches within the Roşia Montană mining project area have been undertaken based on specific techniques, specifically trial trenches in all accessible areas that are suitable for human habitation, taking into account the bibliographical information and the observations recorded during the archaeological survey campaigns, the geophysical studies and the analyses of the photogrammetric flights. In addition, surface investigations were undertaken, where appropriate.

The archaeological researches at Roşia Montană covered a large surface and focused on the areas known to have archaeological potential. THEREFORE, ALL AREAS THAT HAVE BEEN ARCHAEOLOGICALLY DISCHARGED HAD BEEN PREVIOUSLY INVESTIGATED. All research programs, beginning with the 2004 campaign, have been undertaken in full compliance with the current legal requirements, i.e. Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs.

The proposed gold mining project at Roşia Montană has raised a series of issues related to the rescue of the historical-archaeological heritage within the area, as well as issues related to its scientific development and also the enhancement of heritage within a museum. Given the complex difficulties encountered in this respect, the Ministry of Culture and Religious Affairs decided to initiate the “Alburnus Maior” National Research Program.

The company’s role was to provide the necessary financial resources for the assessment, research and enhancement of the archaeological remains, in full compliance with the Romanian current legislation. The development of the research and of the archaeological discharge works has been conducted through specific means and methodologies that have been adjusted to the realities of every site researched, in our case, Roşia Montană. They consisted in:

- Archives studies;
- Archaeological surveys; trial trenches;
- aerial reconnaissance/survey and aerial photo interpretation ; high resolution satellite images;
- mining archaeology studies; underground topography and 3D modeling;
- geophysical surveys;
- extensive archaeological investigations in the areas with an identified archaeological potential- this implied carrying out archaeological excavations;
- Interdisciplinary studies- sedimentology, archaeo-zoology, comparative palynology, archaeo-metallurgy, geology, mineralogy;
- Radiocarbon dating and dendrochronology;
- This research and its results were included in an integrated database;
- traditional and digital archaeological topography and development of the GIS project; generate a photo archive- both traditional and digital;
- restoration of artifacts;
- an inventory and a digital catalogue of the artifacts;
- studies conducted by specialists in order to enhance the research results - publication of monographs/scientific books and journals, exhibitions, websites, etc.

All the preventive archaeological researches undertaken at Roşia Montană since 2000 have been carried out as part of a complex research program; permits for preventive archaeological excavations being issued in compliance with the current legislation. These archaeological investigations have been undertaken by representatives of 21 specialized institutions from Romania and 3 others from abroad, under the scientific coordination of the Romanian National Museum of History. All archaeological researches have been conducted in full compliance with the existing legislation. The investigations undertaken during each archaeological research campaign have been approved by the Ministry of Culture and Religious Affairs based on the Annual Archaeological Research Plan approved by the National Commission of Archaeology.

Under the current legislation (Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs) the archaeologists who have conducted the research may ask that an archaeological discharge certificate be granted. Based on a complex research program, the archaeologists prepare comprehensive documentation with regard to the researched area. Upon consideration of the submitted documentation, the National Commission of Archaeology makes a decision as to whether to recommend or not the granting of the archaeological discharge certificate. In the case of the research conducted in the period 2001-2006, the archaeological discharge certificate was issued directly by the Ministry of Culture and Religious Affairs or by its local agencies.

Preventive archaeological researches at Roşia Montană have allowed the research of five Roman cremation necropolis (Tău Corna, Hop-Găuri, Țarina, Jig - Piciorag and Pârâul Porcului – Tăul Secuilor), two funerary areas (Carpeni, Nanului Valley), sacred areas (Hăbad, Nanului Valley), habitation areas (Hăbad, Carpeni, Tăul Țapului, Hop), the most significant being the Roman structures on the Carpeni Hill and the circular funerary monument at Tău Găuri. In addition, for the first time in Romania, surface investigations have been paralleled by underground investigations of Cetate, Cârnic, Jig and Orlea massifs, with important discoveries in the Piatra Corbului, area, Cătălina-Monuleşti gallery and the Păru Carpeni mining sector.

The research consisted of aerial photo interpretation, archaeological magnetometric studies, electrical resistivity, palynology, sedimentology, geology studies, radiocarbon and dendrochronology dating. For a better management of the research units and of the archaeological findings, data bases were used, including text and photographs-among which 4 satellite images (an archive satellite image type SPOT Panchromatic (10m) from 1997; 2 satellite images LANDSAT 7 MS (30 m), dating from 2000 and 2003; a satellite image with priority programming SPOT 5 SuperMode color (2,5 m resolution-19 July 2004); all data have been included in a comprehensive GIS program, a first in the Romanian archaeological research.

In the case of archaeological monuments that are located close to industrial facilities, plans have been redesigned to ensure that the archaeological remains in question will not be affected. Where appropriate, the archaeological monument was preserved in situ and restored, i.e. the circular funerary monument at Hop-Găuri (see The "Alburnus Maior" monograph series, volume II, Bucharest, 2004). Another example in this respect is the Carpeni Hill, designated an "archaeological " reserve, and the Piatra Corbului area. In 2004, after being thoroughly investigated, these areas have been included on the List of Historic Monuments. Add to this the areas where ancient mining remains will be preserved, such as the Cătălina Monuleşti gallery and the mining sector Păru Carpeni, as well as the protected area Roşia Montană Historic Center, including a number of heritage assets (35 historic monument houses).

We emphasise in this respect that the identified and researched structures have been published in preliminary form in the Archaeological Research Chronicle of Romania, after every archaeological research campaign, as well as in volume 1 of the Alburnus Maior monographic series. We mention here the areas where Roman habitation structures have been identified and researched, as well as the references to be consulted for further information: Hop-Găuri, Carpeni, Tăul Țapului (CCA 2001 (2002), p. 254-257, no. 182; 261-262, nr. 185; 264-265, no. 188; 265-266, no. 189. Alburnus Maior I, 2003, p. 45-80; 81-122; 123-148; CCA 2001 (2002), 257-261; CCA 2003 (2004) ,280-283; Alburnus Maior I, 2003, p. 387-431, 433-446, 447-467).

For further details related to the applicable legal framework, the responsibilities of the Project titleholder, or for a detailed description of the preventive archaeological researches undertaken to date and of the Cultural Heritage Management Plans, please see Annex called "Information on the Cultural heritage of Roşia and Related Management Aspects". In addition, the annex includes supplementary information with

regard to the result of the researches undertaken as part of the “Alburnus Maior” National Research Program between 2001 and 2006.

In conclusion, the area mentioned by the questioner has been researched in accordance with the Romanian legal requirements, as well as with European standards and practices in the field.

Note that the type of research undertaken at Roşia Montană, known as preventive/rescue archaeological research, as well as other related heritage studies, are done everywhere in the world in close connection with the economic development of certain areas. Both the costs for the research and for the enhancement and maintenance of the preserved areas are provided by investors, in a public-private partnership set up in order to protect the cultural heritage, as per the provisions of the European Convention on the Protection of the Archaeological Heritage (Malta-1992) [1].

References:

[1]The text of the Convention is available at the following address: <http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

\*

In 2000, in the context of the proposal of a new mining project in the Roşia Montană area, the Ministry of Culture and Religious Affairs approved a series of studies to be conducted in order to research the archaeological and architectural heritage of the area. And at the end of that year, the Design Centre for National Cultural Heritage (now the National Institute for Historical Monuments) presented the preliminary results of these researches to the National Commission for Historical Monuments and of the National Commission of Archaeology. Based on these results, in 2001, the Ministry of Culture and Religious Affairs initiated the “Alburnus Maior” National Research Program (the Order no. 2504 / 07.03.2001 of the Minister of Culture and Religious Affairs) in compliance with the Law 378/2001 (as subsequently amended by Law 462/2003 and by Law 258/2006 and Law 259/2006). Thus, since 2000, the Ministry of Culture and Religious Affairs – directly or through its subordinate institutions - has fulfilled its duties with regard to the management of the issues related to Roşia Montană’s heritage.

Thus, the preventive archaeological researches have been conducted by the representatives of 21 national institutions and 3 others from abroad under the scientific coordination of the National Museum of History of Romania. They have been carried out based on the annual approval of the National Commission of Archaeology of the Ministry of Culture and Religious Affairs. In accordance with the legislation in force, this research program is carried out with the financial support provided by RMGC (the company that plans to expand and continue to mine the gold-silver deposit in Roşia Montană). Thus, large-scale preventive investigations have been conducted or are underway in the RMP impact area. A proposal will be made based on the results thereof either for the archaeological discharge of some researched perimeters from the project perimeter or the preservation *in situ* of certain representative structures and monuments, in compliance with the legislation in force. In the case of the areas proposed for conservation and the ones for which the archaeological discharge measure was applied, the decision was made based on the surveys conducted by specialists and on the analysis of the National Commission of Archaeology. In the period 2000-2005, the mining project underwent a series of modifications designed to promote the implementation of the decision regarding the conservation of the local heritage. Examples of these include: extending the duration of the field investigations on several years (e.g. Ţarina, Pârâul Porcului, Orlea) and changing the location of some elements of infrastructure in order to allow the conservation of the archaeological remains found in the Carpeni, Tău Găuri and Pietra Corbului areas.

**The architectural and town-planning surveys** have been conducted, in accordance with the legislation in force, by companies certified by the Ministry of Culture and Religious Affairs, while the town-planning documentations drafted by these companies and the restoration and conservation works undertaken so far have been approved by the National Commission for Historical Monuments. Thus, the town-planning documentations have been approved and implemented in accordance with current legislation, and the company has agreed to these decisions and modified the mine development plans accordingly:

**Extensive ethnographic research** was conducted in the Roşia Montană-Abrud-Corna area in the period 2001-2004 coordinated by a team of specialists for the Romanian Village Museum „Dimitrie Gusti” (a National Museum directly under the coordination of the Ministry of Culture and Religious Affairs).

Moreover, a broad series of oral history interviews was conducted in the period 2001-2002 by the Romanian Radio Broadcasting Company through the „Gheorghe Brătianu” Oral History Centre, Bucharest (SRR - CIO).

In compliance with the requirements of the Ministry of Environment and Waters Management and the Ministry of Culture and Religious Affairs, specific management plans have been drawn up for the management and conservation of the heritage remains from the Roşia Montană area, in the context of the implementation of the mining project. These plans have been included in the documentation prepared for the Report on the Environmental Impact Assessment Study. (see EIA Report, volume 32-33, Plan M- *Cultural Heritage Management Plan*, part I –*Management Plan for the Archaeological Heritage from Roşia Montană Area*; part II-*Management Plan for the Historical Monuments and Protected Zone from Roşia Montană*; part III- *Cultural Heritage Management Plan*).

These management plans comprise detailed presentations of the obligations and responsibilities regarding the protection and conservation of the heritage remains from the Roşia Montană area, which the company has assumed in the context of the implementation of the mining project, according to the decision of the central government. These heritage remains include: archaeological remains above and under the ground, historic buildings, protected areas, intangible heritage assets, cultural landscape items, etc. In this context, it should be noted that besides the works for the protection and preservation of the archaeological heritage, works are being carried out for the rehabilitation and conservation of the protected area Historical Centre Roşia Montană (comprising 35 historic buildings, and projects for the restoration of 11 of these buildings are currently being drafted), Tăul Mare, Tăul Brazi and Tăul Anghel as well as remains of the surface mining works from the Vaidoaia area and the creation of a modern museum dedicated to the history of mining in the Apuseni Mountains area. This museum will be established in the coming years and it will include exhibitions of geology, archaeology, industrial and ethnographic heritage as well as an underground section organized around the Cătălina Monuleşti gallery.

Moreover, representatives of the Directorate for Culture, Religious Affairs and National Cultural Heritage of Alba County have visited Roşia Montană many times in order to collect information and to check the situation. The same administrative body was the intermediary for the specific stages of acquisitions of historic buildings made by RMGC. The Ministry of Culture and Religious Affairs expressed its pre-emption right regarding the acquisition of these buildings.

Note that apart from the obligations undertaken by RMGC as regards the protection and conservation of the archaeological remains and historical monuments, there are a whole series of obligations, which rest with the local public authorities from Roşia Montană and from Alba County and with the central public authorities, namely the Romanian Government.

These aspects are further detailed in the Cultural Heritage Management Plans included in the EIA Report (see EIA Report, volume 32, *Management Plan for the Archaeological Heritage from Roşia Montană Area*, pages 21-22, 47, 52-53, 66-67-Romanian version/ 22-24; 47; 55-56; 71-72 English version) and the EIA Report, volume 33- *Management Plan for the Historical Monuments and Protected Zone from Roşia Montană* pages 28-29, 48-50, 52-53, 64-65, page 98 – Annex 1- Romanian version/ 28-29; 47-50; 51-53; 65-66; 103- Annex 1- English version).

---

Item no.	1910 Same as: 1911
No. to identify the observations received from the public	No. 110884/25.08.2006 Same as: No. 110883/25.08.2006
Proposal	<p>The questioner expresses the following remarks:</p> <ul style="list-style-type: none"> <li>- The gold and silver reserves from Roşia Montană represent one of the strategic reserves of Romania</li> <li>- From economic point of view, the distribution of the benefits resulted from gold and silver extraction is opposite to the international practice</li> <li>- The urbanism plans do not correspond to the project proposal</li> <li>- Within the EIA report there are no financial guarantees regarding the safety assurance of the waste deposit</li> <li>- From technical point of view, the tailings management facility will be not "lined". It is situated above the Abrud town and could have a catastrophic consequence in case of failure</li> <li>- The EIA report does not contain an evaluation of the phenomenon so-called "cyanide rain" nor a description of the trans-frontier impact on some natural important areas in case of accident</li> <li>- The EIA report does not assess the "zero alternative";</li> <li>- The data provided by EIA report infringe the standards of environment protection.</li> </ul> <p><b>SEE THE CONTENT OF THE TYPE 2 CONTESTATION</b></p>
Solution	<p>The Romanian Mine Law, Law 85/2003, does not put any restrictions on the licenses to be given for exploration for gold and development of gold reserves. Both Romanian and foreign companies, both public and private companies, may apply to obtain a license to work a gold deposit. The Romanian state no longer has a monopoly on gold production.</p> <p>We agree that Roşia Montană represents an issue of national strategic importance, designed to raise the bar for long-term investment in Romania. RMGC is the largest employer in this disadvantaged region and indeed the whole county and is the largest local taxpayer. Romania will receive about US\$ 1 billion for its share of the project, and a total of about US\$ 1.5 billion when one includes the value of goods and services procured in Romania. The project meets or exceeds all Romanian and EU standards, creates new jobs for Romanians, especially in Roşia Montană and the surrounding region, and will be a catalyst for reviving the mining sector, which is strategic to the Romanian economy and an important tool for rural development.</p> <p>However, we disagree that this means the project should not be approved. RMGC has been working on this project since 1998 and has invested over US\$ 200 million to date. By the time production begins, the company will have invested almost US \$1 billion. Mining is a high risk industry; it is an industry rule of thumb that for every 1,000 projects considered, 100 merit drilling, and only one is opened as an actual productive mine. In fact, no country in the developed world is currently involved directly in assuming the risk of mining operations; instead, private capital assumes the risk and will bring the best available techniques to Romania. Approval of this project will show the world that Romania welcomes this type of productive foreign investment. The profits from the mine and the jobs provided by the mine are tangible benefits to Romania.</p> <p>As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that <i>"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"</i>.</p> <p>Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain</p>

objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining:

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

\*

Unlike the common international practice related to the distribution of profits, it should be noted that in relation to the Roşia Montană Project, the distribution of benefits is more favorable to Romania/Romanian State than to the investor/the titleholder of the project.

Furthermore, please observe that the Romanian government has an ownership stake in the project (without putting up any capital) and has a direct share in the profits in the expected amount of USD 306 million, along with the right to receive profit taxes, royalties and other taxes and fees. Nowhere else in the developed world does a government have a direct profit sharing interest in a mining project such as this.

\*

We would like to state that your statement is erroneous. The General Urbanism Plan (PUG) of Roşia Montană approved in 2002, allows the development of Roşia Montană Project as it was presented during public debates.

At the same time, pursuant to the provisions under art. 41, 2<sup>nd</sup> paragraph from Mines Law no. 85/2003, the local authorities must alter and/or update existing territorial arrangement plans and general urban plans, in order to allow execution of all required actions to develop mining activities.

RMGC has also commenced the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no 78 from 26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.



RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

### **Tailings Management Facility**

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are

included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

### **Proximity to Abrud**

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake (MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, “TMF Potential Failure Scenarios” of the EIA.

\*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the populated areas close by industrial site will be of 4 to 80 µg/m<sup>3</sup>, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection - the national legislation and European Union (EU) legislation on the Quality of Air, don't stipulate limit values for the population's health protection);
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

**On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.**

Also, the specialty literature doesn't comprise information related to the effect of air-borne HCN emissions on fauna and flora.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.4.3).

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU Best Available Techniques (BAT) – compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1

\*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

According to the provisions of art. 44 (3) of the Order of Ministry of Water and Environment Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure

---

(„Order no. 860/2002”), the project titleholder prepares *„an evaluation of the public's grounded proposals, containing solutions for the settlement of the underlined problems, which shall be submitted to the relevant public authority for environmental protection, according to the form presented in anenx no. IV.2”*.

We consider that, as no exact specification is made in regard of the enactments allegedly breached by the report to the environmental impact assessment study (EIA), the project's titleholder cannot answer in regard of this affirmation of a generic character.

Though your statement is not grounded and/or supported in any way, the only authority empowered to analyze such breaches of the European legislation is the environmental authority. To this end, we specify the provisions of art. 45 of the Order no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure (“Order no. 860/2002”), which provide: *“after the examination of the report to the environmental impact assessment study, of the conclusions of the parties involved in the evaluation, of the possibilities to fulfill the project and the grounded evaluation of the public's proposals, the public authority competent in regard of the environmental protection shall take the decision concerning the issuing of the environmental approval/integrated environmental approval or the grounded rejection of the project on the respective location”*.

---

Item no. 1912

No. to identify the observations received from the public No. 110882/ 25.08.2006

The questioner does not agree to the promotion of the Roşia Montană Project, making the following comments:

- In EIA there are no presented all the possible risks derived from this project;
- Total costs for closing the mine are unrealistic;
- There isn't until now an approved Zonal Urbanism Plan for the Protected Areas;
- The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate;
- Information about the foundation which RMGC will establish and subsidize is not given. This foundation follows to assume the obligations which the mining operation can not assume;
- The present urbanism plans of the Roşia Montană commune do not correspond with the mining project proposal described in EIA;
- The tailings management facility is not lined;
- The proposed waste deposits will be not constructed according to the legislation in force;
- Financial guarantees were not fixed

Proposal

- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;
- The EIA report does not evaluate the "Zero alternative";
- The project represents a threatening for the protected flora and fauna;
- The EIA report does not refer to the impact on the listed heritage buildings of noise and vibrations caused by the mining operations;
- The public/ONGs wish to consult the contracts and agreements between Company and Romanian State;
- Modification of the urbanism plan without the public consultation;
- From archeological point of view, the area proposed to be occupied by project was not legally investigated;
- The questioner contests the protection of the architectural and spiritual monuments with the responsibility of the state institutions for the protection operation.

**SEE THE CONTENT OF THE TYPE 1 CONTESTATION**

It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.

A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.

In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.

As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures,

the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.

More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than  $10^{-6}$  (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.

A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and

weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;
- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;
- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;
- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m<sup>2</sup> is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m<sup>2</sup> is within a circle of 15 m radius;
- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);
- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;
- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;
- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.



Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m<sup>3</sup> hourly average and 179µ g/m<sup>3</sup> 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;
- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m<sup>3</sup> discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m<sup>3</sup>/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:
- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;
- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

\*

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be

updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being too low—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

\*

According to Law 5/2000, regarding the approval of the Territory Arrangement Plan – 3<sup>rd</sup> Section – protected areas (“Law 5/2000”) (article 5, paragraphs 2-3), local public authorities, with the support of the competent central public authorities, had the obligation to establish the boundaries of the protection areas for the cultural heritage elements stipulated in Annex III to the above-mentioned law. This measure should have been taken within 12 months from the effective date of Law 5/2000, based on specialized studies. For this purpose, the local public authorities had to prepare the town planning documentation and its related regulations, developed and approved according to the law. This documentation must comprise the necessary protection and conservation measures for the national cultural heritage elements located in this area.

Concurrently, Law 350/2001 on the territory arrangement and urbanism stipulates the right of legal or natural persons interested in arranging the territory, to initiate the development of urbanism plans.

In accordance with these legal provisions, in 2001, RMGC initiated the preparation of these specific town-planning documentations - the General Urbanism Plan and the Zonal Urbanism Plan. These plans have been developed by Romanian certified companies and followed the legal approval procedure. The permit for the establishment of the Roşia Montană Historical Centre Protected Area was issued by the Ministry of Culture and Religious Affairs in 2002 (permits no. 61/14.02.2002 and no. 178/20.06.2002) as part of the procedure for the approval of the town planning documentation. Based on these permits, the Ministry

of Culture and Religious Affairs requested the company to develop a Zonal Urbanism Plan for the Historical Centre of Roşia Montană. Out of the 41 historical buildings in Roşia Montană, thirty-five (35) are located inside the protected area of the Roşia Montană Historical Centre.

As for the heritage elements located in the future industrial development area (6 historical buildings), these are discussed in the Industrial Zonal Urbanism Plan prepared by SC Proiect Alba SA. The regulations included in this document will contain measures for the protection of these monuments.

In conclusion, the town planning studies and the specialized studies conducted for the purpose of establishing the boundaries of the protection areas within the future mining operations perimeter are currently pending approval, in accordance with the legal provisions, by the competent institutions and committees. Please note that none of the historical houses located in the perimeter of the proposed project will be affected; on the contrary, all the 41 historic buildings will be included in a complex restoration and rehabilitation program (see the Management Plan). This program is mandatory, regardless of the implementation of the mining project, if we want to prevent these buildings from collapsing because of their advanced degradation.

\*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15<sup>th</sup> May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14<sup>th</sup> December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15<sup>th</sup> May 2006) and prior to the public debate start up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26<sup>th</sup> 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot ( art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

\*

Introduced as part of the Environmental Impact Assessment Report Study (EIA), the Roşia Montană Foundation is shifting in focus. The Community Sustainable Development Plan activities initially conceived as coming under the Foundation umbrella (business oriented activities: business incubator, business advisory center, micro-finance facility, as well as social oriented activities: education and training center) have been advanced independently, via partnerships and with community participation in

decision-making – a preferable way to advance social and economic development programs.

Going forward, the Foundation will take shape around preservation, patrimony and cultural heritage issues, with its final form determined in consultation with the community.

In terms of the philosophy that guides the company's Sustainable Development efforts, the Roșia Montană Gold Corporation (RMGC) sees itself not as principal provider, but as a partner. Community involvement is considered the starting point; over time, as the community builds the capacity to maintain programs in its own right, the company will turn over control of currently-established programs to the community and its institutions.

For more information, please see Roșia Montană Sustainable Development and the Roșia Montană Project – annex 4.

\*

We underline the fact that your statement is false. The General Urbanism Plan for the Roșia Montană commune, endorsed in 2002 allows the development of Roșia Montană project, as it has been presented during the public consultations.

Concurrently, pursuant to the provisions of art. 41, paragraph 2, from the Mining Law no.85/2003, the authorities from the local administration have the liability to adjust and/or update the territory arrangement plans and the general urbanism plans, in order to allow the development of all operations necessary for the development of mining activities.

RMGC has also initiated the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roșia Montană Industrial Area and Zonal Urbanism Plan – Roșia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no.78/26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water

is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

With respect to your comments made as regards a presumptive infringement of the provisions of Government Decision No.351/2005 (“GD 351/2005”), there are several aspects to be taken into consideration. Thus:

1. Firstly, please note that, according to the provisions of art. 6 of GD 351/2005, any activity that might determine the discharge of dangerous substances into the environment is subject to the prior approval of the water management authorities and shall comply with the provisions of the water permit issued in accordance with the relevant legislation.

The GD 351/2005 provides that the water permit shall be issued only after all technical-construction measures are implemented as prevent the indirect discharge of dangerous substances into the underground waters. The maximum discharge limits are expressly provided under GD 351/2005 and compliance with such is a condition for granting and maintaining the water permit.

In accordance with the provisions of GD 351/2005, the actual discharge limits should be authorized by the relevant authority, such process being understood by the lawmaker in consideration of the complexity and variety of industrial activities, as well as the latest technological achievements.

Therefore, please note that the EIA stage is not intended to be finalized into an overall comprehensive permit, but it represents only a part of a more complex permitting process. Please note that, according with art. 3 of GD 918/2002, the data’s level of detail provided in the EIA is the one available in the feasibility stage of the project, obviously making impossible for both the titleholder and authority to exhaust all required technical data and permits granted.

The adequate protection of the ground water shall be ensured by the terms and conditions of the water permit. The issuance of the water permit shall be performed following an individual assessment of the project, considering its particular aspects and the relevant legal requirements applicable for mining activities. Until the water permit is obtained, any allegation regarding the infringement of GD 351/2005 is obviously premature mainly because the water permit shall regulate, in accordance with the relevant legal provisions, the conditions to be observed by the developer as regards the protection of the ground water;

2. Secondly, kindly note that the complexity and specificity of mining projects generated the need of a particular legal framework. Therefore, for such projects, the reading of the legal provisions of a certain enactment should be corroborated with the relevant provisions of the other regulations applicable.

In this respect, please not that the understanding of GD 351/2005 must be corroborated with the provisions of the entire relevant legislation enforceable as regards Roşia Montană Project, with a particular accent to Directive 2006/21/EC on the management of waste from the extractive industries (“Directive 21”).

The very scope of Directive 21 is to provide a specific legal framework for the extractive wastes and waste facilities related to mining projects, considering the complexity of such projects and the particular aspects of mining activities that can not always be subject to the common regulations on waste management and landfill.

From this perspective, Directive 21 provides that, an operator of a waste facility, as such is defined thereunder (please note that the TMF proposed by RMGC is considered a “waste facility” under Directive 21), must inter alia, ensure that:

- a) *“the waste facility is [...]designed so as to meet the necessary conditions for, in the short and long-term perspectives, preventing pollution of the soil, air, groundwater or surface water, taking into account especially Directives 76/464/EEC (1), 80/68/EEC (2) and 2000/60/EC, and ensuring efficient collection of contaminated water and leachate as and when required under the permit, and reducing erosion caused by water or wind as far as it is technically possible and economically viable;”*
- b) *“the waste facility is suitably constructed, managed and maintained to ensure its physical stability and to*

*prevent pollution or contamination of soil, air, surface water or groundwater in the short and long-term perspectives as well as to minimize as far as possible damage to landscape.”*

In addition, it should be mentioned that RMGC was required by MWEM under the Terms of Reference, to perform the EIA considering the provisions of Directive 21 and the BAT Management of Mining Waste. The Directive 21 was intended by the EU DG of Environment to be the legislative regime applicable to sound management of mining waste throughout Europe and therefore compliance with its provisions is mandatory.

\*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

The Security Report has been made available for public access by being posted at the following Internet address [http://www.mmediu.ro/dep\\_mediu/rosia\\_montana\\_securitate.htm](http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm) as well as through the printed version which could have been found at several information locations established for public hearings.

\*

Chapter 5 of the Report on the environment impact assessment study (EIA) (*Assessment of Alternatives*) presents an assessment of the “no-project” alternative in Section 1 (*No-Project Alternatives*). This section covers the immediate impact of not advancing the project and looks beyond this at potential alternative industries. The conclusions are clear: “A diverse multi-sector economic base is important for the sustained economic growth of the region”, and the Roşia Montană Project (RMP) is capable of providing the required economic stimuli and would serve to achieve the economic goal of sustainable prosperity.

The EIA also assessed a wide range of alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the RMP. But while other industries do not have this capability, their development in parallel is not precluded “and to the contrary, [the RMP] solves several key problems for attracting investment”.

Clearly, the assessment of the no-project alternative has been undertaken in a full and considered manner.

\*

The impacts on protected flora and fauna will occur only locally, but these impacts will not lead to the disappearance of any species. The mining project was designed even from the beginning to meet all Romanian and European environmental legal requirements.

The company believes that the project’s impact on the environment remains significant, especially because the project will cover previous environmental impact. But, the investments required to restore/rehabilitate Roşia Montană area in order to resolve current complex environmental issues, are possible only after the implementation of economic projects capable of generating and warranting responsible and direct courses of action as a base component of sustainable development concepts. Clean economic processes and technologies may develop only in the presence of a solid economic system, in a total respect towards environment that will resolve even previous impacts caused by all anthropic activities.

Project’s base documents are an unbiased reasoning of its implementation, taking into account the complex environmental commitments assumed for Roşia Montană area.

For a complete answer, the annexes will be consulted, because all issues included in contestations as well as the ones included in reports submitted by various experts are addressed in Annex 6.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The species characterization can be found in the species tables included in Chapter 4.6, Biodiversity of the Report on Environmental Impact Assessment Study (EIA) as well as in its Annexes. Due to the large amount of information, these tables are available in the electronic format of EIA. 6,000 electronic copies of EIA Report presented on DVD/CDs have been disclosed to the public both in English and Romanian. Moreover, the EIA is also available on RMGC’s website and on the websites of Ministry of Environment and Waters Management and Local and Regional Environment Protection Agencies of Alba, Cluj and Sibiu, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area an SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU



Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution.[...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species , taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

This statement is ungrounded, because the environmental impact assessment (EIA) process has included preliminary cumulative estimates for stationary motorized equipment and linear (vehicular) sources were prepared in order to provide an initial understanding of the potential cumulative noise and vibration impacts from background and Roşia Montană Project sources, and to guide future monitoring and measurement activities as well as the selection of appropriate Best Management Practices/Best Available Techniques for further mitigation of the potential noise and vibration impacts from Project activities.

These preliminary estimates apply to major construction activities, as well as the operation and decommissioning/closure of the mine and process plant. They are documented as data tables and isopleth maps for major noise-generating activities in selected, representative Project years; see **Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9**. All these details related to the applied assessment methodology, the input data of the dispersion model, the modeling results and the measures established for the prevention/mitigation/elimination of the potential impact for all project stages (construction, operation, closure) are included in Chapter 4, Section 4.3 Noise and Vibrations of the EIA Report.

Project Years 0, 9, 10, 12, 14, and 19 were selected for modeling because they are considered to be representative of the most significant levels of noise-generating activity. They are also the same years used for air impact modeling purposes in Section 4.2, as air and noise impacts share many of the same sources or are otherwise closely correlated. In order to more accurately reflect potential receptor impacts, all of these exhibits integrate the background traffic estimates discussed in Section 4.3.6.1.

The Project site plan and process plant area and facility drawings were used to establish the position of the noise sources and other relevant physical characteristics of the site. Receptor locations were established using background reports and project engineering and environmental documentation provided by RMGC. With this information, the source locations and receptor locations were translated into input (x, y, and z) co-ordinates for the noise-modeling program.

**Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9** present the average maximum noise values likely to be experienced by the receptor community over all Project phases after incorporation of a variety of initial mitigation measures designed specifically to reduce the impacts associated with mobile and stationary machinery sources. The influence of non-mining related background (primarily traffic) noise is also included.

To evaluate the sound levels associated with haul trucks and other mobile sources crossing the site carrying excavated ore, waste rock, and soil, a noise analysis program based on the (U.S.) Federal Highway Administration's (FHWA) standard RD-77-108 [1] model was used to calculate reference noise emissions values for heavy trucks along the project roadways. The FHWA model predicts hourly  $L_{eq}$  values for free-flowing traffic conditions and is generally considered to be accurate within 1.5 decibels (dB).

The model is based on the standardized noise emission factors for different types and weights of vehicles (e.g., automobiles, medium trucks, and heavy trucks), with consideration given to vehicle volume, speed, roadway configuration, distance to the receiver, and the acoustical characteristics of the site. The emission levels of all three vehicle types increase as a function of the logarithm of their speed.

To evaluate the sound sources from the proposed mine processing facility and the semi-stationary material handling equipment (at the ore extraction, waste rock and soil stockpiling areas), a proprietary computerized noise prediction program was used by AAC to simulate and model the future equipment noise emissions throughout the area. The modeling program uses industry-accepted propagation algorithms based on the following American National Standards Institute (ANSI) and International Organization for Standardization (ISO) standards:

- *ANSI S1.26-1995 (R2004), Method for the Calculation of the Absorption of Sound by the Atmosphere;*
- *ISO 9613-1:1993, Acoustics -- Attenuation of sound during propagation outdoors-- Part 1: Calculation of the absorption of sound by the atmosphere;*
- *ISO 9613-2:1996, Acoustics -- Attenuation of sound during propagation outdoors -- Part 2: General method of calculation;*
- *ISO 3891:1978, Acoustics -- Procedure for describing aircraft noise heard on the ground.*

The calculations account for classical sound wave divergence (i.e., spherical spreading loss with adjustments for source directivity from point sources) plus attenuation factors due to air absorption, minimal ground effects, and barriers/shielding.

This model has been validated by AAC over a number of years via noise measurements at several operating industrial sites that had been previously modeled during the engineering design phases. The comparison of modeled predictions versus actual measurements has consistently shown close agreement; typically in the range of 1 to 3 dB (A).

References:

[1] FHWA Highway Traffic Noise Prediction Model; see Federal Highway Administration Report Number FHWA-RD-77-108, USA, Washington, D.C., 1978.

***A detailed presentation of blasting technology can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project.***

\*

The partnership between Gabriel Resources and Regia Autonomă a Cuprului Deva (currently, CNCAF Minvest SA) has been established based on Law no. 15/1990 on the reorganization of the state owned companies as autonomous directions and trade companies, published in the Official Gazette, Section I, no. 98/08.08.1990, as subsequently amended and supplemented. Art. 35 of this law provides the possibility of the regies autonomous to enter into partnerships with legal third parties, Romanian or foreign, for the purpose of setting up new trading companies.

Roşia Montană Gold Corporation SA was set up in 1997, according to the legal provisions in force as at that time, the setting up being made by observing all the conditions imposed by Company Law no. 31/1990 and Trade Register Law no. 26/1990, in regard of the setting up of the joint stock companies with mixed capital.

We underline that the Articles of Associations of Roşia Montană Gold Corporation SA, representing the result of the parties agreement in regard of the terms and conditions under which the partnership between the Romanian state and investor takes place represents a public document, being included in the category of documents which, as per Law no. 26/1990 on the Trade Register, are published in the Romanian Official Gazette and for which the Trade Register is obliged to issue, on the expense of the persons submitting a request, certified copies.

As for the agreement concerning the setting up of the mixed company together with Gabriel Resources Ltd., this has been expressed by the Ministry of Industry and Trade, the conditions imposed by the setting up of the mixed company being the following: (i) ensuring of the jobs at the level existing upon the conclusion of the agreement concerning the setting up of the mixed company; (ii) the expenses incurred by the fulfillment of the exploration stage should be fully supported by Gabriel; (iii) the obtaining of the approval from the ANRM by the Copper Autonomous Direction Deva and (iv) the observance of all legal provisions in force concerning the setting up of the mixed companies with foreign partners. These conditions have been fully complied with as at the setting up of the company and during the development of its activity.

We also specify that the establishing of the shareholders' quotas to the benefits and losses of Roşia Montană Gold Corporation SA has been made by considering their contribution quota to the company's share capital. The current percentage of 80% for Gabriel Resources Ltd. and of 19.31% for CNCAF Minvest SA resulted from the initial contribution and the subsequent contributions of the shareholders to the company's share capital, in consideration also of Gabriel Resources Ltd. advancing all expenses and costs related to the development-exploitation and permitting of the Roşia Montană Mining Project.

The provisions of the Articles of Associations of Roşia Montană Gold Corporation SA on the necessary majority and quorum conditions for the decision-making process within the General Shareholders Meeting and the quotas to the benefits and losses of the company are taken from Law no. 31/1990, and no derogation exists in regard of this aspect.

\*

This claim is not true; the Urbanism Plan has been prepared with public consultation.

S.C. Roşia Montană Gold Corporation S.A. has requested and obtained from Alba County Council the Urbanism Certificate no. 78 of 26.04.2006, for the entire Roşia Montană mining project, including the tailings management facility. The Urbanism Certificate also stipulated the preparation of a Zonal Urbanism Plan, to reflect all changes made to the Roşia Montană Project, following the public

consultations and debates organized in relation to this project, and the consultations with the permitting authorities. This plan, entitled “Modification of the Zonal Urbanism Plan, Roșia Montană Industrial Area”, was prepared and subject to public debate in June 2006 in accordance with the provisions of Order no.176/N/2000 issued by the Ministry of Public Works and Territory Development for the approval of the technical regulations “Guidelines regarding the methodology applied for the preparation and framework content of the Zonal Urbanism Plan” and, at present, it is pending approval.

Concerning the Roșia Montană General Urbanism Plan approved in 2002, such plan was prepared in parallel with the Zonal Urbanism Plan of 2002, all the provisions of the General Urbanism Plan being also included in the Zonal Urbanism Plan. Also, the approval procedure related to the two urbanism plans was carried out in parallel.

\*

Preventive archaeological researches within the Roșia Montană mining project area have been undertaken based on specific techniques, specifically trial trenches in all accessible areas that are suitable for human habitation, taking into account the bibliographical information and the observations recorded during the archaeological survey campaigns, the geophysical studies and the analyses of the photogrammetric flights. In addition, surface investigations were undertaken, where appropriate.

The archaeological researches at Roșia Montană covered a large surface and focused on the areas known to have archaeological potential. THEREFORE, ALL AREAS THAT HAVE BEEN ARCHAEOLOGICALLY DISCHARGED HAD BEEN PREVIOUSLY INVESTIGATED. All research programs, beginning with the 2004 campaign, have been undertaken in full compliance with the current legal requirements, i.e. Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs.

The proposed gold mining project at Roșia Montană has raised a series of issues related to the rescue of the historical-archaeological heritage within the area, as well as issues related to its scientific development and also the enhancement of heritage within a museum. Given the complex difficulties encountered in this respect, the Ministry of Culture and Religious Affairs decided to initiate the “Alburnus Maior” National Research Program.

The company’s role was to provide the necessary financial resources for the assessment, research and enhancement of the archaeological remains, in full compliance with the Romanian current legislation. The development of the research and of the archaeological discharge works has been conducted through specific means and methodologies that have been adjusted to the realities of every site researched, in our case, Roșia Montană. They consisted in:

- Archives studies;
- Archaeological surveys; trial trenches;
- aerial reconnaissance/survey and aerial photo interpretation ; high resolution satellite images;
- mining archaeology studies; underground topography and 3D modeling;
- geophysical surveys;
- extensive archaeological investigations in the areas with an identified archaeological potential- this implied carrying out archaeological excavations;
- Interdisciplinary studies- sedimentology, archaeo-zoology, comparative palynology, archaeo-metallurgy, geology, mineralogy;
- Radiocarbon dating and dendrochronology;
- This research and its results were included in an integrated database;
- traditional and digital archaeological topography and development of the GIS project; generate a photo archive- both traditional and digital;
- restoration of artifacts;
- an inventory and a digital catalogue of the artifacts;
- studies conducted by specialists in order to enhance the research results - publication of monographs/scientific books and journals, exhibitions, websites, etc.

All the preventive archaeological researches undertaken at Roșia Montană since 2000 have been carried out as part of a complex research program; permits for preventive archaeological excavations being issued

---

in compliance with the current legislation. These archaeological investigations have been undertaken by representatives of 21 specialized institutions from Romania and 3 others from abroad, under the scientific coordination of the Romanian National Museum of History. All archaeological researches have been conducted in full compliance with the existing legislation. The investigations undertaken during each archaeological research campaign have been approved by the Ministry of Culture and Religious Affairs based on the Annual Archaeological Research Plan approved by the National Commission of Archaeology.

Under the current legislation (Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs) the archaeologists who have conducted the research may ask that an archaeological discharge certificate be granted. Based on a complex research program, the archaeologists prepare comprehensive documentation with regard to the researched area. Upon consideration of the submitted documentation, the National Commission of Archaeology makes a decision as to whether to recommend or not the granting of the archaeological discharge certificate. In the case of the research conducted in the period 2001-2006, the archaeological discharge certificate was issued directly by the Ministry of Culture and Religious Affairs or by its local agencies.

Preventive archaeological researches at Roșia Montană have allowed the research of five Roman cremation necropolis (Tău Corna, Hop-Găuri, Țarina, Jig - Piciorag and Pârâul Porcului – Tăul Secuilor), two funerary areas (Carpeni, Nanului Valley), sacred areas (Hăbad, Nanului Valley), habitation areas (Hăbad, Carpeni, Tăul Țapului, Hop), the most significant being the Roman structures on the Carpeni Hill and the circular funerary monument at Tău Găuri. In addition, for the first time in Romania, surface investigations have been paralleled by underground investigations of Cetate, Cârnic, Jig and Orlea massifs, with important discoveries in the Piatra Corbului, area, Cătălina-Monulești gallery and the Păru Carpeni mining sector.

The research consisted of aerial photo interpretation, archaeological magnetometric studies, electrical resistivity, palynology, sedimentology, geology studies, radiocarbon and dendrochronology dating. For a better management of the research units and of the archaeological findings, data bases were used, including text and photographs-among which 4 satellite images (an archive satellite image type SPOT Panchromatic (10m) from 1997; 2 satellite images LANDSAT 7 MS (30 m), dating from 2000 and 2003; a satellite image with priority programming SPOT 5 SuperMode color (2,5 m resolution-19 July 2004); all data have been included in a comprehensive GIS program, a first in the Romanian archaeological research.

In the case of archaeological monuments that are located close to industrial facilities, plans have been redesigned to ensure that the archaeological remains in question will not be affected. Where appropriate, the archaeological monument was preserved in situ and restored, i.e. the circular funerary monument at Hop-Găuri (see The "Alburnus Maior" monograph series, volume II, Bucharest, 2004). Another example in this respect is the Carpeni Hill, designated an "archaeological " reserve, and the Piatra Corbului area. In 2004, after being thoroughly investigated, these areas have been included on the List of Historic Monuments. Add to this the areas where ancient mining remains will be preserved, such as the Cătălina Monulești gallery and the mining sector Păru Carpeni, as well as the protected area Roșia Montană Historic Center, including a number of heritage assets (35 historic monument houses).

We emphasise in this respect that the identified and researched structures have been published in preliminary form in the Archaeological Research Chronicle of Romania, after every archaeological research campaign, as well as in volume 1 of the Alburnus Maior monographic series. We mention here the areas where Roman habitation structures have been identified and researched, as well as the references to be consulted for further information: Hop-Găuri, Carpeni, Tăul Țapului (CCA 2001 (2002), p. 254-257, no. 182; 261-262, nr. 185; 264-265, no. 188; 265-266, no. 189. Alburnus Maior I, 2003, p. 45-80; 81-122; 123-148; CCA 2001 (2002), 257-261; CCA 2003 (2004) ,280-283; Alburnus Maior I, 2003, p. 387-431, 433-446, 447-467).

For further details related to the applicable legal framework, the responsibilities of the Project titleholder, or for a detailed description of the preventive archaeological researches undertaken to date and of the Cultural Heritage Management Plans, please see Annex called "Information on the Cultural heritage of Roșia and Related Management Aspects". In addition, the annex includes supplementary information with regard to the result of the researches undertaken as part of the "Alburnus Maior" National Research Program between 2001 and 2006.

In conclusion, the area mentioned by the questioner has been researched in accordance with the Romanian legal requirements, as well as with European standards and practices in the field.

Note that the type of research undertaken at Roşia Montană, known as preventive/rescue archaeological research, as well as other related heritage studies, are done everywhere in the world in close connection with the economic development of certain areas. Both the costs for the research and for the enhancement and maintenance of the preserved areas are provided by investors, in a public-private partnership set up in order to protect the cultural heritage, as per the provisions of the European Convention on the Protection of the Archaeological Heritage (Malta-1992) [1].

References:

[1]The text of the Convention is available at the following address: <http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

\*

In 2000, in the context of the proposal of a new mining project in the Roşia Montană area, the Ministry of Culture and Religious Affairs approved a series of studies to be conducted in order to research the archaeological and architectural heritage of the area. And at the end of that year, the Design Centre for National Cultural Heritage (now the National Institute for Historical Monuments) presented the preliminary results of these researches to the National Commission for Historical Monuments and of the National Commission of Archaeology. Based on these results, in 2001, the Ministry of Culture and Religious Affairs initiated the “Alburnus Maior” National Research Program (the Order no. 2504 / 07.03.2001 of the Minister of Culture and Religious Affairs) in compliance with the Law 378/2001 (as subsequently amended by Law 462/2003 and by Law 258/2006 and Law 259/2006). Thus, since 2000, the Ministry of Culture and Religious Affairs – directly or through its subordinate institutions - has fulfilled its duties with regard to the management of the issues related to Roşia Montană’s heritage.

Thus, the preventive archaeological researches have been conducted by the representatives of 21 national institutions and 3 others from abroad under the scientific coordination of the National Museum of History of Romania. They have been carried out based on the annual approval of the National Commission of Archaeology of the Ministry of Culture and Religious Affairs. In accordance with the legislation in force, this research program is carried out with the financial support provided by RMGC (the company that plans to expand and continue to mine the gold-silver deposit in Roşia Montană). Thus, large-scale preventive investigations have been conducted or are underway in the RMP impact area. A proposal will be made based on the results thereof either for the archaeological discharge of some researched perimeters from the project perimeter or the preservation *in situ* of certain representative structures and monuments, in compliance with the legislation in force. In the case of the areas proposed for conservation and the ones for which the archaeological discharge measure was applied, the decision was made based on the surveys conducted by specialists and on the analysis of the National Commission of Archaeology. In the period 2000-2005, the mining project underwent a series of modifications designed to promote the implementation of the decision regarding the conservation of the local heritage. Examples of these include: extending the duration of the field investigations on several years (e.g. Ţarina, Pârâul Porcului, Orlea) and changing the location of some elements of infrastructure in order to allow the conservation of the archaeological remains found in the Carpeni, Tău Găuri and Pietra Corbului areas.

**The architectural and town-planning surveys** have been conducted, in accordance with the legislation in force, by companies certified by the Ministry of Culture and Religious Affairs, while the town-planning documentations drafted by these companies and the restoration and conservation works undertaken so far have been approved by the National Commission for Historical Monuments. Thus, the town-planning documentations have been approved and implemented in accordance with current legislation, and the company has agreed to these decisions and modified the mine development plans accordingly:

**Extensive ethnographic research** was conducted in the Roşia Montană-Abrud-Corna area in the period 2001-2004 coordinated by a team of specialists for the Romanian Village Museum „Dimitrie Gusti” (a National Museum directly under the coordination of the Ministry of Culture and Religious Affairs). Moreover, a broad series of oral history interviews was conducted in the period 2001-2002 by the Romanian Radio Broadcasting Company through the „Gheorghe Brătianu” Oral History Centre, Bucharest (SRR - CIO).

In compliance with the requirements of the Ministry of Environment and Waters Management and the Ministry of Culture and Religious Affairs, specific management plans have been drawn up for the management and conservation of the heritage remains from the Roşia Montană area, in the context of the implementation of the mining project. These plans have been included in the documentation prepared for the Report on the Environmental Impact Assessment Study. (see EIA Report, volume 32-33, Plan M- *Cultural Heritage Management Plan*, part I –*Management Plan for the Archaeological Heritage from Roşia Montană Area*; part II-*Management Plan for the Historical Monuments and Protected Zone from Roşia Montană*; part III- *Cultural Heritage Management Plan*).

These management plans comprise detailed presentations of the obligations and responsibilities regarding the protection and conservation of the heritage remains from the Roşia Montană area, which the company has assumed in the context of the implementation of the mining project, according to the decision of the central government. These heritage remains include: archaeological remains above and under the ground, historic buildings, protected areas, intangible heritage assets, cultural landscape items, etc. In this context, it should be noted that besides the works for the protection and preservation of the archaeological heritage, works are being carried out for the rehabilitation and conservation of the protected area Historical Centre Roşia Montană (comprising 35 historic buildings, and projects for the restoration of 11 of these buildings are currently being drafted), Tăul Mare, Tăul Brazi and Tăul Anghel as well as remains of the surface mining works from the Vaidoia area and the creation of a modern museum dedicated to the history of mining in the Apuseni Mountains area. This museum will be established in the coming years and it will include exhibitions of geology, archaeology, industrial and ethnographic heritage as well as an underground section organized around the Cătălina Monuleşti gallery.

Moreover, representatives of the Directorate for Culture, Religious Affairs and National Cultural Heritage of Alba County have visited Roşia Montană many times in order to collect information and to check the situation. The same administrative body was the intermediary for the specific stages of acquisitions of historic buildings made by RMGC. The Ministry of Culture and Religious Affairs expressed its pre-emption right regarding the acquisition of these buildings.

Note that apart from the obligations undertaken by RMGC as regards the protection and conservation of the archaeological remains and historical monuments, there are a whole series of obligations, which rest with the local public authorities from Roşia Montană and from Alba County and with the central public authorities, namely the Romanian Government.

These aspects are further detailed in the Cultural Heritage Management Plans included in the EIA Report (see EIA Report, volume 32, *Management Plan for the Archaeological Heritage from Roşia Montană Area*, pages 21-22, 47, 52-53, 66-67-Romanian version/ 22-24; 47; 55-56; 71-72 English version) and the EIA Report, volume 33- *Management Plan for the Historical Monuments and Protected Zone from Roşia Montană* pages 28-29, 48-50, 52-53, 64-65, page 98 – Annex 1- Romanian version/ 28-29; 47-50; 51-53; 65-66; 103- Annex 1- English version).

---

Item no.	1913 Same as: 1914, 1915, 1916, 1917, 1918	
No. to identify the observations received from the public	No. 110881/25.08.2006	Same as: No. 110880/25.08.2006, No. 110879/25.08.2006, No. 110878/25.08.2006, No. 110877/25.08.2006, No. 110876/25.08.2006
Proposal	<p>The questioner expresses the following remarks:</p> <ul style="list-style-type: none"> <li>- The gold and silver reserves from Roşia Montană represent one of the strategic reserves of Romania</li> <li>- From economic point of view, the distribution of the benefits resulted from gold and silver extraction is opposite to the international practice</li> <li>- The urbanism plans do not correspond to the project proposal;</li> <li>- Within the EIA report there are no financial guarantees regarding the safety assurance of the waste deposit</li> </ul> <p>- From technical point of view, the tailings management facility will be not "lined". It is situated above the Abrud town and could have a catastrophic consequence in case of failure</p> <ul style="list-style-type: none"> <li>- The EIA report does not contain an evaluation of the phenomenon so-called "cyanide rain" nor a description of the trans-frontier impact on some natural important areas in case of accident</li> <li>- The EIA report does not assess the "zero alternative";</li> <li>- The data provided by EIA report infringe the standards of environment protection</li> </ul> <p><b>SEE THE CONTENT OF THE TYPE 2 CONTESTATION</b></p>	
Solution	<p>The Romanian Mine Law, Law 85/2003, does not put any restrictions on the licenses to be given for exploration for gold and development of gold reserves. Both Romanian and foreign companies, both public and private companies, may apply to obtain a license to work a gold deposit. The Romanian state no longer has a monopoly on gold production.</p> <p>We agree that Roşia Montană represents an issue of national strategic importance, designed to raise the bar for long-term investment in Romania. RMGC is the largest employer in this disadvantaged region and indeed the whole county and is the largest local taxpayer. Romania will receive about US\$ 1 billion for its share of the project, and a total of about US\$ 1.5 billion when one includes the value of goods and services procured in Romania. The project meets or exceeds all Romanian and EU standards, creates new jobs for Romanians, especially in Roşia Montană and the surrounding region, and will be a catalyst for reviving the mining sector, which is strategic to the Romanian economy and an important tool for rural development.</p> <p>However, we disagree that this means the project should not be approved. RMGC has been working on this project since 1998 and has invested over US\$ 200 million to date. By the time production begins, the company will have invested almost US \$1 billion. Mining is a high risk industry; it is an industry rule of thumb that for every 1,000 projects considered, 100 merit drilling, and only one is opened as an actual productive mine. In fact, no country in the developed world is currently involved directly in assuming the risk of mining operations; instead, private capital assumes the risk and will bring the best available techniques to Romania. Approval of this project will show the world that Romania welcomes this type of productive foreign investment. The profits from the mine and the jobs provided by the mine are tangible benefits to Romania.</p> <p>As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that <i>"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"</i>.</p> <p>Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and <u>only after examining:</u></p>	



- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

\*

Unlike the common international practice related to the distribution of profits, it should be noted that in relation to the Roşia Montană Project, the distribution of benefits is more favorable to Romania/Romanian State than to the investor/the titleholder of the project.

Furthermore, please observe that the Romanian government has an ownership stake in the project (without putting up any capital) and has a direct share in the profits in the expected amount of USD 306 million, along with the right to receive profit taxes, royalties and other taxes and fees. Nowhere else in the developed world does a government have a direct profit sharing interest in a mining project such as this.

\*

We would like to state that your statement is erroneous. The General Urbanism Plan (PUG) of Roşia Montană approved in 2002, allows the development of Roşia Montană Project as it was presented during public debates.

At the same time, pursuant to the provisions under art. 41, 2<sup>nd</sup> paragraph from Mines Law no. 85/2003, the local authorities must alter and/or update existing territorial arrangement plans and general urban plans, in order to allow execution of all required actions to develop mining activities.

RMGC has also commenced the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no 78 from 26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

### **Tailings Management Facility**

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

### **Proximity to Abrud**

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake(MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, “TMF Potential Failure Scenarios” of the EIA.

\*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the populated areas close by industrial site will be of 4 to 80 µg/m<sup>3</sup>, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection - the national legislation and European Union (EU) legislation on the Quality of Air, don't stipulate limit values for the population's health protection);
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

**On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.**

Also, the specialty literature doesn't comprise information related to the effect of air-borne HCN emissions on fauna and flora.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.4.3).

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to

potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU Best Available Techniques (BAT) – compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1

\*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

According to the provisions of art. 44 (3) of the Order of Ministry of Water and Environment Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure („Order no. 860/2002”), the project titleholder prepares „an evaluation of the public’s grounded proposals,

*containing solutions for the settlement of the underlined problems, which shall be submitted to the relevant public authority for environmental protection, according to the form presented in anenx no. IV.2”.*

We consider that, as no exact specification is made in regard of the enactments allegedly breached by the report to the environmental impact assessment study (EIA), the project’s titleholder cannot answer in regard of this affirmation of a generic character.

Though your statement is not grounded and/or supported in any way, the only authority empowered to analyze such breaches of the European legislation is the environmental authority. To this end, we specify the provisions of art. 45 of the Order no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure (“Order no. 860/2002”), which provide: *“after the examination of the report to the environmental impact assessment study, of the conclusions of the parties involved in the evaluation, of the possibilities to fulfill the project and the grounded evaluation of the public’s proposals, the public authority competent in regard of the environmental protection shall take the decision concerning the issuing of the environmental approval/integrated environmental approval or the grounded rejection of the project on the respective location”.*

---

Item no.	1919
No. to identify the observations received from the public	No. 110905/25. 08.2006
Proposal	<p>The Complainer doesn't agree with promoting the Roşia Montană Project. The questioner formulated remarks and proposals as follows:</p> <ul style="list-style-type: none"> <li>- The total costs for the mine closure are unrealistic;</li> <li>- The financial guarantees have not been established;</li> <li>- There is no liner proposed for the tailings pond;</li> <li>- The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit.</li> <li>- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;</li> <li>- The EIA report does not assess the "zero alternative";</li> <li>- The Project poses a threat for the protected flora and fauna;</li> <li>- S.C. Roşia Montană Gold Corporation S.A. does not comply with the provisions of the art.11 from the Mining Law 85/2003</li> <li>- The EIA report does not contain an impact assessment of the phenomenon "cyanide rain" caused by the cyanide evaporation from the tailings management facility and a description of the trans-boundary impact in case of accident on some natural important areas such as Koros Maros National park from Hungary located along the Mureş valley</li> </ul> <p><b>SEE THE CONTENT OF THE TYPE 3 CONTESTATION</b></p>
Solution	<p>The mine closure costs are not unrealistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.</p> <p>Closure and rehabilitation at Roşia Montană involves the following measures:</p> <ul style="list-style-type: none"> <li>• Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;</li> <li>• Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;</li> <li>• Covering and vegetating the tailings pond and its dam areas;</li> <li>• Dismantling of disused production facilities and revegetation of the cleaned-up areas;</li> <li>• Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;</li> <li>• Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.</li> </ul> <p>While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.</p>

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world’s largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;



- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

The Security Report has been made available for public access by being posted at the following Internet address [http://www.mmediu.ro/dep\\_mediu/rosia\\_montana\\_securitate.htm](http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm) as well as through the printed version which could have been found at several information locations established for public hearings.

\*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical

purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

#### References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area

representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in the atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the

leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;

- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the areas situated up to 2 km towards the north-eastern vicinity of the industrial site will be of 4 to 80 µg/m<sup>3</sup>/h, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection;
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). HCN is weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain will not effectively reduce the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

**On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.**

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mures and Tisa river basins in Hungary. Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abruđ-Arieş-Mureş

river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1.

---

Item no. 1920

No. to identify the observations received from the public  
No.  
110904/  
25.08.2006

Proposal

The questioners do not agree to the Roşia Montană gold and silver mining operation proposal formulating the following remarks and comments:

- The project implementation would cause the destruction of the Orlea and Cărnic massifs;
- The project implementation would affect gravely the biodiversity;
- The tailings management facility is not lined and this fact infringes the European Directive regarding underground water protection, transposed into the Romanian legislation through DG 351/2005;
- The tailings management facility failure would have dramatic consequences being above the Abrud town
- The project does not take into consideration the phenomenon “cyanide rain” which could be generated by the cyanide evaporation from the tailings management facility;
- Also, the evaporation, water infiltration or barrage failure would have a trans-frontier impact on the natural protected areas from Hungary;
- The lack of a valid urbanism certificate, the document obtained in May 2006 being incompatible with that one submitted initially at the Ministry of Environment;
- The financial guarantees to cover the waste deposits don't exist
- The mine closure and environment rehabilitation costs are by far sub-evaluated by RMGC

The reports and studies published by experts in the field make clear that the Roman galleries at Roşia Montană are significant, but not unique. As indicated in the gazetteer of the Roman mining sites from Transylvania and Banat-prepared as part of the Environmental Impact Assessment Study for the Roşia Montană project, it is difficult to justify the claim that the Roşia Montană site is unique importance if we consider the history of mining in the Roman Empire, and especially in the province of Dacia. There are at least 20 other sites with relatively similar features and some of them (Ruda Brad, Bucium – the Vulcoi Corabia area and Haneş – Amlaşul Mare area) have already produced concrete evidence proving that their archaeological potential is, to a certain extent, similar to that of the ancient *Alburnus Maior* site. This aspect should also be taken into consideration when claiming that Roşia Montană is a site of unique importance.

Solution

Most of the Roman mining works in the Cărnic massif, as well as in other mining areas can only be accessed by specialists, in very difficult conditions, being partially inaccessible to the public. Moreover, under the EU safety rules applying to similar museums all over Europe, rules that have been transposed into Romanian legislation, Roman galleries that pose safety risks cannot be opened for public access. It should be noted that extensive portions of comparable Roman galleries will be preserved in situ.

Consequently, based on the scientific report submitted by French experts, on the proposal by the National Archaeology Commission, the Minister of Culture and Religious Affairs has granted the archaeological discharge certificate for the Cărnic Massif, with the exception of a 5 ha area, including Piatra Corbului. As part of the effort to minimize negative impacts, in addition to the thorough investigation of the area and publication of its results, specialists have deemed it appropriate to make a 3-D representation as well as replicas of these structures (at a scale of 1:1). These will be included in the mining museum that is proposed at Roşia Montană. A lawsuit has been filed with regard to the archaeological discharge certificate and the case is ongoing.

As an alternative, the company considered the preparation of a specialized study comprising financial estimates for the conservation in their entirety of the galleries from the Cărnic massif and for opening them to tourists. Moreover, note that the costs for the development and maintenance of a public circuit in this massif are prohibitive and such an investment would not be economically feasible (see Annex “Costs Estimate for the Development of Ancient Mining Networks from Cărnic Massif”, prepared by the UK-based companies Gifford, Geo-Design and Forkers Ltd).

Construction activities in the Orlea area, necessary for the development of the proposed mining project, cannot start until the archaeological investigations have been completed, in accordance with the Romanian legal provisions and international practices and guidelines. (Cultural Heritage Baseline Report, vol. 6, p. 46).

Under the Government Ordinance no. 43/2000 on the protection of the cultural heritage and the designation of the archaeological sites as areas of national interest, as last amended, “the investor shall finance a feasibility study and a technical proposal, describing the measures to be taken (later to be presented in detail) and the funds necessary for conducting preventive archaeological researches or, as the case may be, archaeological surveillance. Also, the investor shall finance the necessary works for the preservation of the archaeological heritage or, where appropriate, for the archaeological discharge of the area affected by works. The investor shall finance the enforcement of such measures”.

Surface and underground preventive archaeological researches will continue in the Orlea area, that is in an area with identified archaeological potential (as mentioned in The Cultural Heritage Baseline Report, vol. 6, page 48). In addition, it has been stated here that the researches undertaken so far in this massif are preliminary in character. The following aspect, mentioned in the report, should be noted: “given that the mining activities in the Orlea area are to be developed at a later stage, surface archaeological research in this area is to be carried out starting with 2007”.

The preliminary underground investigations, undertaken in the Orlea Massif, have led to the uncovering, in 2004, of a significant discovery. The value of the discovery was confirmed in the summer of 2005. The French team led by Dr. Beatrice Cauuet uncovered a chamber with a hydraulic wheel, and subsequently an entire mine dewatering system. This complex, uncovered in the Păru Carpeni area, was dated to Roman times and has been subject to extensive archaeological investigations, while special measures have been taken to ensure its preservation *in situ*. The discovery would not be affected by the future development of the Orlea open pit exploitation. Surface preventive archaeological research in the Orlea area, as well as underground archaeological research in the Orlea- Țarina segment are planned to be undertaken between 2007 and 2012, as indicated in the Cultural Heritage Baseline Report, vol. 6, p. 48.

In the 1980s, a mining museum was developed in the Orlea massif. The museum included a series of well-preserved galleries that have been enhanced and separated from adjacent, access galleries by concrete walls. The Orlea galleries, as well as those in the Cârnic massif and in other mining areas in Roșia Montană, are trapezoidal in form. During the successive reworking and mining of these galleries, part of the Roman remains have been destroyed. In addition, the galleries continue to deteriorate, especially due to the recent mining works using drilling-blasting techniques that cause cave-ins and deterioration of underground mining remains. The removal of mine waste in the course of archaeological research, adds to the process of deterioration of the Roman galleries, further accentuated by the closure of mining operations at Minvest (1<sup>st</sup> June, 2006) –given that the mining activities have ensured a minimal level of mine dewatering. Under the existing legislation, shutting down mining activities requires a comprehensive set of conservation measures. At Roșia Montană the mine was abandoned without any other restoration works. Just a couple of months later, drainage channels inside the Sfânta Cruce gallery, the main drainage gallery, got clogged, which led to the flooding of a number of galleries, several kilometers long. Proper maintenance works are needed, with a view of preserving the archaeological remains for future generations. In the absence of such measures the result will be disastrous, and the segments that still exist will disappear as a result of cave-ins and floods. The Roman steps at Brad (Roman mining remains also covered by Law 5/2000) are illustrative in this respect-once maintenance works stopped, the galleries became inaccessible.

In accordance with the List of Historic Monuments published in the Official Gazette nr. 646 bis of 16 July 2004, the industrial area that is to be developed in the Orlea Massif includes 2 archaeological sites classified as historic monuments –the Roman settlement at Alburnus Maior, the Orlea area (code LMI AB-I-m-A-00065.01), and the Roman mining exploitation at Alburnus Maior, the Orlea Massif (AB-I-m-A-00065.02).

Law 422/2001 on the protection of historic monuments, as last amended, provides for the declassification of archaeological sites, once the archaeological discharge certificate has been granted, as approved by the National Archaeological Commission within The Minister of Culture and Religious Affairs. The archaeological discharge procedure, as defined by the law, is the procedure by means of which an area of



archaeological interest may be restored to its current use (Law 258/2006, art. 5, paragraph 2). Consequently, it is true that RMGC plans to mine the gold-silver deposits located in the Orlea Massif area, in the second phase of the proposed mining project.

Consequently, the proposed mining operations in the Orlea Massif can be developed only after the completion of preventive, surface and underground archaeological researches, that will produce a comprehensive body of data on the Roman site located in the Orlea area. As shown in Annex I to the Cultural Heritage Baseline Report (Archaeological Site Record Card-9. Orlea Massif, p.231-236), no archaeological investigations have been undertaken in this area, nor any expert studies that would determine in detail the characteristics and the spatial distribution of the archaeological remains in the area. RMGC has, therefore, committed to financing a preventive archaeological research program, to be undertaken between 2007-2012 by an expert team. Based on the research findings, a decision will be made as to whether the archaeological discharge procedure should be applied. There are no legal provisions that would prohibit conducting preventive archaeological researches in the areas with an identified archaeological heritage, such as the Orlea area.

Given the significance of the Roşia Montană's cultural heritage, and the current legal requirements, S.C. Roşia Montană Gold Corporation S.A allocated more than USD 10 million for the archaeological investigations carried out between 2001-2006. What is more, based on the research results, on the experts' opinions and on the decision of competent authorities, the budget destined for the research, conservation and preservation of the Roşia Montană's cultural heritage, undertaken as part of the project development, amounts to more than USD 25 million, as indicated in the Environmental Impact Assessment Study, published in May 2006 (see the EIA Report, vol. 32, Management Plan for the Archaeological Heritage from the Roşia Montană area, p. 84-85). Archaeological investigations in the Orlea area are to be continued, and a **Modern Mining Museum** will be opened, including **geology, archaeology, ethnographic and industrial heritage exhibitions**. Other plans include the development for public access of the **Cătălina-Monuleşti gallery and the Tău Găuri monument, as well as the restoration of the 41 historical buildings and of the protected zone Roşia Montană Historic Centre**.

For further information on the most important archaeological remains, as well as on a series of comments on their preservation and on the special measures included in the management plans, please consult the Annex "Information on the Cultural Heritage of Roşia Montana and Related Management Aspects".

In conclusion, with regard to your question, please note that under no circumstances will the Roman galleries at Roşia Montană be destroyed or replaced with replicas without being first investigated and studied.

Taking into consideration the research findings, the international guidelines and best practices in the field, it has been decided that the most effective solution for enhancing this type of cultural heritage is to preserve *in situ* the most significant underground mining archaeological remains uncovered at Roşia Montană, and to create exact replicas of the galleries that cannot be opened for public access, either due to safety reasons or because of the state of preservation of the remains.

\*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will add to the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by human activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company has assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake(MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Chapter 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, “TMF Potential Failure Scenarios” of the EIA.

\*

The assessment of the hydrogen cyanide HCN emissions is based on a Model summarized in Volume 12, Chapter 4.2 Air. AERMOD, Version 99351. -EPA, 2004. User's Guide for the AMS/EPA Regulatory Model – AERMOD. EPA-454/B-03-001, was used for modeling the dispersion of HCN. Please also see: [http://www.epa.gov/scram001/dispersion\\_prefrec.htm#aermod](http://www.epa.gov/scram001/dispersion_prefrec.htm#aermod). The concentrations estimated were well below the awareness limits stipulated by the standards for the air quality.

The Cyanide management Plan and the Air quality management Plan present clear solutions to prevent / reduce / remove the potential impact of the HCN emissions; starting from the results of the HCN dispersion model: we present here some of them:

- the sodium cyanide will only be handled in liquid form, from the unloading from the supply trucks, up to the time it is discharged onto the TMF within the tailings; the sodium cyanide is represented by alkaline solutions of high pH (over 10.5-11) of various sodium cyanide concentrations. The scope of the alkalinity of these solutions is to maintain the cyanide as cyan ions form (CN<sup>-</sup>) and to stop formation of the hydrogen cyanide (HCN), a phenomenon which occurs in environment of low pH only;
- the volatilization of the cyanide off a solution can't happen as free cyanide, but only as HCN;
- the handling and storage of the cyanide solutions will only take place through closed systems; the only facilities / areas where HCN could form and volatilize, with small emission rates, are the leaching tank and the tailings thickener, as well as the tailings dam;
- the HCN emissions from the surface of the above mentioned tanks and from the surface of the tailings dam could occur due to the decrease of the pH within the superficial layers of the

solutions (which encourages the occurrence of HCN) and due to the desorption (volatilization in the air) of this compound;

- the concentration of the cyanides within the handled solutions will decrease from 300 mg/L in the leaching tanks up to 7 mg/L (total cyanides) at the point of discharge into the tailings dam. The significant decrease of the cyanide concentration at the point of discharge into the tailings dam is supported by the detox system;
- the knowledge of cyanide chemistry, as well as the experience from similar activities, have lead us to the following possible HCN emissions in the air: 6 t/year from the leaching tanks, 13 t/year from the tailings thickeners and 30 t/year (22.4 t, and 17 mg/h/m<sup>2</sup>, during hot season and 7.6 t, and 11.6 mg/h/m<sup>2</sup>, during the cold season) from the surface of the tailings dam, meaning a daily average total HCN emission of 134.2 kg;
- once emitted, the hydrogen cyanide is subject to certain chemical reactions in low atmosphere, leading to ammonia;
- the mathematical modeling of the HCN concentrations in the ambient air (if the HCN is not subject to chemical reactions in the atmosphere) showed the highest concentrations at the level of the soil within the industrial site, namely within the area of the TMF and near the processing plant – the maximum concentration being of 382 µg/m<sup>3</sup>per hour;
- the highest concentrations of HCN in the ambient air will be of 2.6 times less than the value imposed for the safety of the workers, as stipulated by the national legislation;
- the concentrations of HCN in the ambient air in the inhabited areas near the industrial site will be of 4 – 80 µg/m<sup>3</sup>, over 250 – 12.5 less than the safety value as stipulated by the national legislation (the national legislation and the EU legislation for the air quality don't stipulate any limit values for the protection of public health);
- the advance of the HCN in the atmosphere involves an insignificant compound of reactions in liquid phase (the water vapors in the atmosphere and the rain drops) because, at low pressures specific to gases in free air, the HCN is very weakly soluble in water, and the rain will not effectively reduce the concentrations from the air (MUDDER, et al., 2001, CICERONE and ZELLNER, 1983);
- the chance for the value of the HCN concentrations in precipitations within or outside the area of the Project to be significantly higher than the basic values (of 0.2 ppb) is extremely low.

For further details regarding the Use of cyanide in technological processes, the Balance of the cyanides, as well as the Emissions and the impact of the cyanide against the quality of the air, please see the EIA, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.2.3).

The references for this Project include:

- CICERONE, R.J., and ZELLNER, R., 1983. *The atmospheric chemistry of hydrogen cyanide (HCN)*. *Journal of geophysics research*, Volume 88, issue no. C15, page. 10,689 to 10,696;
- MUDDER, T.I., BOTZ, M.M., and SMITH A., 2001. *Chemistry and Treatment of Cyanidation Wastes*, The Second edition. *Mining Journal Books, Ltd.*, London, 373 p.

\*

**The emissions of the HCN could have a strictly local level impact on the quality of the atmosphere, but their involvement in a potential transboundary impact on the quality of air is out of the question. In order to emphasise the above mentioned information, please see below some details related to potential HCN sources, the way it forms, and its effects on the quality of the air:**

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution cannot occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low

emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;

- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/L within the leaching tanks up to 7 mg/L (total cyanide) at the discharge point into the tailings management facility. The drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of the cyanide chemistry and on the grounds of the past experience, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released into air, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant. The maximum concentration is of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the standard value stipulated by the national legislation for occupational safety;
- The HCN concentrations within the ambient air in the populated areas close by the industrial site will be of 4 to 80 µg/m<sup>3</sup>, more than 250 – 12.5 times lower than standard value stipulated by the national legislation for occupational safety – the national legislation and European Union (EU) legislation on the Air Quality don't stipulate standard values for the population's health protection;
- Once released in air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partially low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001; Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project be significantly higher than the background values (0.2 ppb) is extremely low.

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

**With regards to the dam failure potential**, the EIA describes how the dam will be built with rockfill materials, engineered drain and filter materials and a low permeability core to control seepage. The facility is being designed and engineered by MWH, one of the leading dam designers in the world. In addition, the feasibility level designs have been reviewed and approved by certified Romanian dam experts and by the Romanian National Committee for the Safety of Large Dams. Prior to operation, the dam must again be certified for operations by the National Commission for Dams Safety (CONSIB).

The TMF dam is rigorously designed to incorporate all European Union (EU), Romanian and international criteria to reduce the risk of failure. These design criteria allow for significant rainfall events and prevent dam failure due to overtopping. Specifically, the facility has been designed to store for the run off from two Probable Maximum Precipitation (PMP) events. This is generally referred to as the Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area

Additionally, an emergency spillway for the dam will be constructed in the unlikely event that the site rainfall exceeds two PMPs. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

**In order to avoid any seepage and to prevent the ground water contamination** an engineered liner is included in the design of the TMF basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment,
- the tailings dam,
- the secondary seepage collection pond,
- the secondary containment dam, and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, "The Tailings Facility Management Plan" for more information.

The proposed low permeability soil liner will be fully compliant with the Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage,
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage,
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablished.

**The EIA Report (Chapter 10 Transboundary Impacts)** assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report

on impacts on water quality downstream of the project and into Hungary. This work includes modeling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Border and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, please see included in the Annex 5.1 the Fact Sheet presenting the INCA modeling work, entitled “*Mureş River Modeling Program*” together with the full modeling.

\*

In regards with the assertion according to which the urbanism certificate no. 78/26.04.2006 would be not compatible with the one initially submitted by RMGC for the environmental permitting please note the following:

The issuing of the urbanism certificate no. 78/26.04.2006 was also applied for based on the project modifications resulted at the EIA Report completion and these modifications were meant to implement the results of the environmental impact assessment in order to avoid or mitigate the potential negative impacts revealed.

The urbanism certificate is an informative document only for informing the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and approvals necessary to obtain the construction permit (including the environmental permit).

As it is an informative document the law provisions do not limit the number of urbanism certificate an applicant may obtain for the same land plot (art. 30 of Law 350/2001 referring to the territorial planning and urbanism).

As per art. 6. of Law 50/1991, referring to the construction work permitting, republished, “The urbanism certificate is an information document through which the local authorities (a.n.) in accordance with the provisions of the urban plans and their related regulations or of the territorial planning plans, approved and permitted as per the law, inform the applicant the legal, economic and technical regime of the lands and buildings existing by the time of the application submission and establish the urbanism requirements which are to be met depending on the site characteristics as well as the list including the legal approvals and permits required for permitting purpose”, and the issuing of the urbanism certificate ensures “ the application of the approved territorial planning and urbanism documents” per article 29 of Law 350/2001 referring to the territorial planning and urbanism.

**The approvals and permits necessary to carry out a project are provided by the laws governing each permitting domain** (the environmental permitting is provided by the environmental protection laws, the



urbanism requirements by the laws governing the territorial planning and urbanism), **these authorizations being only mentioned and summarized in the urbanism certificate contents.**

Roşia Montană Project modifications represent exactly the natural and expected result of the environmental impact assessment and reflect the measures taken by the project holder to avoid or mitigate the potential negative environmental impacts revealed further to the procedure undertaking.

Thus considering the above mentioned, it cannot be said that there is no compatibility between the two urbanism certificates.

\*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montana Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”). The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montana.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montana is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montana project.

\*

The mine closure and environmental rehabilitation costs are not “sub-evaluated”. RMGC’s closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed

according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex (1) of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montana involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake
- Covering and vegetating the tailings pond and its dam areas
- Dismantling of disused production facilities and revegetation of the cleaned-up areas
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase in the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being "sub-evaluated"—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

---

Item no.	1921
No. to identify the observations received from the public	No. 110903/ 25.08.2006
Proposal	<p>The Complainer doesn't agree with promoting the Roşia Montană Project. The questioner formulated remarks and proposals as follows:</p> <ul style="list-style-type: none"> <li>- The total costs for the mine closure are unrealistic;</li> <li>- The financial guarantees have not been established;</li> <li>- There is no liner proposed for the tailings pond;</li> <li>- The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit.</li> <li>- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;</li> <li>- The EIA report does not assess the "zero alternative";</li> <li>- The Project poses a threat for the protected flora and fauna;</li> <li>- S.C. Roşia Montană Gold Corporation S.A. does not comply with the provisions of the art.11 from the Mining Law 85/2003</li> <li>- The EIA report does not contain an impact assessment of the phenomenon "cyanide rain" caused by the cyanide evaporation from the tailings management facility and a description of the trans-boundary impact in case of accident on some natural important areas such as Koros Maros National park from Hungary located along the Mureş valley</li> </ul> <p><b>SEE THE CONTENT OF THE TYPE 3 CONTESTATION</b></p>
Solution	<p>The mine closure costs are not unrealistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.</p> <p>Closure and rehabilitation at Roşia Montană involves the following measures:</p> <ul style="list-style-type: none"> <li>• Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;</li> <li>• Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;</li> <li>• Covering and vegetating the tailings pond and its dam areas;</li> <li>• Dismantling of disused production facilities and revegetation of the cleaned-up areas;</li> <li>• Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;</li> <li>• Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.</li> </ul> <p>While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.</p>

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world’s largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;

- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability ( $1 \times 10^{-6}$  cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability ( $1 \times 10^{-6}$  cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability ( $1 \times 10^{-6}$  cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

\*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

\*

The Security Report has been made available for public access by being posted at the following Internet address [http://www.mmediu.ro/dep\\_mediu/rosia\\_montana\\_securitate.htm](http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm) as well as through the printed version which could have been found at several information locations established for public hearings.

\*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical

purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

\*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area

representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

\*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in the atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN<sup>-</sup>) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the



leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;

- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m<sup>2</sup> during the hot season and 7.6 t, respectively 11.6 mg/h/m<sup>2</sup> during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m<sup>3</sup>/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the areas situated up to 2 km towards the north-eastern vicinity of the industrial site will be of 4 to 80 µg/m<sup>3</sup>/h, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection;
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). HCN is weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain will not effectively reduce the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

**On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.**

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mures and Tisa river basins in Hungary. Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program ([www.eurolimpacs.ucl.ac.uk](http://www.eurolimpacs.ucl.ac.uk)). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abruđ-Arieş-Mureş

river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1.

---

Item no.	1922
No. to identify the observations received from the public	No. 110902/ 25.08.2006
Proposal	<p>The questioner requests the MEWM not to issue the environment permit for the Roşia Montană mining project.</p> <p>The questioner formulated the following remarks:</p> <ul style="list-style-type: none"> <li>- The project implementation represents a real threat that would lead to the environment destruction both within the area and surrounding regions</li> <li>- The project would have a long term destroying impact on the natural landscape and human settlements</li> <li>- In this area there are gold mines from Roman period with an exceptional cultural value which resisted till now and the project implementation would lead to their destruction</li> <li>- Also in area there are orthodox and Greek-Roman churches which are already protected by legislation</li> </ul>
Solution	<p>We strongly disagree with the view that the Project will lead to environmental destruction in the Roşia Montană area and the surrounding region.</p> <p>The environmental protection laws that are in effect all over the world, including in Romania, do not allow the destruction of the environment under any circumstances. The Roşia Montană Project will be conducted in compliance with Romanian and European environmental and other laws and in accordance with international best practices. The Project will bring best available techniques (BAT) to Romania, many of which are designed to minimize the impact of mining operations on the environment. Subsequent to submission of the EIA, it has been reviewed by two different sets of experts. Technical experts, representing several international private sector banks and export credit agencies have concluded that the EIA complies with the Equator Principles designed to promote responsible lending by financial institutions to projects which raise environmental and social concerns, and an ad hoc committee of European experts (International Group of Independent Experts - IGIE) has publicly stated that the EIA was well-developed, taking into consideration their recommendations and suggestions. A copy of the IGIE report and RMGC's response is included as a reference document to the present annex of the EIA.</p> <p>As detailed in the EIA study, RMGC will also undertake a significant plan of environmental rehabilitation at the site not only to mitigate the environmental effects of the current Project but to clean up the effects of past poor mining practices as well, leaving the area cleaner than we found it.</p> <p style="text-align: center;">*</p>
	<p>The questioner's assertion is inaccurate. As is described in Table 3-1, p.19 of Chapter 4.7 ("Landscape") of the Environmental Impact Assessment Study Report, the current use of land by surface area within Roşia Montană (approx. 1646 ha) is as follows: the largest percentage consists of hay lands, at 60% of the total surface, followed by forests with 17.7%, and by built-up areas with 12%. The remaining surface is covered by non-productive land 5%, roads 3%, arable land 1%, cemeteries 0.5%, and waters 0.8%.</p> <p>Under the Project as proposed in the EIA study:</p> <ol style="list-style-type: none"> <li>1. The key elements of the landscape – such as protected areas, cultural patrimony – are preserved or protected;</li> <li>2. The aesthetic value and visual beauty of the landscape will not be diminished. Measures for the reconstruction and rehabilitation of the landscape will be taken;</li> <li>3. The only long-term impact on the landscape will be some changes to the natural framework;</li> <li>4. During the Project, the use of land as measured by total surface area will not be greatly changed; waters (0.5%) and forests (approx. 12%) will be slightly lower and hay lands (approx. 37.5%) will temporarily decline;</li> <li>5. But the Project's Closure and Rehabilitation Management Plan includes the rehabilitation of 335 ha of forests; therefore, after closure of the mine the surface area covered by forests will be larger than</li> </ol>

currently, and the surface area covered by water will be almost equal because of the Cetate Pit. The surface area of hay lands will be reconstructed by conducting the progressive rehabilitation and re-vegetation program that will eventually increase their surface area.

It must be stated that landscape impact will only exist locally, both from the point of view of visual-aesthetics and of the alterations of land use categories and elements of natural landscape.

All these prove that after the Project's closure the structure of land use is not going to be significantly altered, reaching equivalent percentages to those existing before the initiation of the Project.

The human settlements will be enhanced, rather than destroyed. An area of the village of Roșia Montană has been designated as a protected area, the proposal includes the renovation and restoration of the historical center of Roșia Montană and the construction of two new relocation sites: one in the Piatra Albă area (situated at approximately 6 km away from the historical center) and one at Dealul Furcilor, a subdivision of Alba Iulia, the county's capital. Piatra Albă site will be the new civic center of the commune, which will be the most modern in Romania. In addition to individual homes, new and modern quarters for the City Hall, cultural and community centers, a police station, a dispensary, a school, and other buildings will be built. This new and modern location will preserve the character and tradition of the mountain villages of the Apuseni Mountains but will benefit from all the advantages and facilities of 21st century construction. The school will be the only building built in a modern architectural style. Please also note that the property purchase program established by the company has been designed according to World Bank guidelines, and is based on a "willing seller, willing buyer" model, offering individual development opportunities and various support programs. To this extent, RMGC provided fair compensation packages for the affected inhabitants of the impacted area, in full compliance with the World Bank policies in this field, as detailed in the Resettlement and Relocation Action Plan (RRAP) developed by RMGC, which may be found on company's official website.

\*

Although their presence was known for more than 150 years, the Roșia Montană Roman galleries had never been archaeologically investigated prior to 1999. Basically, prior to 2000, this type of archaeological remains have never been subject to a specialized research.

Mining archeology research undertaken – since 1999 – by a multidisciplinary specialist team from the University of Toulouse Le Mirail (France), and coordinated by Dr. Beatrice Cauuet aimed at developing (for the first time in Romania) a detailed study of this type of archeological remains, i.e. old mining galleries of Roman and later periods.

The study of these structures entailed better understanding and, at the same time, making pertinent decisions regarding their preservation and enhancement. Based on the results of the research conducted to date (completed for Cetate, Cărnic, Jig but ongoing in Orlea), it was decided to preserve and enhance the following areas of old mining works:

- the Cătălina Monulești Gallery – located in the Historic Center of Roșia Montană, where the most important collection of wax tablets and an ancient mine drainage system had been found in the past;
- the Păru Carpeni mining area – located in the south-eastern part of the Orlea massif, where a system of overlapped chambers equipped with Roman wooden installations (wheels, channels, etc.) was discovered;
- the Piatra Corbului area – located in the south-western part of the Cărnic massif, this area bears traces of the ancient and medieval galleries dug by the fire setting technique;
- the Văidoaia massif area – located north-west of the Roșia Montană village, including segments of surface mining exploitations from the Roman period.

The preventive archeological research undertaken between 2001-2006 led to the identification and research of 13 archeological sites. Once extensive researches have been completed, it has been decided that some of these sites can be archaeologically discharged, and in other cases, the option for in situ preservation has been chosen – (e.g. the Tău Găuri funerary precinct, the Roman remains on the Dealul Carpeni hill); the Orlea area will be researched in detail between 2007 and 2012.

As for the Roman mining galleries discovered in the mining sectors of Cătălina Monulești and Păru Carpeni, comprehensive rehabilitation, consolidation and development works have been planned, in order to allow their in situ preservation and their development for tourism. This decision was based on the value and significance of the exceptional archeological remains preserved in the galleries, i.e. the wooden Roman installations designed for dewatering the mines (the so-called Roman wheels). At the same time, the gallery at Cătălina Monulești is famous because – in mid 19<sup>th</sup> century – the most significant set of waxed tablets was discovered here (according to archive sources, more than 11 such pieces were discovered, out of a known total of 32 such artifacts discovered to date).

Most of the ancient mining works in the Cărnic massif, as well as in other mining sectors, are only accessible, and in difficult conditions, to specialists, and actually partially inaccessible to the public at large. Moreover, under the EU safety rules regulating similar activities in museums all over Europe, rules that will be transposed into Romanian legislation, Roman galleries that pose safety risks cannot be opened for public access. Note that a number of other similar Roman gallery segments will be preserved *in situ*.

Apart from the full research and conservation, specialists have considered it appropriate to develop a 3D graphic model and 1:1 replicas of these structures, to be included in the mining museum proposed to be developed at Roșia Montană.

The Orlea massif is the only area that includes archaeological sites classified as historic monuments –the Roman settlement at Alburnus Maior, the Orlea area (code LMI AB-I-m-A-00065.01). The archaeological research undertaken to date in this area is preliminary in character. Detailed researches are proposed for the period 2007-2012, and, based on their results, a decision will be made whether to preserve in situ certain segments of galleries or to apply the archaeological discharge procedure in other segments.

Detailed information on the chance finds and on preliminary archaeological researches (surface and underground) in the Orlea Massif has been published in the Environmental Impact Assessment Study for the Roșia Montană Project, volume 6 – Cultural Heritage Baseline Report, Annex I, page 231-236. Note that the EIA Study states the following: given that the mining activities in the Orlea area are to be developed at a later stage, surface archaeological research in this area is planned to start in 2007. “As a result, construction activities will not begin in these areas until proper archaeological investigation consistent with Romanian law and international best practice is concluded.” (Cultural Heritage Baseline Report, vol. 6, p. 46).

In the 1980s, a mining museum was developed in the Orlea massif. The museum included a series of well-preserved galleries that have been separated from adjacent, access galleries by concrete walls. The Orlea galleries, as well as those in the Cărnic massif and in other mining areas in Roșia Montană, are trapezoidal in form. During the successive reworking and mining of these galleries, part of the Roman remains have been destroyed. In addition, the galleries suffered further deterioration, especially due to the recent mining works using drilling-blasting techniques that caused cave-ins and deterioration of underground mining remains.

The removal of mine waste in the course of archaeological research adds to the process of deterioration of the Roman galleries, further accentuated by the closure of mining operations at Minvest (1<sup>st</sup> June, 2006) – given that the mining activities have ensured a minimal level of mine dewatering. Under the existing legislation, shutting down mining activities requires a comprehensive set of conservation measures. However, at Roșia Montană the mine was abandoned without any other restoration works. Just a couple of months later, drainage channels inside the Sfânta Cruce gallery, the main drainage gallery, got clogged, which led to the flooding of a number of galleries, several kilometers long. Proper maintenance works are needed if the archaeological remains are to be preserved for future generations. In the absence of such measures the result will be disastrous, and the parts of galleries that have been preserved will disappear as a result of cave-ins and flooding. The Roman steps at Brad (Roman mining remains covered by Law 5/2000) are illustrative in this respect – once maintenance works stopped, the galleries became inaccessible.

The reports and studies published by experts in the field make clear that the Roman galleries at Roșia Montană are significant, but not unique. As indicated in the gazetteer of the Roman mining sites from Transylvania and Banat-prepared as part of the Environmental Impact Assessment Study for the Roșia Montană project, it is difficult to justify the claim that the Roșia Montană site is unique importance if we consider the history of mining in the Roman Empire, and especially in the province of Dacia. There are at

least 20 other sites with relatively similar features and some of them (Ruda Brad, Bucium – the Vulcoi Corabia area and Haneş – Amlaşul Mare area) have already produced concrete evidence proving that their archaeological potential is, to a certain extent, similar to that of the ancient *Alburnus Maior* site. This aspect should also be taken into consideration when claiming that Roşia Montană is a site of unique importance.

The comments and long-term strategies mentioned in the present document have been prepared by a team of mining archaeology experts from the Toulouse University, France, that have worked at Roşia Montana since 1999.

As an alternative, the company considered the preparation of a specialized study comprising financial estimates for the conservation in their entirety of the galleries from the Cărnic massif and for opening them to tourists. In this respect, note that the costs for the development and maintenance of a public circuit in this massif are prohibitive and such an investment would not be economically feasible (see Annex “Costs Estimate for the Development of Ancient Mining Networks from Cărnic”, prepared by the UK-based companies Gifford, Geo-Design and Forkers Ltd).

With regard to the proposed replicas of certain mining structures, it should be mentioned that there are various such examples throughout Europe. To mention just two: the Mining museum at Rio Tinto, Huelva, Spain, where a Roman mining exploitation has been developed for public access ( the museum is illustrative for a 5000 years history of mining in the Iberian Peninsula; with regard to the mining cultural heritage, this site resembles the best the Roşia Montană site, as a mine dewatering system from Roman times was discovered here in the 19<sup>th</sup> century, similar to the ones discovered at Păru Carpeni and Cătălina Monuleşti). Another example is the recreation of the lead mine at Killhope, Wales, Great Britain.

For further information on the history of the research and the main findings related to the historic galleries at Roşia Montană, as well as for the specialists’ conclusions on the matter, and assessments of a potential tourist circuit including the historic mining structures at Cărnic, or for the opinions formulated in 2004 by Edward O’Hara, General Rapporteur on the Cultural Heritage of the Parliamentary Assembly of the Council of Europe, please consult the annex entitled “Information on the Cultural Heritage of Roşia Montană and Related Management Aspects”, as well as the Romanian version of the O’Hara Report. Detailed information on the complex issue of the mining works at Roşia Montană, on their results and on their potential for enhancement, are available in the EIA Report, vol. 6, Cultural Heritage Baseline Report (pages 32, 36-55, 83-109).

Given the significance of the Roşia Montana’s cultural heritage, and the current legal requirements, S.C. Roşia Montană Gold Corporation S.A allocated more than USD 10 million for the archaeological investigations carried out between 2001-2006. What is more, based on the research results, on the experts’ opinions and on the decision of competent authorities, the budget for the next years, allocated for the research, conservation and restoration of the Roşia Montană’s cultural heritage, undertaken as part of the project development, amounts to more than USD 25 million, as indicated in the Environmental Impact Assessment Study, published in May 2006 (see the EIA Report, vol. 32, Management Plan for the Archaeological Heritage from the Roşia Montană area, p. 84-85). Archaeological research in the Orlea area is to be continued, and a **Modern Mining Museum** will be opened, including **geology, archaeology, ethnographic and industrial heritage exhibitions**. Other plans include the development for public access of the **Cătălina-Monuleşti gallery and the Tău Găuri monument, as well as the restoration of the 41 historical buildings and of the protected zone Roşia Montană Historic Centre**.

Based on the research results, on the international guidelines and best practices in the field, it has been decided that the most effective solution for enhancing this type of cultural heritage is to preserve *in situ* the most significant underground mining archaeological remains uncovered at Roşia Montană, and to create exact replicas of the galleries that cannot be opened for public access, either due to safety reasons or because of the state of preservation of the remains.

\*

Prior to the 2006 submission of RMGC's EIA, the project was redesigned to keep the Greek Orthodox Church, which carries historical structure status, outside the mining area. This indicates how the stakeholder process has initiated design changes to take into account community consensus. This church, and the Roman-Catholic Church located within the protected area Roşia Montană Historical Centre, is the only two buildings of this kind which are protected by legislation.

---