

Item no.

3136

No. to identify the observations received from the public

No.
112955/
25.08.2006

The questioner requests the MEWM not to emit the environment permit for the Roşia Montană mining project.

The questioner formulated remarks and proposals as follows:

- The total costs for the mine closure are unrealistic;
 - The financial guarantees have not been established;
 - There is no liner proposed for the tailings pond;
 - The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit.
 - There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;
- Proposal**
- The EIA report does not assess the "zero alternative";
 - The Project poses a threat for the protected flora and fauna;
 - S.C. Roşia Montană Gold corporation S.A. does not comply with the provisions of the art.11 from the Mining Law 85/2003
 - The EIA report does not contain an impact assessment of the phenomenon "cyanide rain" caused by the cyanide evaporation from the tailings management facility and a description of the trans-boundary impact in case of accident on some natural important areas such as Koros Maros National park from Hungary located along the Mureş valley

SEE THE CONTENT OF THE TYPE 3 CONTESTATION

The mine closure costs are not unrealistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

Solution

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar

earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world’s largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans”

(Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Security Report has been made available for public access by being posted at the following Internet address http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm as well as through the printed version which could have been found at several information locations established for public hearings.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in

Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in the atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings

management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;

- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the areas situated up to 2 km towards the north-eastern vicinity of the industrial site will be of 4 to 80 µg/m³/h, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection;
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). HCN is weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain will not effectively reduce the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mures and Tisa river basins in Hungary. Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1.

Item no.	3137 Same as: 3138, 3139, 3140, 3141, 3142, 3143, 3144, 3145, 3146, 3147, 3148, 3149, 3150, 3151, 3152, 3153, 3154, 3155, 3156, 3157, 3158
No. to identify the observations received from the public	No. 111176/25.08.2006 Same as: No. 111175/25.08.2006, No. 111174/25.08.2006, Nr. 111173/25.08.2006, No. 111172/25.08.2006, No. 111171/25.08.2006, No. 111170/25.08.2006, No. 111169/25.08.2006, No. 111168/25.08.2006, No. 111166/25.08.2006, No. 111162/25.08.2006, No. 111161/25.08.2006, No. 111160/25.08.2006, No. 111159/25.08.2006, No. 111364/25.08.2006, No. 111363/25.08.2006, No. 111362/25.08.2006, No. 111361/25.08.2006, No. 111359/25.08.2006, No. 111352/25.08.2006, No. 111360/25.08.2006, No. 111351/25.08.2006
Proposal	<p>The questioner requests the MEWM not to emit the environment permit for Roşia Montană mining project.</p> <p>The questioner expresses the following remarks:</p> <ul style="list-style-type: none"> - The gold and silver reserves from Roşia Montană represent one of the strategic reserves of Romania - From economic point of view, the distribution of the benefits resulted from gold and silver extraction is opposite to the international practice - The urbanism plans do not correspond to the project proposal; - Within the EIA report there are no financial guarantees regarding the safety assurance of the waste deposit - From technical point of view, the tailings management facility will be not "lined". It is situated above the Abrud town and could have a catastrophic consequence in case of failure - The EIA report does not contain an evaluation of the phenomenon so-called "cyanide rain" nor a description of the trans-frontier impact on some natural important areas in case of accident - The EIA report does not assess the "zero alternative"; - The data provided by EIA report infringe the standards of environment protection <p>SEE THE CONTENT OF THE TYPE 2 CONTESTATION</p>
Solution	<p>The Romanian Mine Law, Law 85/2003, does not put any restrictions on the licenses to be given for exploration for gold and development of gold reserves. Both Romanian and foreign companies, both public and private companies, may apply to obtain a license to work a gold deposit. The Romanian state no longer has a monopoly on gold production.</p> <p>We agree that Roşia Montană represents an issue of national strategic importance, designed to raise the bar for long-term investment in Romania. RMGC is the largest employer in this disadvantaged region and indeed the whole county and is the largest local taxpayer. Romania will receive about US\$ 1 billion for its share of the project, and a total of about US\$ 1.5 billion when one includes the value of goods and services procured in Romania. The project meets or exceeds all Romanian and EU standards, creates new jobs for Romanians, especially in Roşia Montană and the surrounding region, and will be a catalyst for reviving the mining sector, which is strategic to the Romanian economy and an important tool for rural development.</p> <p>However, we disagree that this means the project should not be approved. RMGC has been working on this project since 1998 and has invested over US\$ 200 million to date. By the time production begins, the company will have invested almost US \$1 billion. Mining is a high risk industry; it is an industry rule of thumb that for every 1,000 projects considered, 100 merit drilling, and only one is opened as an actual productive mine. In fact, no country in the developed world is currently involved directly in assuming the risk of mining operations; instead, private capital assumes the risk and will bring the best available techniques to Romania. Approval of this project will show the world that Romania welcomes this type of productive foreign investment. The profits from the mine and the jobs provided by the mine are tangible benefits to Romania.</p> <p>As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that <i>"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"</i>.</p>

Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining:

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

*

Unlike the common international practice related to the distribution of profits, it should be noted that in relation to the Roşia Montană Project, the distribution of benefits is more favorable to Romania/Romanian State than to the investor/the titleholder of the project.

Furthermore, please observe that the Romanian government has an ownership stake in the project (without putting up any capital) and has a direct share in the profits in the expected amount of USD 306 million, along with the right to receive profit taxes, royalties and other taxes and fees. Nowhere else in the developed world does a government have a direct profit sharing interest in a mining project such as this.

*

We would like to state that your statement is erroneous. The General Urbanism Plan (PUG) of Roşia Montană approved in 2002, allows the development of Roşia Montană Project as it was presented during public debates.

At the same time, pursuant to the provisions under art. 41, 2nd paragraph from Mines Law no. 85/2003, the local authorities must alter and/or update existing territorial arrangement plans and general urban plans, in order to allow execution of all required actions to develop mining activities.

RMGC has also commenced the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no 78 from 26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial

resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

Tailings Management Facility

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more

information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

Proximity to Abrud

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake (MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, "TMF Potential Failure Scenarios" of the EIA.

*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the populated areas close by industrial site will be of 4 to 80 µg/m³, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection - the national legislation and European Union (EU) legislation on the Quality of Air, don’t stipulate limit values for the population’s health protection);
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.

Also, the specialty literature doesn’t comprise information related to the effect of air-borne HCN emissions on fauna and flora.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.4.3).

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU Best Available Techniques (BAT) – compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worst case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

According to the provisions of art. 44 (3) of the Order of Ministry of Water and Environment Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure („Order no. 860/2002”), the project titleholder prepares *„an evaluation of the public’s grounded proposals, containing solutions for the settlement of the underlined problems, which shall be submitted to the relevant public authority for environmental protection, according to the form presented in anenx no. IV.2”*.

We consider that, as no exact specification is made in regard of the enactments allegedly breached by the report to the environmental impact assessment study (EIA), the project’s titleholder cannot answer in regard of this affirmation of a generic character.

Though your statement is not grounded and/or supported in any way, the only authority empowered to analyze such breaches of the European legislation is the environmental authority. To this end, we specify the provisions of art. 45 of the Order no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure (“Order no. 860/2002”), which provide: *“after the examination of the report to the environmental impact assessment study, of the conclusions of the parties involved in the evaluation, of the possibilities to fulfill the project and the grounded evaluation of the public’s proposals, the public authority competent in regard of the environmental protection shall take the decision concerning the issuing of the environmental approval/integrated environmental approval or the grounded rejection of the project on the respective location”*.

Item no. 3159

No. to identify the observations received from the public No. 111319/25.08.2006

Proposal

The questioner disagrees with the proposed mine, it addresses observations and proposals as follows:

- The overall costs for mine closure are not realistic;
- No financial guarantees have been stipulated;
- There is no liner proposed for the tailings pond;
- There is no safety report available for the public disclosure and competent authorities assessment, in accordance with the legislation in force.
- The EIA report does not assess the "zero alternative";
- The Project poses a threat for the protected flora and fauna;
- S.C Roşia Montană Gold Corporation S.A doesn't fulfill the requirements provided by Article 11 of Mines Law 85/2003.

Solution

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being not realistic—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world’s largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation (“RMGC”) has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project’s design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;

- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

This claim is not true. The safety report was submitted together with the Environmental Impact Assessment (EIA) Report on May 18th, 2006 and was available for public consultation at the locations where the EIA Report was submitted, both as hardcopy and in electronic form. The electronic copy of the report could be accessed both on the web page of the Ministry of Environment and Water Management, and on www.povesteadevarata.ro.

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The statement that SC Rosia Montana Gold Corporation (RMGC) does not fulfill the provisions of art. 11 of the Mining Law no.85/2003, published in the Romanian Official Gazette, Section I, no. 197/27.03.2003, is incorrect. The Mining Law no. 85/2003 has a general applicability and makes no reference to the Roşia Montană Project or to other mining projects, as it has been mistakenly suggested. According to art. 11 of the Mining Law, *“the performance of mining activities on the lands where historical monuments are located, [...] archaeological sites of special interest [...], as well as the creation of an easement right for mining activities on such lands is strictly forbidden. The exemptions from the provisions of art. 1 are established by Government decision, with the approval of the relevant authorities in the field and by establishing indemnification and other compensatory measures”*.

Based on the Concession License for mining exploitation no. 47/1999, RMGC obtained the right to

perform mining activities in the Roşia Montană perimeter, which includes areas upon which a protection regime has been instituted. In case the interdiction established by art. 11 would have been absolute, the Mining Law would have provided the legal interdiction of creating mining perimeters in the locations where there have been created protection regimes.

Such an interdiction does not exist; moreover, the Government Ordinance no. 43/2000 on the protection of the archaeological patrimony and declaring of some archaeological sites as national interest areas, republished in the Official Gazette, Section I, no. 951/24.11.2006 („GO no. 43/2000”), as well as Law n o. 422/2001 on the protection of the historical monuments, republished in the Official Gazette, Section I, no. 938/20.11.2006 („Law no. 422/2001”), provide specific procedures for the returning of such lands to current human activities, by declassifying the historical monument and by granting the archaeological clearance. Such procedures represent the rule applicable in all situations in which there is contemplated the performing of works requiring a construction authorization on lands subject to a protection regime.

The Mining Law no. 85/2003 does not forbid the use of such procedures, only allows that, in exceptional cases, the Government may be empowered, based on the Mining Law, to establish by decision the cases in which the performance of the mining activities would be possible without following the legal procedures generally applicable, as provided by GO no. 42/2000 and Law no. 422/2001. Such a Government decision is not necessary in case of the Roşia Montană Project, as RMGC observes the provisions and procedures established by GO no. 43/2001 and Law no. 422/2001, for the archaeological clearance of the lands to be affected by the mining activities, as these are to be returned to the current human activities, as per the law.

Also, for the cultural patrimony values existing in the Roşia Montană perimeter and classified as per the law, the Project provides the creation of a protected area, within which no mining activity shall be performed, as well as the preservation *in situ* of the historical monuments located outside this area, as detailed in the Cultural Heritage Management Plan - Plan M of the EIA Report.

Item no. 3160

No. to identify the observations received from the public No. 111318/25.08.2006

Proposal

The questioner disagrees with the proposed mine, he addresses observations and proposals as follows:

- The overall costs for mine closure are not realistic;
- No financial guarantees have been stipulated;
- There is no liner proposed for the tailings pond;
- there is no safety report available for the public disclosure and competent authorities assessment, in accordance with the legislation in force.
- The EIA report does not assess the "zero alternative";
- The Project poses a threat for the protected flora and fauna;

S.C Roşia Montană Gold Corporation S.A doesn't fulfill the requirements provided by Article 11 of Mines Law 85/2003.

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Solution

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being not realistic—our cost estimates are evidence of our high level of

commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee ("EFG") is fully discussed in the section of the Environmental Impact Assessment titled "Environmental and Social Management and System Plans" (Annex 1 of the subchapter titled "Mine Rehabilitation and Closure Management Plan"). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation ("RMGC") has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project's design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive ("MWD") and the Environmental Liability Directive ("ELD").

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;

- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

This claim is not true. The safety report was submitted together with the Environmental Impact Assessment (EIA) Report on May 18th, 2006 and was available for public consultation at the locations where the EIA Report was submitted, both as hardcopy and in electronic form. The electronic copy of the report could be accessed both on the web page of the Ministry of Environment and Water Management, and on www.povesteaadevarata.ro.

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roșia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roșia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roșia Montană area.

Some of species existing at Roșia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in

proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The statement that SC Rosia Montana Gold Corporation (RMGC) does not fulfill the provisions of art. 11 of the Mining Law no.85/2003, published in the Romanian Official Gazette, Section I, no. 197/27.03.2003, is incorrect. The Mining Law no. 85/2003 has a general applicability and makes no reference to the Roșia Montană Project or to other mining projects, as it has been mistakenly suggested. According to art. 11 of the Mining Law, *“the performance of mining activities on the lands where historical monuments are located, [...] archaeological sites of special interest [...], as well as the creation of an easement right for mining activities on such lands is strictly forbidden. The exemptions from the provisions of art. 1 are established by Government decision, with the approval of the relevant authorities in the field and by establishing indemnification and other compensatory measures”*.

Based on the Concession License for mining exploitation no. 47/1999, RMGC obtained the right to perform mining activities in the Roșia Montană perimeter, which includes areas upon which a protection

regime has been instituted. In case the interdiction established by art. 11 would have been absolute, the Mining Law would have provided the legal interdiction of creating mining perimeters in the locations where there have been created protection regimes.

Such an interdiction does not exist; moreover, the Government Ordinance no. 43/2000 on the protection of the archaeological patrimony and declaring of some archaeological sites as national interest areas, republished in the Official Gazette, Section I, no. 951/24.11.2006 („GO no. 43/2000”), as well as Law n o. 422/2001 on the protection of the historical monuments, republished in the Official Gazette, Section I, no. 938/20.11.2006 („Law no. 422/2001”), provide specific procedures for the returning of such lands to current human activities, by declassifying the historical monument and by granting the archaeological clearance. Such procedures represent the rule applicable in all situations in which there is contemplated the performing of works requiring a construction authorization on lands subject to a protection regime.

The Mining Law no. 85/2003 does not forbid the use of such procedures, only allows that, in exceptional cases, the Government may be empowered, based on the Mining Law, to establish by decision the cases in which the performance of the mining activities would be possible without following the legal procedures generally applicable, as provided by GO no. 42/2000 and Law no. 422/2001. Such a Government decision is not necessary in case of the Roşia Montană Project, as RMGC observes the provisions and procedures established by GO no. 43/2001 and Law no. 422/2001, for the archaeological clearance of the lands to be affected by the mining activities, as these are to be returned to the current human activities, as per the law.

Also, for the cultural patrimony values existing in the Roşia Montană perimeter and classified as per the law, the Project provides the creation of a protected area, within which no mining activity shall be performed, as well as the preservation *in situ* of the historical monuments located outside this area, as detailed in the Cultural Heritage Management Plan - Plan M of the EIA Report.

Item no. 3161

No. to identify the observations received from the public No. 111315/25.08.2006

Proposal

The questioner disagrees with the proposed mine, he addresses observations and proposals as follows:

- The overall costs for mine closure are not realistic;
- No financial guarantees have been stipulated;
- There is no liner proposed for the tailings pond;
- There is no safety report available for the public disclosure and competent authorities assessment, in accordance with the legislation in force.
- The EIA report does not assess the "zero alternative";
- The Project poses a threat for the protected flora and fauna;
- S.C Roşia Montană Gold Corporation S.A doesn't fulfill the requirements provided by Article 11 of Mines Law 85/2003.

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Solution

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being not realistic—our cost estimates are evidence of our high level of

commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee ("EFG") is fully discussed in the section of the Environmental Impact Assessment titled "Environmental and Social Management and System Plans" (Annex 1 of the subchapter titled "Mine Rehabilitation and Closure Management Plan"). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation ("RMGC") has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project's design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive ("MWD") and the Environmental Liability Directive ("ELD").

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;

- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

This claim is not true. The safety report was submitted together with the Environmental Impact Assessment (EIA) Report on May 18th, 2006 and was available for public consultation at the locations where the EIA Report was submitted, both as hardcopy and in electronic form. The electronic copy of the report could be accessed both on the web page of the Ministry of Environment and Water Management, and on www.povesteaadevarata.ro.

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roșia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roșia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roșia Montană area.

Some of species existing at Roșia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in

proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The statement that SC Rosia Montana Gold Corporation (RMGC) does not fulfill the provisions of art. 11 of the Mining Law no.85/2003, published in the Romanian Official Gazette, Section I, no. 197/27.03.2003, is incorrect. The Mining Law no. 85/2003 has a general applicability and makes no reference to the Roşia Montană Project or to other mining projects, as it has been mistakenly suggested. According to art. 11 of the Mining Law, *“the performance of mining activities on the lands where historical monuments are located, [...] archaeological sites of special interest [...], as well as the creation of an easement right for mining activities on such lands is strictly forbidden. The exemptions from the provisions of art. 1 are established by Government decision, with the approval of the relevant authorities in the field and by establishing indemnification and other compensatory measures”*.

Based on the Concession License for mining exploitation no. 47/1999, RMGC obtained the right to perform mining activities in the Roşia Montană perimeter, which includes areas upon which a protection

regime has been instituted. In case the interdiction established by art. 11 would have been absolute, the Mining Law would have provided the legal interdiction of creating mining perimeters in the locations where there have been created protection regimes.

Such an interdiction does not exist; moreover, the Government Ordinance no. 43/2000 on the protection of the archaeological patrimony and declaring of some archaeological sites as national interest areas, republished in the Official Gazette, Section I, no. 951/24.11.2006 („GO no. 43/2000”), as well as Law n o. 422/2001 on the protection of the historical monuments, republished in the Official Gazette, Section I, no. 938/20.11.2006 („Law no. 422/2001”), provide specific procedures for the returning of such lands to current human activities, by declassifying the historical monument and by granting the archaeological clearance. Such procedures represent the rule applicable in all situations in which there is contemplated the performing of works requiring a construction authorization on lands subject to a protection regime.

The Mining Law no. 85/2003 does not forbid the use of such procedures, only allows that, in exceptional cases, the Government may be empowered, based on the Mining Law, to establish by decision the cases in which the performance of the mining activities would be possible without following the legal procedures generally applicable, as provided by GO no. 42/2000 and Law no. 422/2001. Such a Government decision is not necessary in case of the Roşia Montană Project, as RMGC observes the provisions and procedures established by GO no. 43/2001 and Law no. 422/2001, for the archaeological clearance of the lands to be affected by the mining activities, as these are to be returned to the current human activities, as per the law.

Also, for the cultural patrimony values existing in the Roşia Montană perimeter and classified as per the law, the Project provides the creation of a protected area, within which no mining activity shall be performed, as well as the preservation *in situ* of the historical monuments located outside this area, as detailed in the Cultural Heritage Management Plan - Plan M of the EIA Report.

Item no.	3162 Same as: 3163, 3164, 3165, 3166	
No. to identify the observations received from the public	No. 111314/25.08.2006	Same as: No. 111313/25.08.2006, No. 111312/25.08.2006, No. 111311/25.08.2006, No. 111310/25.08.2006
Proposal	<p>The Questioner disagrees with the proposed mine. It addresses observations and proposals as follows:</p> <ul style="list-style-type: none"> - The overall costs for mine closure are not realistic; - No financial guarantees have been stipulated; - There is no liner proposed for the tailings pond; - There is no safety report available for the public disclosure and competent authorities assessment, in accordance with the legislation in force. - The EIA report does not assess the "zero alternative"; - The Project poses a threat for the protected flora and fauna; - S.C Roşia Montană Gold Corporation S.A doesn't fulfill the requirements provided by Article 11 of Mines Law 85/2003. 	
Solution	<p>RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.</p> <p>Closure and rehabilitation at Roşia Montană involves the following measures:</p> <ul style="list-style-type: none"> • Covering and vegetating the waste dumps as far as they are not backfilled into the open pits; • Backfilling the open pits, except Cetate pit, which will be flooded to form a lake; • Covering and vegetating the tailings pond and its dam areas; • Dismantling of disused production facilities and revegetation of the cleaned-up areas; • Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment; • Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached. <p>While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.</p> <p>Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.</p> <p>We believe that—far from being not realistic—our cost estimates are evidence of our high level of</p>	

commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee ("EFG") is fully discussed in the section of the Environmental Impact Assessment titled "Environmental and Social Management and System Plans" (Annex 1 of the subchapter titled "Mine Rehabilitation and Closure Management Plan"). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation ("RMGC") has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project's design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive ("MWD") and the Environmental Liability Directive ("ELD").

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;

- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

This claim is not true. The safety report was submitted together with the Environmental Impact Assessment (EIA) Report on May 18th, 2006 and was available for public consultation at the locations where the EIA Report was submitted, both as hardcopy and in electronic form. The electronic copy of the report could be accessed both on the web page of the Ministry of Environment and Water Management, and on www.povesteadevarata.ro.

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roșia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roșia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roșia Montană area.

Some of species existing at Roșia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in

proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The statement that SC Rosia Montana Gold Corporation (RMGC) does not fulfill the provisions of art. 11 of the Mining Law no.85/2003, published in the Romanian Official Gazette, Section I, no. 197/27.03.2003, is incorrect. The Mining Law no. 85/2003 has a general applicability and makes no reference to the Roşia Montană Project or to other mining projects, as it has been mistakenly suggested. According to art. 11 of the Mining Law, *“the performance of mining activities on the lands where historical monuments are located, [...] archaeological sites of special interest [...], as well as the creation of an easement right for mining activities on such lands is strictly forbidden. The exemptions from the provisions of art. 1 are established by Government decision, with the approval of the relevant authorities in the field and by establishing indemnification and other compensatory measures”*.

Based on the Concession License for mining exploitation no. 47/1999, RMGC obtained the right to perform mining activities in the Roşia Montană perimeter, which includes areas upon which a protection

regime has been instituted. In case the interdiction established by art. 11 would have been absolute, the Mining Law would have provided the legal interdiction of creating mining perimeters in the locations where there have been created protection regimes.

Such an interdiction does not exist; moreover, the Government Ordinance no. 43/2000 on the protection of the archaeological patrimony and declaring of some archaeological sites as national interest areas, republished in the Official Gazette, Section I, no. 951/24.11.2006 („GO no. 43/2000”), as well as Law n o. 422/2001 on the protection of the historical monuments, republished in the Official Gazette, Section I, no. 938/20.11.2006 („Law no. 422/2001”), provide specific procedures for the returning of such lands to current human activities, by declassifying the historical monument and by granting the archaeological clearance. Such procedures represent the rule applicable in all situations in which there is contemplated the performing of works requiring a construction authorization on lands subject to a protection regime.

The Mining Law no. 85/2003 does not forbid the use of such procedures, only allows that, in exceptional cases, the Government may be empowered, based on the Mining Law, to establish by decision the cases in which the performance of the mining activities would be possible without following the legal procedures generally applicable, as provided by GO no. 42/2000 and Law no. 422/2001. Such a Government decision is not necessary in case of the Roşia Montană Project, as RMGC observes the provisions and procedures established by GO no. 43/2001 and Law no. 422/2001, for the archaeological clearance of the lands to be affected by the mining activities, as these are to be returned to the current human activities, as per the law.

Also, for the cultural patrimony values existing in the Roşia Montană perimeter and classified as per the law, the Project provides the creation of a protected area, within which no mining activity shall be performed, as well as the preservation *in situ* of the historical monuments located outside this area, as detailed in the Cultural Heritage Management Plan - Plan M of the EIA Report.

Item no.	3167 Same as: 3168, 3169, 3170, 3171, 3172, 3173, 3174, 3175, 3176, 3177, 3178, 3179, 3180, 3181, 3182, 3183, 3184, 3185, 3186, 3187, 3188
No. to identify the observations received from the public	No. 111309/25.08.2006 Same as: No. 111308/25.08.2006, No. 111307/25.08.2006, No. 111306/25.08.2006, No. 111305/25.08.2006, No. 111304/25.08.2006, No. 111303/25.08.2006, No. 111302/25.08.2006, No. 111301/25.08.2006, No. 111300/25.08.2006, No. 111298/25.08.2006, No. 111297/25.08.2006, No. 111296/25.08.2006, No. 111295/25.08.2006, No. 111293/25.08.2006, No. 111292/25.08.2006, No. 111291/25.08.2006, No. 111290/25.08.2006, No. 111289/25.08.2006, No. 111288/25.08.2006, No. 111287/25.08.2006, No. 111286/25.08.2006
Proposal	<p>The questioner requests the MEWM not to emit the environment permit for Roşia Montană mining project.</p> <p>The questioner expresses the following remarks:</p> <ul style="list-style-type: none"> - The gold and silver reserves from Roşia Montană represent one of the strategic reserves of Romania - From economic point of view, the distribution of the benefits resulted from gold and silver extraction is opposite to the international practice - The urbanism plans do not correspond to the project proposal; - Within the EIA report there are no financial guarantees regarding the safety assurance of the waste deposit - From technical point of view, the tailings management facility will be not "lined". It is situated above the Abrud town and could have a catastrophic consequence in case of failure - The EIA report does not contain an evaluation of the phenomenon so-called "cyanide rain" nor a description of the trans-frontier impact on some natural important areas in case of accident - The EIA report does not assess the "zero alternative"; - The data provided by EIA report infringe the standards of environment protection <p>SEE THE CONTENT OF THE TYPE 2 CONTESTATION</p>
Solution	<p>The Romanian Mine Law, Law 85/2003, does not put any restrictions on the licenses to be given for exploration for gold and development of gold reserves. Both Romanian and foreign companies, both public and private companies, may apply to obtain a license to work a gold deposit. The Romanian state no longer has a monopoly on gold production.</p> <p>We agree that Roşia Montană represents an issue of national strategic importance, designed to raise the bar for long-term investment in Romania. RMGC is the largest employer in this disadvantaged region and indeed the whole county and is the largest local taxpayer. Romania will receive about US\$ 1 billion for its share of the project, and a total of about US\$ 1.5 billion when one includes the value of goods and services procured in Romania. The project meets or exceeds all Romanian and EU standards, creates new jobs for Romanians, especially in Roşia Montană and the surrounding region, and will be a catalyst for reviving the mining sector, which is strategic to the Romanian economy and an important tool for rural development.</p> <p>However, we disagree that this means the project should not be approved. RMGC has been working on this project since 1998 and has invested over US\$ 200 million to date. By the time production begins, the company will have invested almost US \$1 billion. Mining is a high risk industry; it is an industry rule of thumb that for every 1,000 projects considered, 100 merit drilling, and only one is opened as an actual productive mine. In fact, no country in the developed world is currently involved directly in assuming the risk of mining operations; instead, private capital assumes the risk and will bring the best available techniques to Romania. Approval of this project will show the world that Romania welcomes this type of productive foreign investment. The profits from the mine and the jobs provided by the mine are tangible benefits to Romania.</p> <p>As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that <i>"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"</i>.</p>

Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining:

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

*

Unlike the common international practice related to the distribution of profits, it should be noted that in relation to the Roşia Montană Project, the distribution of benefits is more favorable to Romania/Romanian State than to the investor/the titleholder of the project.

Furthermore, please observe that the Romanian government has an ownership stake in the project (without putting up any capital) and has a direct share in the profits in the expected amount of USD 306 million, along with the right to receive profit taxes, royalties and other taxes and fees. Nowhere else in the developed world does a government have a direct profit sharing interest in a mining project such as this.

*

We would like to state that your statement is erroneous. The General Urbanism Plan (PUG) of Roşia Montană approved in 2002, allows the development of Roşia Montană Project as it was presented during public debates.

At the same time, pursuant to the provisions under art. 41, 2nd paragraph from Mines Law no. 85/2003, the local authorities must alter and/or update existing territorial arrangement plans and general urban plans, in order to allow execution of all required actions to develop mining activities.

RMGC has also commenced the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no 78 from 26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have

yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

Tailings Management Facility

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

Proximity to Abrud

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake (MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, "TMF Potential Failure Scenarios" of the EIA.

*

The possibility for a "cyanide rain" phenomenon to occur doesn't exist. Moreover, the specialty literature

does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the populated areas close by industrial site will be of 4 to 80 µg/m³, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection - the national legislation and European Union (EU) legislation on the Quality of Air, don't stipulate limit values for the population's health protection);
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.

Also, the specialty literature doesn't comprise information related to the effect of air-borne HCN emissions on fauna and flora.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as

the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.4.3).

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU Best Available Techniques (BAT) – compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worst case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

According to the provisions of art. 44 (3) of the Order of Ministry of Water and Environment Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure („Order no. 860/2002”), the project titleholder prepares *„an evaluation of the public’s grounded proposals, containing solutions for the settlement of the underlined problems, which shall be submitted to the relevant public authority for environmental protection, according to the form presented in anenx no. IV.2”*.

We consider that, as no exact specification is made in regard of the enactments allegedly breached by the report to the environmental impact assessment study (EIA), the project’s titleholder cannot answer in regard of this affirmation of a generic character.

Though your statement is not grounded and/or supported in any way, the only authority empowered to analyze such breaches of the European legislation is the environmental authority. To this end, we specify the provisions of art. 45 of the Order no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure (“Order no. 860/2002”), which provide: *“after the examination of the report to the environmental impact assessment study, of the conclusions of the parties involved in the evaluation, of the possibilities to fulfill the project and the grounded evaluation of the public’s proposals, the public authority competent in regard of the environmental protection shall take the decision concerning the issuing of the environmental approval/integrated environmental approval or the grounded rejection of the project on the respective location”*.

Item no. **3189** Same as: 3190, 3191, 3192, 3193, 3194, 3195, 3196

No. to identify the observations received from the public **No. 111104/25.08.2006** Same as: No. 111103/25.08.2006, No. 111102/25.08.2006, No. 111358/25.08.2006, No. 111357/25.08.2006, No. 111356/25.08.2006, No. 111355/25.08.2006, No. 111354/25.08.2006

Proposal

The questioner does not agree to the promotion of the Roşia Montană Project, making the following comments:

- In EIA there are no presented all the possible risks derived from this project;
- Total costs for closing the mine are unrealistic;
- There isn't until now an approved Zonal Urbanism Plan for the Protected Areas;
- The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate;
- Information about the foundation which RMGC will establish and subsidize is not given. This foundation follows to assume the obligations which the mining operation can not assume;
- The present urbanism plans of the Rosia Montana commune do not correspond with the mining project proposal described in EIA;
- There is no liner proposed for the tailings pond;
- The proposed waste deposits will be not constructed according to the legislation in force;
- No financial guarantees have been stipulated;
- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;
- The EIA report does not assess the "zero alternative";
- The Project poses a threat for protected flora and fauna;
- The EIA report does not refer to the impact on the listed heritage buildings of noise and vibrations caused by the mining operations;
- The public/ONGs wish to consult the contracts and agreements between Company and Romanian State;
- The Urbanism Plan has been modified without public consultation;
- From archeological point of view, the area proposed to be occupied by project was not legally investigated;
- The questioner contests the protection of the architectural and spiritual monuments with the responsibility of the state institutions for the protection operation.

SEE THE CONTENT OF THE TYPE 1 CONTESTATION

Solution

It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.

A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.

In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.

As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences

to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.

More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.

A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for

more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the "worst case scenario" based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that

reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of $400\mu\text{g}/\text{m}^3$ hourly average and $179\mu\text{g}/\text{m}^3$ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m^3 discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m^3/s . Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page 173-176.

*

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and

regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being too low—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

According to Law 5/2000, regarding the approval of the Territory Arrangement Plan – 3rd Section – protected areas (“Law 5/2000”) (article 5, paragraphs 2-3), local public authorities, with the support of the competent central public authorities, had the obligation to establish the boundaries of the protection areas for the cultural heritage elements stipulated in Annex III to the above-mentioned law. This measure should have been taken within 12 months from the effective date of Law 5/2000, based on specialized studies. For this purpose, the local public authorities had to prepare the town planning documentation and its related regulations, developed and approved according to the law. This documentation must comprise the necessary protection and conservation measures for the national cultural heritage elements located in this area.

Concurrently, Law 350/2001 on the territory arrangement and urbanism stipulates the right of legal or natural persons interested in arranging the territory, to initiate the development of urbanism plans.

In accordance with these legal provisions, in 2001, RMGC initiated the preparation of these specific town-planning documentations - the General Urbanism Plan and the Zonal Urbanism Plan. These plans have been developed by Romanian certified companies and followed the legal approval procedure. The permit for the establishment of the Roşia Montană Historical Centre Protected Area was issued by the Ministry of Culture and Religious Affairs in 2002 (permits no. 61/14.02.2002 and no. 178/20.06.2002) as part of the procedure for the approval of the town planning documentation. Based on these permits, the Ministry of Culture and Religious Affairs requested the company to develop a Zonal Urbanism Plan for the Historical Centre of Roşia Montană. Out of the 41 historical buildings in Roşia Montană, thirty-five (35) are located inside the protected area of the Roşia Montană Historical Centre.

As for the heritage elements located in the future industrial development area (6 historical buildings), these are discussed in the Industrial Zonal Urbanism Plan prepared by SC Proiect Alba SA. The regulations included in this document will contain measures for the protection of these monuments.

In conclusion, the town planning studies and the specialized studies conducted for the purpose of establishing the boundaries of the protection areas within the future mining operations perimeter are currently pending approval, in accordance with the legal provisions, by the competent institutions and committees. Please note that none of the historical houses located in the perimeter of the proposed project will be affected; on the contrary, all the 41 historic buildings will be included in a complex restoration and rehabilitation program (see the Management Plan). This program is mandatory, regardless of the implementation of the mining project, if we want to prevent these buildings from collapsing because of their advanced degradation.

*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15th May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14th December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15th May 2006) and prior to the public debate start up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26th 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot (art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

*

Introduced as part of the Environmental Impact Assessment Report Study (EIA), the Roşia Montană Foundation is shifting in focus. The Community Sustainable Development Plan activities initially conceived as coming under the Foundation umbrella (business oriented activities: business incubator, business advisory center, micro-finance facility, as well as social oriented activities: education and training center) have been advanced independently, via partnerships and with community participation in decision-making – a preferable way to advance social and economic development programs.

Going forward, the Foundation will take shape around preservation, patrimony and cultural heritage issues, with its final form determined in consultation with the community.

In terms of the philosophy that guides the company's Sustainable Development efforts, the Roşia Montană Gold Corporation (RMGC) sees itself not as principal provider, but as a partner. Community involvement is considered the starting point; over time, as the community builds the capacity to maintain programs in its own right, the company will turn over control of currently-established programs to the community and its institutions.

For more information, please see Roşia Montană Sustainable Development and the Roşia Montană Project – annex 4.

*

We underline the fact that your statement is false. The General Urbanism Plan for the Roşia Montană commune, endorsed in 2002 allows the development of Roşia Montană project, as it has been presented during the public consultations.

Concurrently, pursuant to the provisions of art. 41, paragraph 2, from the Mining Law no.85/2003, the authorities from the local administration have the liability to adjust and/or update the territory arrangement plans and the general urbanism plans, in order to allow the development of all operations necessary for the development of mining activities.

RMGC has also initiated the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no.78/26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to

control seepage;

- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

With respect to your comments made as regards a presumptive infringement of the provisions of Government Decision No.351/2005 (“GD 351/2005”), there are several aspects to be taken into consideration. Thus:

1. Firstly, please note that, according to the provisions of art. 6 of GD 351/2005, any activity that might determine the discharge of dangerous substances into the environment is subject to the prior approval of the water management authorities and shall comply with the provisions of the water permit issued in accordance with the relevant legislation.

The GD 351/2005 provides that the water permit shall be issued only after all technical-construction measures are implemented as prevent the indirect discharge of dangerous substances into the underground waters. The maximum discharge limits are expressly provided under GD 351/2005 and compliance with such is a condition for granting and maintaining the water permit.

In accordance with the provisions of GD 351/2005, the actual discharge limits should be authorized by the relevant authority, such process being understood by the lawmaker in consideration of the complexity and variety of industrial activities, as well as the latest technological achievements.

Therefore, please note that the EIA stage is not intended to be finalized into an overall comprehensive permit, but it represents only a part of a more complex permitting process. Please note that, according with art. 3 of GD 918/2002, the data’s level of detail provided in the EIA is the one available in the feasibility stage of the project, obviously making impossible for both the titleholder and authority to exhaust all required technical data and permits granted.

The adequate protection of the ground water shall be ensured by the terms and conditions of the water permit. The issuance of the water permit shall be performed following an individual assessment of the project, considering its particular aspects and the relevant legal requirements applicable for mining activities. Until the water permit is obtained, any allegation regarding the infringement of GD 351/2005 is obviously premature mainly because the water permit shall regulate, in accordance with the relevant legal provisions, the conditions to be observed by the developer as regards the protection of the ground water;

2. Secondly, kindly note that the complexity and specificity of mining projects generated the need of a particular legal framework. Therefore, for such projects, the reading of the legal provisions of a certain enactment should be corroborated with the relevant provisions of the other regulations applicable.

In this respect, please not that the understanding of GD 351/2005 must be corroborated with the provisions of the entire relevant legislation enforceable as regards Roşia Montană Project, with a particular accent to Directive 2006/21/EC on the management of waste from the extractive industries (“Directive 21”).

The very scope of Directive 21 is to provide a specific legal framework for the extractive wastes and waste facilities related to mining projects, considering the complexity of such projects and the particular aspects of mining activities that can not always be subject to the common regulations on waste management and landfill.

From this perspective, Directive 21 provides that, an operator of a waste facility, as such is defined thereunder (please note that the TMF proposed by RMGC is considered a “waste facility” under Directive 21), must inter alia, ensure that:

- a) *“the waste facility is [...]designed so as to meet the necessary conditions for, in the short and long-term perspectives, preventing pollution of the soil, air, groundwater or surface water, taking into account especially Directives 76/464/EEC (1), 80/68/EEC (2) and 2000/60/EC, and ensuring efficient collection of contaminated water and leachate as and when required under the permit, and reducing erosion caused by water or wind as far as it is technically possible and economically viable;”*
- b) *“the waste facility is suitably constructed, managed and maintained to ensure its physical stability and to prevent pollution or contamination of soil, air, surface water or groundwater in the short and long-term perspectives as well as to minimize as far as possible damage to landscape.”*

In addition, it should be mentioned that RMGC was required by MWEM under the Terms of

Reference, to perform the EIA considering the provisions of Directive 21 and the BAT Management of Mining Waste. The Directive 21 was intended by the EU DG of Environment to be the legislative regime applicable to sound management of mining waste throughout Europe and therefore compliance with its provisions is mandatory.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation (“RMGC”) has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project’s design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;

- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Security Report has been made available for public access by being posted at the following Internet address http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm as well as through the printed version which could have been found at several information locations established for public hearings.

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU

Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

This statement is ungrounded, because the environmental impact assessment (EIA) process has included preliminary cumulative estimates for stationary motorized equipment and linear (vehicular) sources were prepared in order to provide an initial understanding of the potential cumulative noise and vibration impacts from background and Roşia Montană Project sources, and to guide future monitoring and measurement activities as well as the selection of appropriate Best Management Practices/Best Available Techniques for further mitigation of the potential noise and vibration impacts from Project activities.

These preliminary estimates apply to major construction activities, as well as the operation and decommissioning/closure of the mine and process plant. They are documented as data tables and isopleth maps for major noise-generating activities in selected, representative Project years; see **Tables 4.3.8 through 4.3.16** and **Exhibits 4.3.1 through 4.3.9**. All these details related to the applied assessment methodology, the input data of the dispersion model, the modeling results and the measures established for the prevention/mitigation/elimination of the potential impact for all project stages (construction, operation, closure) are included in Chapter 4, Section 4.3 Noise and Vibrations of the EIA Report.

Project Years 0, 9, 10, 12, 14, and 19 were selected for modeling because they are considered to be representative of the most significant levels of noise-generating activity. They are also the same years used for air impact modeling purposes in Section 4.2, as air and noise impacts share many of the same sources or are otherwise closely correlated. In order to more accurately reflect potential receptor impacts, all of these exhibits integrate the background traffic estimates discussed in Section 4.3.6.1.

The Project site plan and process plant area and facility drawings were used to establish the position of the noise sources and other relevant physical characteristics of the site. Receptor locations were established using background reports and project engineering and environmental documentation provided by RMGC. With this information, the source locations and receptor locations were translated into input (x, y, and z) co-ordinates for the noise-modeling program.

Tables 4.3.8 through 4.3.16 and **Exhibits 4.3.1 through 4.3.9** present the average maximum noise values likely to be experienced by the receptor community over all Project phases after incorporation of a variety of initial mitigation measures designed specifically to reduce the impacts associated with mobile and stationary machinery sources. The influence of non-mining related background (primarily traffic) noise is also included.

To evaluate the sound levels associated with haul trucks and other mobile sources crossing the site carrying excavated ore, waste rock, and soil, a noise analysis program based on the (U.S.) Federal Highway Administration's (FHWA) standard RD-77-108 [1] model was used to calculate reference noise emissions values for heavy trucks along the project roadways. The FHWA model predicts hourly L_{eq} values for free-flowing traffic conditions and is generally considered to be accurate within 1.5 decibels (dB).

The model is based on the standardized noise emission factors for different types and weights of vehicles (e.g., automobiles, medium trucks, and heavy trucks), with consideration given to vehicle volume, speed, roadway configuration, distance to the receiver, and the acoustical characteristics of the site. The emission levels of all three vehicle types increase as a function of the logarithm of their speed.

To evaluate the sound sources from the proposed mine processing facility and the semi-stationary material handling equipment (at the ore extraction, waste rock and soil stockpiling areas), a proprietary computerized noise prediction program was used by AAC to simulate and model the future equipment noise emissions throughout the area. The modeling program uses industry-accepted propagation algorithms based on the following American National Standards Institute (ANSI) and International Organization for Standardization (ISO) standards:

- *ANSI S1.26-1995 (R2004), Method for the Calculation of the Absorption of Sound by the Atmosphere;*
- *ISO 9613-1:1993, Acoustics -- Attenuation of sound during propagation outdoors-- Part 1: Calculation of the absorption of sound by the atmosphere;*
- *ISO 9613-2:1996, Acoustics -- Attenuation of sound during propagation outdoors -- Part 2: General method of calculation;*
- *ISO 3891:1978, Acoustics -- Procedure for describing aircraft noise heard on the ground.*

The calculations account for classical sound wave divergence (i.e., spherical spreading loss with adjustments for source directivity from point sources) plus attenuation factors due to air absorption, minimal ground effects, and barriers/shielding.

This model has been validated by AAC over a number of years via noise measurements at several operating industrial sites that had been previously modeled during the engineering design phases. The comparison of modeled predictions versus actual measurements has consistently shown close agreement; typically in the range of 1 to 3 dB (A).

References:

[1] FHWA Highway Traffic Noise Prediction Model; see Federal Highway Administration Report Number FHWA-RD-77-108, USA, Washington, D.C., 1978.

A detailed presentation of blasting technology can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project.

*

The partnership between Gabriel Resources and Regia Autonomă a Cuprului Deva (currently, CNCAF Minvest SA) has been established based on Law no. 15/1990 on the reorganization of the state owned companies as autonomous directions and trade companies, published in the Official Gazette, Section I, no. 98/08.08.1990, as subsequently amended and supplemented. Art. 35 of this law provides the possibility of the regies autonomous to enter into partnerships with legal third parties, Romanian or foreign, for the purpose of setting up new trading companies.

Roşia Montană Gold Corporation SA was set up in 1997, according to the legal provisions in force as at that time, the setting up being made by observing all the conditions imposed by Company Law no. 31/1990 and Trade Register Law no. 26/1990, in regard of the setting up of the joint stock companies with mixed capital.

We underline that the Articles of Associations of Roşia Montană Gold Corporation SA, representing the result of the parties agreement in regard of the terms and conditions under which the partnership between the Romanian state and investor takes place represents a public document, being included in the category of documents which, as per Law no. 26/1990 on the Trade Register, are published in the Romanian Official Gazette and for which the Trade Register is obliged to issue, on the expense of the persons submitting a request, certified copies.

As for the agreement concerning the setting up of the mixed company together with Gabriel Resources Ltd., this has been expressed by the Ministry of Industry and Trade, the conditions imposed by the setting up of the mixed company being the following: (i) ensuring of the jobs at the level existing upon the conclusion of the agreement concerning the setting up of the mixed company; (ii) the expenses incurred by the fulfillment of the exploration stage should be fully supported by Gabriel; (iii) the obtaining of the approval from the ANRM by the Copper Autonomous Direction Deva and (iv) the observance of all legal provisions in force concerning the setting up of the mixed companies with foreign partners. These conditions have been fully complied with as at the setting up of the company and during the development of its activity.

We also specify that the establishing of the shareholders' quotas to the benefits and losses of Roşia Montană Gold Corporation SA has been made by considering their contribution quota to the company's share capital. The current percentage of 80% for Gabriel Resources Ltd. and of 19.31% for CNCAF Minvest SA resulted from the initial contribution and the subsequent contributions of the shareholders to the company's share capital, in consideration also of Gabriel Resources Ltd. advancing all expenses and costs related to the development-exploitation and permitting of the Roşia Montană Mining Project.

The provisions of the Articles of Associations of Roşia Montană Gold Corporation SA on the necessary majority and quorum conditions for the decision-making process within the General Shareholders Meeting and the quotas to the benefits and losses of the company are taken from Law no. 31/1990, and no derogation exists in regard of this aspect.

*

This claim is not true; the Urbanism Plan has been prepared with public consultation.

Roşia Montană Gold Corporation SA (RMGC) has requested and obtained from Alba County Council the Urbanism Certificate no. 78 of 26.04.2006, for the entire Roşia Montană mining project, including the tailings management facility. The Urbanism Certificate also stipulated the preparation of a Zonal Urbanism Plan, to reflect all changes made to the Roşia Montană Project, following the public

consultations and debates organized in relation to this project, and the consultations with the permitting authorities. This plan, entitled “Modification of the Zonal Urbanism Plan, Roșia Montană Industrial Area”, was prepared and subjected to public debate in June 2006 in accordance with the provisions of Order no.176/N/2000 issued by the Ministry of Public Works and Territory Development for the approval of the technical regulations “Guidelines regarding the methodology applied for the preparation and framework content of the Zonal Urbanism Plan” and, at present, it is pending approval.

Concerning the Roșia Montană General Urbanism Plan approved in 2002, such plan was prepared in parallel with the Zonal Urbanism Plan of 2002, all the provisions of the General Urbanism Plan being also included in the Zonal Urbanism Plan. Also, the approval procedure related to the two urbanism plans was carried out in parallel.

*

Preventive archaeological researches within the Roșia Montană mining project area have been undertaken based on specific techniques, specifically trial trenches in all accessible areas that are suitable for human habitation, taking into account the bibliographical information and the observations recorded during the archaeological survey campaigns, the geophysical studies and the analyses of the photogrammetric flights. In addition, surface investigations were undertaken, where appropriate.

The archaeological researches at Roșia Montană covered a large surface and focused on the areas known to have archaeological potential. THEREFORE, ALL AREAS THAT HAVE BEEN ARCHAEOLOGICALLY DISCHARGED HAD BEEN PREVIOUSLY INVESTIGATED. All research programs, beginning with the 2004 campaign, have been undertaken in full compliance with the current legal requirements, i.e. Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs.

The proposed gold mining project at Roșia Montană has raised a series of issues related to the rescue of the historical-archaeological heritage within the area, as well as issues related to its scientific development and also the enhancement of heritage within a museum. Given the complex difficulties encountered in this respect, the Ministry of Culture and Religious Affairs decided to initiate the “Alburnus Maior” National Research Program.

The company’s role was to provide the necessary financial resources for the assessment, research and enhancement of the archaeological remains, in full compliance with the Romanian current legislation. The development of the research and of the archaeological discharge works has been conducted through specific means and methodologies that have been adjusted to the realities of every site researched, in our case, Roșia Montană. They consisted in:

- Archives studies;
- Archaeological surveys; trial trenches;
- aerial reconnaissance/survey and aerial photo interpretation ; high resolution satellite images;
- mining archaeology studies; underground topography and 3D modeling;
- geophysical surveys;
- extensive archaeological investigations in the areas with an identified archaeological potential- this implied carrying out archaeological excavations;
- Interdisciplinary studies- sedimentology, archaeo-zoology, comparative palynology, archaeo-metallurgy, geology, mineralogy;
- Radiocarbon dating and dendrochronology;
- This research and its results were included in an integrated database;
- traditional and digital archaeological topography and development of the GIS project; generate a photo archive- both traditional and digital;
- restoration of artifacts;
- an inventory and a digital catalogue of the artifacts;
- studies conducted by specialists in order to enhance the research results - publication of monographs/scientific books and journals, exhibitions, websites, etc.

All the preventive archaeological researches undertaken at Roșia Montană since 2000 have been carried out as part of a complex research program; permits for preventive archaeological excavations being issued

in compliance with the current legislation. These archaeological investigations have been undertaken by representatives of 21 specialized institutions from Romania and 3 others from abroad, under the scientific coordination of the Romanian National Museum of History. All archaeological researches have been conducted in full compliance with the existing legislation. The investigations undertaken during each archaeological research campaign have been approved by the Ministry of Culture and Religious Affairs based on the Annual Archaeological Research Plan approved by the National Commission of Archaeology.

Under the current legislation (Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs) the archaeologists who have conducted the research may ask that an archaeological discharge certificate be granted. Based on a complex research program, the archaeologists prepare comprehensive documentation with regard to the researched area. Upon consideration of the submitted documentation, the National Commission of Archaeology makes a decision as to whether to recommend or not the granting of the archaeological discharge certificate. In the case of the research conducted in the period 2001-2006, the archaeological discharge certificate was issued directly by the Ministry of Culture and Religious Affairs or by its local agencies.

Preventive archaeological researches at Roșia Montană have allowed the research of five Roman cremation necropolis (Tău Corna, Hop-Găuri, Țarina, Jig - Piciorag and Pârâul Porcului – Tăul Secuilor), two funerary areas (Carpeni, Nanului Valley), sacred areas (Hăbad, Nanului Valley), habitation areas (Hăbad, Carpeni, Tăul Țapului, Hop), the most significant being the Roman structures on the Carpeni Hill and the circular funerary monument at Tău Găuri. In addition, for the first time in Romania, surface investigations have been paralleled by underground investigations of Cetate, Cârnic, Jig and Orlea massifs, with important discoveries in the Piatra Corbului, area, Cătălina-Monulești gallery and the Păru Carpeni mining sector.

The research consisted of aerial photo interpretation, archaeological magnetometric studies, electrical resistivity, palynology, sedimentology, geology studies, radiocarbon and dendrochronology dating. For a better management of the research units and of the archaeological findings, data bases were used, including text and photographs-among which 4 satellite images (an archive satellite image type SPOT Panchromatic (10m) from 1997; 2 satellite images LANDSAT 7 MS (30 m), dating from 2000 and 2003; a satellite image with priority programming SPOT 5 SuperMode color (2,5 m resolution-19 July 2004); all data have been included in a comprehensive GIS program, a first in the Romanian archaeological research.

In the case of archaeological monuments that are located close to industrial facilities, plans have been redesigned to ensure that the archaeological remains in question will not be affected. Where appropriate, the archaeological monument was preserved in situ and restored, i.e. the circular funerary monument at Hop-Găuri (see The "Alburnus Maior" monograph series, volume II, Bucharest, 2004). Another example in this respect is the Carpeni Hill, designated an "archaeological " reserve, and the Piatra Corbului area. In 2004, after being thoroughly investigated, these areas have been included on the List of Historic Monuments. Add to this the areas where ancient mining remains will be preserved, such as the Cătălina Monulești gallery and the mining sector Păru Carpeni, as well as the protected area Roșia Montană Historic Center, including a number of heritage assets (35 historic monument houses).

We emphasise in this respect that the identified and researched structures have been published in preliminary form in the Archaeological Research Chronicle of Romania, after every archaeological research campaign, as well as in volume 1 of the Alburnus Maior monographic series. We mention here the areas where Roman habitation structures have been identified and researched, as well as the references to be consulted for further information: Hop-Găuri, Carpeni, Tăul Țapului (CCA 2001 (2002), p. 254-257, no. 182; 261-262, nr. 185; 264-265, no. 188; 265-266, no. 189. Alburnus Maior I, 2003, p. 45-80; 81-122; 123-148; CCA 2001 (2002), 257-261; CCA 2003 (2004) ,280-283; Alburnus Maior I, 2003, p. 387-431, 433-446, 447-467).

For further details related to the applicable legal framework, the responsibilities of the Project titleholder, or for a detailed description of the preventive archaeological researches undertaken to date and of the Cultural Heritage Management Plans, please see Annex called "Information on the Cultural heritage of Roșia and Related Management Aspects". In addition, the annex includes supplementary information with regard to the result of the researches undertaken as part of the "Alburnus Maior" National Research Program between 2001 and 2006.

In conclusion, the area mentioned by the questioner has been researched in accordance with the Romanian legal requirements, as well as with European standards and practices in the field.

Note that the type of research undertaken at Roşia Montană, known as preventive/rescue archaeological research, as well as other related heritage studies, are done everywhere in the world in close connection with the economic development of certain areas. Both the costs for the research and for the enhancement and maintenance of the preserved areas are provided by investors, in a public-private partnership set up in order to protect the cultural heritage, as per the provisions of the European Convention on the Protection of the Archaeological Heritage (Malta-1992) [1].

References:

[1]The text of the Convention is available at the following address: <http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

*

In 2000, in the context of the proposal of a new mining project in the Roşia Montană area, the Ministry of Culture and Religious Affairs approved a series of studies to be conducted in order to research the archaeological and architectural heritage of the area. And at the end of that year, the Design Centre for National Cultural Heritage (now the National Institute for Historical Monuments) presented the preliminary results of these researches to the National Commission for Historical Monuments and of the National Commission of Archaeology. Based on these results, in 2001, the Ministry of Culture and Religious Affairs initiated the “Alburnus Maior” National Research Program (the Order no. 2504 / 07.03.2001 of the Minister of Culture and Religious Affairs) in compliance with the Law 378/2001 (as subsequently amended by Law 462/2003 and by Law 258/2006 and Law 259/2006). Thus, since 2000, the Ministry of Culture and Religious Affairs – directly or through its subordinate institutions - has fulfilled its duties with regard to the management of the issues related to Roşia Montană’s heritage.

Thus, the preventive archaeological researches have been conducted by the representatives of 21 national institutions and 3 others from abroad under the scientific coordination of the National Museum of History of Romania. They have been carried out based on the annual approval of the National Commission of Archaeology of the Ministry of Culture and Religious Affairs. In accordance with the legislation in force, this research program is carried out with the financial support provided by RMGC (the company that plans to expand and continue to mine the gold-silver deposit in Roşia Montană). Thus, large-scale preventive investigations have been conducted or are underway in the RMP impact area. A proposal will be made based on the results thereof either for the archaeological discharge of some researched perimeters from the project perimeter or the preservation *in situ* of certain representative structures and monuments, in compliance with the legislation in force. In the case of the areas proposed for conservation and the ones for which the archaeological discharge measure was applied, the decision was made based on the surveys conducted by specialists and on the analysis of the National Commission of Archaeology. In the period 2000-2005, the mining project underwent a series of modifications designed to promote the implementation of the decision regarding the conservation of the local heritage. Examples of these include: extending the duration of the field investigations on several years (e.g. Ţarina, Pârâul Porcului, Orlea) and changing the location of some elements of infrastructure in order to allow the conservation of the archaeological remains found in the Carpeni, Tău Găuri and Pietra Corbului areas.

The architectural and town-planning surveys have been conducted, in accordance with the legislation in force, by companies certified by the Ministry of Culture and Religious Affairs, while the town-planning documentations drafted by these companies and the restoration and conservation works undertaken so far have been approved by the National Commission for Historical Monuments. Thus, the town-planning documentations have been approved and implemented in accordance with current legislation, and the company has agreed to these decisions and modified the mine development plans accordingly:

Extensive ethnographic research was conducted in the Roşia Montană-Abrud-Corna area in the period 2001-2004 coordinated by a team of specialists for the Romanian Village Museum „Dimitrie Gusti” (a National Museum directly under the coordination of the Ministry of Culture and Religious Affairs). Moreover, a broad series of oral history interviews was conducted in the period 2001-2002 by the Romanian Radio Broadcasting Company through the „Gheorghe Brătianu” Oral History Centre, Bucharest (SRR - CIO).

In compliance with the requirements of the Ministry of Environment and Waters Management and the Ministry of Culture and Religious Affairs, specific management plans have been drawn up for the management and conservation of the heritage remains from the Roşia Montană area, in the context of the implementation of the mining project. These plans have been included in the documentation prepared for the Report on the Environmental Impact Assessment Study. (see EIA Report, volume 32-33, Plan M- *Cultural Heritage Management Plan*, part I –*Management Plan for the Archaeological Heritage from Roşia Montană Area*; part II-*Management Plan for the Historical Monuments and Protected Zone from Roşia Montană*; part III- *Cultural Heritage Management Plan*).

These management plans comprise detailed presentations of the obligations and responsibilities regarding the protection and conservation of the heritage remains from the Roşia Montană area, which the company has assumed in the context of the implementation of the mining project, according to the decision of the central government. These heritage remains include: archaeological remains above and under the ground, historic buildings, protected areas, intangible heritage assets, cultural landscape items, etc. In this context, it should be noted that besides the works for the protection and preservation of the archaeological heritage, works are being carried out for the rehabilitation and conservation of the protected area Historical Centre Roşia Montană (comprising 35 historic buildings, and projects for the restoration of 11 of these buildings are currently being drafted), Tăul Mare, Tăul Brazi and Tăul Anghel as well as remains of the surface mining works form the Vaidoia area and the creation of a modern museum dedicated to the history of mining in the Apuseni Mountains area. This museum will be established in the coming years and it will include exhibitions of geology, archaeology, industrial and ethnographic heritage as well as an underground section organized around the Cătălina Monuleşti gallery.

Moreover, representatives of the Directorate for Culture, Religious Affairs and National Cultural Heritage of Alba County have visited Roşia Montană many times in order to collect information and to check the situation. The same administrative body was the intermediary for the specific stages of acquisitions of historic buildings made by RMGC. The Ministry of Culture and Religious Affairs expressed its pre-emption right regarding the acquisition of these buildings.

Note that apart from the obligations undertaken by RMGC as regards the protection and conservation of the archaeological remains and historical monuments, there are a whole series of obligations, which rest with the local public authorities from Roşia Montană and from Alba County and with the central public authorities, namely the Romanian Government.

These aspects are further detailed in the Cultural Heritage Management Plans included in the EIA Report (see EIA Report, volume 32, *Management Plan for the Archaeological Heritage from Roşia Montană Area*, pages 21-22, 47, 52-53, 66-67-Romanian version/ 22-24; 47; 55-56; 71-72 English version) and the EIA Report, volume 33- *Management Plan for the Historical Monuments and Protected Zone from Roşia Montană* pages 28-29, 48-50, 52-53, 64-65, page 98 – Annex 1- Romanian version/ 28-29; 47-50; 51-53; 65-66; 103- Annex 1- English version).

Item no.	3197 Same as: 3198, 3199, 3200
No. to identify the observations received from the public	No. 112967/ 25.08.2006 Same as: No. 112968/25.08.2006, No. 112969/25.08.2006, No. 113003/25.08.2006
Proposal	<p>The questioner requests the MEWM not to emit the environment permit for the Roşia Montană mining project.</p> <p>The questioner formulated remarks and proposals as follows:</p> <ul style="list-style-type: none"> - The total costs for the mine closure are unrealistic; - The financial guarantees have not been established; - There is no liner proposed for the tailings pond; - The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit. - There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities; - The EIA report does not assess the "zero alternative"; - The Project poses a threat for the protected flora and fauna; - S.C. Roşia Montană Gold corporation S.A. does not comply with the provisions of the art.11 from the Mining Law 85/2003 -The EIA report does not contain an impact assessment of the phenomenon “cyanide rain” caused by the cyanide evaporation from the tailings management facility and a description of the trans-boundary impact in case of accident on some natural important areas such as Koros Maros National park from Hungary located along the Mureş valley <p>SEE THE CONTENT OF THE TYPE 3 CONTESTATION</p>
Solution	<p>The mine closure costs are not unrealistic. RMGC’s closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA’s Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.</p> <p>Closure and rehabilitation at Roşia Montană involves the following measures:</p> <ul style="list-style-type: none"> • Covering and vegetating the waste dumps as far as they are not backfilled into the open pits; • Backfilling the open pits, except Cetate pit, which will be flooded to form a lake; • Covering and vegetating the tailings pond and its dam areas; • Dismantling of disused production facilities and revegetation of the cleaned-up areas; • Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment; • Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached. <p>While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the</p>

rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world’s largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;

- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is

updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Security Report has been made available for public access by being posted at the following Internet address http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm as well as through the printed version which could have been found at several information locations established for public hearings.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species

ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in the atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers

of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;

- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the areas situated up to 2 km towards the north-eastern vicinity of the industrial site will be of 4 to 80 µg/m³/h, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection;
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). HCN is weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain will not effectively reduce the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mures and Tisa river basins in Hungary. Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1.

Item no.	3201	Same as: 3202, 3203, 3204, 3205, 3206, 3207, 3208, 3209, 3210, 3211, 3212, 3213, 3214, 3215, 3216, 3217, 3218, 3219, 3220, 3221, 3222, 3223, 3224, 3225, 3226
No. to identify the observations received from the public	No. 111450/ 25.08.2006	Same as: No. 111447/25.08.2006, No. 111436/25.08.2006, No. 111434/25.08.2006, No. 111433/25.08.2006, No. 111432/25.08.2006, No. 111431/25.08.2006, No. 111430/25.08.2006, No. 111429/25.08.2006, No. 111428/25.08.2006, No. 111427/25.08.2006, No. 111426/25.08.2006, No. 111425/25.08.2006, No. 111423/25.08.2006, No. 111422/25.08.2006, No. 111419/25.08.2006, No. 111418/25.08.2006, No. 111417/25.08.2006, No. 111416/25.08.2006, No. 111415/25.08.2006, No. 111167/25.08.2006, No. 111187/25.08.2006, No. 111164/25.08.2006, No. 111089/25.08.2006, No. 111088/25.08.2006, No. 111087/25.08.2006
Proposal		<p>The questioner does not agree to the promotion of the Roşia Montană Project, making the following comments:</p> <ul style="list-style-type: none"> - In EIA there are no presented all the possible risks derived from this project; - Total costs for closing the mine are unrealistic; - There isn't until now an approved Zonal Urbanism Plan for the Protected Areas; - The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate; - Information about the foundation which RMGC will establish and subsidize is not given. This foundation follows to assume the obligations which the mining operation can not assume; - The present urbanism plans of the Roşia Montană commune do not correspond with the mining project proposal described in EIA; - There is no liner proposed for the tailings pond; - The proposed waste deposits will be not constructed according to the legislation in force; - No financial guarantees have been stipulated; - There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities; - The EIA report does not assess the "zero alternative"; - The Project poses a threat for protected flora and fauna; - The EIA report does not refer to the impact on the listed heritage buildings of noise and vibrations caused by the mining operations; - The public/ONGs wish to consult the contracts and agreements between Company and Romanian State; - The Urbanism Plan has been modified without public consultation; - From archeological point of view, the area proposed to be occupied by project was not legally investigated; - The questioner contests the protection of the architectural and spiritual monuments with the responsibility of the state institutions for the protection operation. <p>SEE THE CONTENT OF THE TYPE 1 CONTESTATION</p>
Solution		<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p>

As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.

More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.

A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;
- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;
- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or

nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the "worst case scenario" based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian

Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400 μ g/m³ hourly average and 179 μ g/m³ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be

updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being too low—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

According to Law 5/2000, regarding the approval of the Territory Arrangement Plan – 3rd Section – protected areas (“Law 5/2000”) (article 5, paragraphs 2-3), local public authorities, with the support of the competent central public authorities, had the obligation to establish the boundaries of the protection areas for the cultural heritage elements stipulated in Annex III to the above-mentioned law. This measure should have been taken within 12 months from the effective date of Law 5/2000, based on specialized studies. For this purpose, the local public authorities had to prepare the town planning documentation and its related regulations, developed and approved according to the law. This documentation must comprise the necessary protection and conservation measures for the national cultural heritage elements located in this area.

Concurrently, Law 350/2001 on the territory arrangement and urbanism stipulates the right of legal or natural persons interested in arranging the territory, to initiate the development of urbanism plans.

In accordance with these legal provisions, in 2001, RMGC initiated the preparation of these specific town-planning documentations - the General Urbanism Plan and the Zonal Urbanism Plan. These plans have been developed by Romanian certified companies and followed the legal approval procedure. The permit for the establishment of the Roşia Montană Historical Centre Protected Area was issued by the Ministry of Culture and Religious Affairs in 2002 (permits no. 61/14.02.2002 and no. 178/20.06.2002) as part of the procedure for the approval of the town planning documentation. Based on these permits, the Ministry

of Culture and Religious Affairs requested the company to develop a Zonal Urbanism Plan for the Historical Centre of Roşia Montană. Out of the 41 historical buildings in Roşia Montană, thirty-five (35) are located inside the protected area of the Roşia Montană Historical Centre.

As for the heritage elements located in the future industrial development area (6 historical buildings), these are discussed in the Industrial Zonal Urbanism Plan prepared by SC Proiect Alba SA. The regulations included in this document will contain measures for the protection of these monuments.

In conclusion, the town planning studies and the specialized studies conducted for the purpose of establishing the boundaries of the protection areas within the future mining operations perimeter are currently pending approval, in accordance with the legal provisions, by the competent institutions and committees. Please note that none of the historical houses located in the perimeter of the proposed project will be affected; on the contrary, all the 41 historic buildings will be included in a complex restoration and rehabilitation program (see the Management Plan). This program is mandatory, regardless of the implementation of the mining project, if we want to prevent these buildings from collapsing because of their advanced degradation.

*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15th May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14th December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15th May 2006) and prior to the public debate start up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26th 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot (art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

*

Introduced as part of the Environmental Impact Assessment Report Study (EIA), the Roşia Montană Foundation is shifting in focus. The Community Sustainable Development Plan activities initially conceived as coming under the Foundation umbrella (business oriented activities: business incubator, business advisory center, micro-finance facility, as well as social oriented activities: education and training center) have been advanced independently, via partnerships and with community participation in

decision-making – a preferable way to advance social and economic development programs.

Going forward, the Foundation will take shape around preservation, patrimony and cultural heritage issues, with its final form determined in consultation with the community.

In terms of the philosophy that guides the company's Sustainable Development efforts, the Roșia Montană Gold Corporation (RMGC) sees itself not as principal provider, but as a partner. Community involvement is considered the starting point; over time, as the community builds the capacity to maintain programs in its own right, the company will turn over control of currently-established programs to the community and its institutions.

For more information, please see Roșia Montană Sustainable Development and the Roșia Montană Project – annex 4.

*

We underline the fact that your statement is false. The General Urbanism Plan for the Roșia Montană commune, endorsed in 2002 allows the development of Roșia Montană project, as it has been presented during the public consultations.

Concurrently, pursuant to the provisions of art. 41, paragraph 2, from the Mining Law no.85/2003, the authorities from the local administration have the liability to adjust and/or update the territory arrangement plans and the general urbanism plans, in order to allow the development of all operations necessary for the development of mining activities.

RMGC has also initiated the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roșia Montană Industrial Area and Zonal Urbanism Plan – Roșia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no.78/26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water

is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

With respect to your comments made as regards a presumptive infringement of the provisions of Government Decision No.351/2005 (“GD 351/2005”), there are several aspects to be taken into consideration. Thus:

1. Firstly, please note that, according to the provisions of art. 6 of GD 351/2005, any activity that might determine the discharge of dangerous substances into the environment is subject to the prior approval of the water management authorities and shall comply with the provisions of the water permit issued in accordance with the relevant legislation.

The GD 351/2005 provides that the water permit shall be issued only after all technical-construction measures are implemented as prevent the indirect discharge of dangerous substances into the underground waters. The maximum discharge limits are expressly provided under GD 351/2005 and compliance with such is a condition for granting and maintaining the water permit.

In accordance with the provisions of GD 351/2005, the actual discharge limits should be authorized by the relevant authority, such process being understood by the lawmaker in consideration of the complexity and variety of industrial activities, as well as the latest technological achievements.

Therefore, please note that the EIA stage is not intended to be finalized into an overall comprehensive permit, but it represents only a part of a more complex permitting process. Please note that, according with art. 3 of GD 918/2002, the data’s level of detail provided in the EIA is the one available in the feasibility stage of the project, obviously making impossible for both the titleholder and authority to exhaust all required technical data and permits granted.

The adequate protection of the ground water shall be ensured by the terms and conditions of the water permit. The issuance of the water permit shall be performed following an individual assessment of the project, considering its particular aspects and the relevant legal requirements applicable for mining activities. Until the water permit is obtained, any allegation regarding the infringement of GD 351/2005 is obviously premature mainly because the water permit shall regulate, in accordance with the relevant legal provisions, the conditions to be observed by the developer as regards the protection of the ground water;

2. Secondly, kindly note that the complexity and specificity of mining projects generated the need of a particular legal framework. Therefore, for such projects, the reading of the legal provisions of a certain enactment should be corroborated with the relevant provisions of the other regulations applicable.

In this respect, please not that the understanding of GD 351/2005 must be corroborated with the provisions of the entire relevant legislation enforceable as regards Roşia Montană Project, with a particular accent to Directive 2006/21/EC on the management of waste from the extractive industries (“Directive 21”).

The very scope of Directive 21 is to provide a specific legal framework for the extractive wastes and waste facilities related to mining projects, considering the complexity of such projects and the particular aspects of mining activities that can not always be subject to the common regulations on waste management and landfill.

From this perspective, Directive 21 provides that, an operator of a waste facility, as such is defined thereunder (please note that the TMF proposed by RMGC is considered a “waste facility” under Directive 21), must inter alia, ensure that:

- a) *“the waste facility is [...]designed so as to meet the necessary conditions for, in the short and long-term perspectives, preventing pollution of the soil, air, groundwater or surface water, taking into account especially Directives 76/464/EEC (1), 80/68/EEC (2) and 2000/60/EC, and ensuring efficient collection of contaminated water and leachate as and when required under the permit, and reducing erosion caused by water or wind as far as it is technically possible and economically viable;”*
- b) *“the waste facility is suitably constructed, managed and maintained to ensure its physical stability and to*

prevent pollution or contamination of soil, air, surface water or groundwater in the short and long-term perspectives as well as to minimize as far as possible damage to landscape.”

In addition, it should be mentioned that RMGC was required by MWEM under the Terms of Reference, to perform the EIA considering the provisions of Directive 21 and the BAT Management of Mining Waste. The Directive 21 was intended by the EU DG of Environment to be the legislative regime applicable to sound management of mining waste throughout Europe and therefore compliance with its provisions is mandatory.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation (“RMGC”) has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project’s design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Security Report has been made available for public access by being posted at the following Internet address http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm as well as through the printed version which could have been found at several information locations established for public hearings.

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and

by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

This statement is ungrounded, because the environmental impact assessment (EIA) process has included preliminary cumulative estimates for stationary motorized equipment and linear (vehicular) sources were

prepared in order to provide an initial understanding of the potential cumulative noise and vibration impacts from background and Roşia Montană Project sources, and to guide future monitoring and measurement activities as well as the selection of appropriate Best Management Practices/Best Available Techniques for further mitigation of the potential noise and vibration impacts from Project activities. These preliminary estimates apply to major construction activities, as well as the operation and decommissioning/closure of the mine and process plant. They are documented as data tables and isopleth maps for major noise-generating activities in selected, representative Project years; see Tables 4.3.8 through 4.3.16 and Exhibits 4.3.1 through 4.3.9. All these details related to the applied assessment methodology, the input data of the dispersion model, the modeling results and the measures established for the prevention/mitigation/elimination of the potential impact for all project stages (construction, operation, closure) are included in Chapter 4, Section 4.3 Noise and Vibrations of the EIA Report.

Project Years 0, 9, 10, 12, 14, and 19 were selected for modeling because they are considered to be representative of the most significant levels of noise-generating activity. They are also the same years used for air impact modeling purposes in Section 4.2, as air and noise impacts share many of the same sources or are otherwise closely correlated. In order to more accurately reflect potential receptor impacts, all of these exhibits integrate the background traffic estimates discussed in Section 4.3.6.1.

The Project site plan and process plant area and facility drawings were used to establish the position of the noise sources and other relevant physical characteristics of the site. Receptor locations were established using background reports and project engineering and environmental documentation provided by RMGC. With this information, the source locations and receptor locations were translated into input (x, y, and z) co-ordinates for the noise-modeling program.

Tables 4.3.8 through 4.3.16 and Exhibits 4.3.1 through 4.3.9 present the average maximum noise values likely to be experienced by the receptor community over all Project phases after incorporation of a variety of initial mitigation measures designed specifically to reduce the impacts associated with mobile and stationary machinery sources. The influence of non-mining related background (primarily traffic) noise is also included.

To evaluate the sound levels associated with haul trucks and other mobile sources crossing the site carrying excavated ore, waste rock, and soil, a noise analysis program based on the (U.S.) Federal Highway Administration's (FHWA) standard RD-77-108 [1] model was used to calculate reference noise emissions values for heavy trucks along the project roadways. The FHWA model predicts hourly L_{eq} values for free-flowing traffic conditions and is generally considered to be accurate within 1.5 decibels (dB).

The model is based on the standardized noise emission factors for different types and weights of vehicles (e.g., automobiles, medium trucks, and heavy trucks), with consideration given to vehicle volume, speed, roadway configuration, distance to the receiver, and the acoustical characteristics of the site. The emission levels of all three vehicle types increase as a function of the logarithm of their speed.

To evaluate the sound sources from the proposed mine processing facility and the semi-stationary material handling equipment (at the ore extraction, waste rock and soil stockpiling areas), a proprietary computerized noise prediction program was used by AAC to simulate and model the future equipment noise emissions throughout the area. The modeling program uses industry-accepted propagation algorithms based on the following American National Standards Institute (ANSI) and International Organization for Standardization (ISO) standards:

- *ANSI S1.26-1995 (R2004), Method for the Calculation of the Absorption of Sound by the Atmosphere;*
- *ISO 9613-1:1993, Acoustics -- Attenuation of sound during propagation outdoors-- Part 1: Calculation of the absorption of sound by the atmosphere;*
- *ISO 9613-2:1996, Acoustics -- Attenuation of sound during propagation outdoors -- Part 2: General method of calculation;*
- *ISO 3891:1978, Acoustics -- Procedure for describing aircraft noise heard on the ground.*

The calculations account for classical sound wave divergence (i.e., spherical spreading loss with adjustments for source directivity from point sources) plus attenuation factors due to air absorption, minimal ground effects, and barriers/shielding.

This model has been validated by AAC over a number of years via noise measurements at several operating industrial sites that had been previously modeled during the engineering design phases. The comparison of modeled predictions versus actual measurements has consistently shown close agreement; typically in the range of 1 to 3 dB (A).

References:

[1] FHWA Highway Traffic Noise Prediction Model; see Federal Highway Administration Report Number FHWA-RD-77-108, USA, Washington, D.C., 1978.

A detailed presentation of blasting technology can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project.

*

The partnership between Gabriel Resources and Regia Autonomă a Cuprului Deva (currently, CNCAF Minvest SA) has been established based on Law no. 15/1990 on the reorganization of the state owned companies as autonomous directions and trade companies, published in the Official Gazette, Section I, no. 98/08.08.1990, as subsequently amended and supplemented. Art. 35 of this law provides the possibility of the regies autonomous to enter into partnerships with legal third parties, Romanian or foreign, for the purpose of setting up new trading companies.

Roşia Montană Gold Corporation SA was set up in 1997, according to the legal provisions in force as at that time, the setting up being made by observing all the conditions imposed by Company Law no. 31/1990 and Trade Register Law no. 26/1990, in regard of the setting up of the joint stock companies with mixed capital.

We underline that the Articles of Associations of Roşia Montană Gold Corporation SA, representing the result of the parties agreement in regard of the terms and conditions under which the partnership between the Romanian state and investor takes place represents a public document, being included in the category of documents which, as per Law no. 26/1990 on the Trade Register, are published in the Romanian Official Gazette and for which the Trade Register is obliged to issue, on the expense of the persons submitting a request, certified copies.

As for the agreement concerning the setting up of the mixed company together with Gabriel Resources Ltd., this has been expressed by the Ministry of Industry and Trade, the conditions imposed by the setting up of the mixed company being the following: (i) ensuring of the jobs at the level existing upon the conclusion of the agreement concerning the setting up of the mixed company; (ii) the expenses incurred by the fulfillment of the exploration stage should be fully supported by Gabriel; (iii) the obtaining of the approval from the ANRM by the Copper Autonomous Direction Deva and (iv) the observance of all legal provisions in force concerning the setting up of the mixed companies with foreign partners. These conditions have been fully complied with as at the setting up of the company and during the development of its activity.

We also specify that the establishing of the shareholders' quotas to the benefits and losses of Roşia Montană Gold Corporation SA has been made by considering their contribution quota to the company's share capital. The current percentage of 80% for Gabriel Resources Ltd. and of 19.31% for CNCAF Minvest SA resulted from the initial contribution and the subsequent contributions of the shareholders to the company's share capital, in consideration also of Gabriel Resources Ltd. advancing all expenses and costs related to the development-exploitation and permitting of the Roşia Montană Mining Project.

The provisions of the Articles of Associations of Roşia Montană Gold Corporation SA on the necessary majority and quorum conditions for the decision-making process within the General Shareholders Meeting and the quotas to the benefits and losses of the company are taken from Law no. 31/1990, and no derogation exists in regard of this aspect.

*

This claim is not true; the Urbanism Plan has been prepared with public consultation.

Roşia Montană Gold Corporation SA (RMGC) has requested and obtained from Alba County Council the Urbanism Certificate no. 78 of 26.04.2006, for the entire Roşia Montană mining project, including the tailings management facility. The Urbanism Certificate also stipulated the preparation of a Zonal Urbanism Plan, to reflect all changes made to the Roşia Montană Project, following the public consultations and debates organized in relation to this project, and the consultations with the permitting authorities. This plan, entitled “Modification of the Zonal Urbanism Plan, Roşia Montană Industrial Area”, was prepared and subjected to public debate in June 2006 in accordance with the provisions of Order no.176/N/2000 issued by the Ministry of Public Works and Territory Development for the approval of the technical regulations “Guidelines regarding the methodology applied for the preparation and framework content of the Zonal Urbanism Plan” and, at present, it is pending approval.

Concerning the Roşia Montană General Urbanism Plan approved in 2002, such plan was prepared in parallel with the Zonal Urbanism Plan of 2002, all the provisions of the General Urbanism Plan being also included in the Zonal Urbanism Plan. Also, the approval procedure related to the two urbanism plans was carried out in parallel.

*

Preventive archaeological researches within the Roşia Montană mining project area have been undertaken based on specific techniques, specifically trial trenches in all accessible areas that are suitable for human habitation, taking into account the bibliographical information and the observations recorded during the archaeological survey campaigns, the geophysical studies and the analyses of the photogrammetric flights. In addition, surface investigations were undertaken, where appropriate.

The archaeological researches at Roşia Montană covered a large surface and focused on the areas known to have archaeological potential. THEREFORE, ALL AREAS THAT HAVE BEEN ARCHAEOLOGICALLY DISCHARGED HAD BEEN PREVIOUSLY INVESTIGATED. All research programs, beginning with the 2004 campaign, have been undertaken in full compliance with the current legal requirements, i.e. Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs.

The proposed gold mining project at Roşia Montană has raised a series of issues related to the rescue of the historical-archaeological heritage within the area, as well as issues related to its scientific development and also the enhancement of heritage within a museum. Given the complex difficulties encountered in this respect, the Ministry of Culture and Religious Affairs decided to initiate the “Alburnus Maior” National Research Program.

The company’s role was to provide the necessary financial resources for the assessment, research and enhancement of the archaeological remains, in full compliance with the Romanian current legislation. The development of the research and of the archaeological discharge works has been conducted through specific means and methodologies that have been adjusted to the realities of every site researched, in our case, Roşia Montană. They consisted in:

- Archives studies;
- Archaeological surveys; trial trenches;
- aerial reconnaissance/survey and aerial photo interpretation ; high resolution satellite images;
- mining archaeology studies; underground topography and 3D modeling;
- geophysical surveys;
- extensive archaeological investigations in the areas with an identified archaeological potential- this implied carrying out archaeological excavations;
- Interdisciplinary studies- sedimentology, archaeo-zoology, comparative palynology, archaeo-metallurgy, geology, mineralogy;
- Radiocarbon dating and dendrochronology;
- This research and its results were included in an integrated database;
- traditional and digital archaeological topography and development of the GIS project; generate a photo archive- both traditional and digital;
- restoration of artifacts;
- an inventory and a digital catalogue of the artifacts;
- studies conducted by specialists in order to enhance the research results - publication of

monographs/scientific books and journals, exhibitions, websites, etc.

All the preventive archaeological researches undertaken at Roşia Montană since 2000 have been carried out as part of a complex research program; permits for preventive archaeological excavations being issued in compliance with the current legislation. These archaeological investigations have been undertaken by representatives of 21 specialized institutions from Romania and 3 others from abroad, under the scientific coordination of the Romanian National Museum of History. All archaeological researches have been conducted in full compliance with the existing legislation. The investigations undertaken during each archaeological research campaign have been approved by the Ministry of Culture and Religious Affairs based on the Annual Archaeological Research Plan approved by the National Commission of Archaeology.

Under the current legislation (Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs) the archaeologists who have conducted the research may ask that an archaeological discharge certificate be granted. Based on a complex research program, the archaeologists prepare comprehensive documentation with regard to the researched area. Upon consideration of the submitted documentation, the National Commission of Archaeology makes a decision as to whether to recommend or not the granting of the archaeological discharge certificate. In the case of the research conducted in the period 2001-2006, the archaeological discharge certificate was issued directly by the Ministry of Culture and Religious Affairs or by its local agencies.

Preventive archaeological researches at Roşia Montană have allowed the research of five Roman cremation necropolis (Tău Corna, Hop-Găuri, Țarina, Jig - Piciorag and Pârâul Porcului – Tăul Secuilor), two funerary areas (Carpeni, Nanului Valley), sacred areas (Hăbad, Nanului Valley), habitation areas (Hăbad, Carpeni, Tăul Țapului, Hop), the most significant being the Roman structures on the Carpeni Hill and the circular funerary monument at Tău Găuri. In addition, for the first time in Romania, surface investigations have been paralleled by underground investigations of Cetate, Cârnic, Jig and Orlea massifs, with important discoveries in the Piatra Corbului, area, Cătălina-Monuleşti gallery and the Păru Carpeni mining sector.

The research consisted of aerial photo interpretation, archaeological magnetometric studies, electrical resistivity, palynology, sedimentology, geology studies, radiocarbon and dendrochronology dating. For a better management of the research units and of the archaeological findings, data bases were used, including text and photographs-among which 4 satellite images (an archive satellite image type SPOT Panchromatic (10m) from 1997; 2 satellite images LANDSAT 7 MS (30 m), dating from 2000 and 2003; a satellite image with priority programming SPOT 5 SuperMode color (2,5 m resolution-19 July 2004); all data have been included in a comprehensive GIS program, a first in the Romanian archaeological research.

In the case of archaeological monuments that are located close to industrial facilities, plans have been redesigned to ensure that the archaeological remains in question will not be affected. Where appropriate, the archaeological monument was preserved in situ and restored, i.e. the circular funerary monument at Hop-Găuri (see The "Alburnus Maior" monograph series, volume II, Bucharest, 2004). Another example in this respect is the Carpeni Hill, designated an "archaeological " reserve, and the Piatra Corbului area. In 2004, after being thoroughly investigated, these areas have been included on the List of Historic Monuments. Add to this the areas where ancient mining remains will be preserved, such as the Cătălina Monuleşti gallery and the mining sector Păru Carpeni, as well as the protected area Roşia Montană Historic Center, including a number of heritage assets (35 historic monument houses).

We emphasise in this respect that the identified and researched structures have been published in preliminary form in the Archaeological Research Chronicle of Romania, after every archaeological research campaign, as well as in volume 1 of the Alburnus Maior monographic series. We mention here the areas where Roman habitation structures have been identified and researched, as well as the references to be consulted for further information: Hop-Găuri, Carpeni, Tăul Țapului (CCA 2001 (2002), p. 254-257, no. 182; 261-262, nr. 185; 264-265, no. 188; 265-266, no. 189. Alburnus Maior I, 2003, p. 45-80; 81-122; 123-148; CCA 2001 (2002), 257-261; CCA 2003 (2004) ,280-283; Alburnus Maior I, 2003, p. 387-431, 433-446, 447-467).

For further details related to the applicable legal framework, the responsibilities of the Project titleholder, or for a detailed description of the preventive archaeological researches undertaken to date and of the Cultural Heritage Management Plans, please see Annex called "Information on the Cultural heritage of

Roşia and Related Management Aspects”. In addition, the annex includes supplementary information with regard to the result of the researches undertaken as part of the “Alburnus Maior” National Research Program between 2001 and 2006.

In conclusion, the area mentioned by the questioner has been researched in accordance with the Romanian legal requirements, as well as with European standards and practices in the field.

Note that the type of research undertaken at Roşia Montană, known as preventive/rescue archaeological research, as well as other related heritage studies, are done everywhere in the world in close connection with the economic development of certain areas. Both the costs for the research and for the enhancement and maintenance of the preserved areas are provided by investors, in a public-private partnership set up in order to protect the cultural heritage, as per the provisions of the European Convention on the Protection of the Archaeological Heritage (Malta-1992) [1].

References:

[1]The text of the Convention is available at the following address:

<http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

*

In 2000, in the context of the proposal of a new mining project in the Roşia Montană area, the Ministry of Culture and Religious Affairs approved a series of studies to be conducted in order to research the archaeological and architectural heritage of the area. And at the end of that year, the Design Centre for National Cultural Heritage (now the National Institute for Historical Monuments) presented the preliminary results of these researches to the National Commission for Historical Monuments and of the National Commission of Archaeology. Based on these results, in 2001, the Ministry of Culture and Religious Affairs initiated the “Alburnus Maior” National Research Program (the Order no. 2504 / 07.03.2001 of the Minister of Culture and Religious Affairs) in compliance with the Law 378/2001 (as subsequently amended by Law 462/2003 and by Law 258/2006 and Law 259/2006). Thus, since 2000, the Ministry of Culture and Religious Affairs – directly or through its subordinate institutions - has fulfilled its duties with regard to the management of the issues related to Roşia Montană’s heritage.

Thus, the preventive archaeological researches have been conducted by the representatives of 21 national institutions and 3 others from abroad under the scientific coordination of the National Museum of History of Romania. They have been carried out based on the annual approval of the National Commission of Archaeology of the Ministry of Culture and Religious Affairs. In accordance with the legislation in force, this research program is carried out with the financial support provided by RMGC (the company that plans to expand and continue to mine the gold-silver deposit in Roşia Montană). Thus, large-scale preventive investigations have been conducted or are underway in the RMP impact area. A proposal will be made based on the results thereof either for the archaeological discharge of some researched perimeters from the project perimeter or the preservation *in situ* of certain representative structures and monuments, in compliance with the legislation in force. In the case of the areas proposed for conservation and the ones for which the archaeological discharge measure was applied, the decision was made based on the surveys conducted by specialists and on the analysis of the National Commission of Archaeology. In the period 2000-2005, the mining project underwent a series of modifications designed to promote the implementation of the decision regarding the conservation of the local heritage. Examples of these include: extending the duration of the field investigations on several years (e.g. Ţarina, Pârâul Porcului, Orlea) and changing the location of some elements of infrastructure in order to allow the conservation of the archaeological remains found in the Carpeni, Tău Găuri and Pietra Corbului areas.

The architectural and town-planning surveys have been conducted, in accordance with the legislation in force, by companies certified by the Ministry of Culture and Religious Affairs, while the town-planning documentations drafted by these companies and the restoration and conservation works undertaken so far have been approved by the National Commission for Historical Monuments. Thus, the town-planning documentations have been approved and implemented in accordance with current legislation, and the company has agreed to these decisions and modified the mine development plans accordingly:

Extensive ethnographic research was conducted in the Roşia Montană-Abrud-Corna area in the period

2001-2004 coordinated by a team of specialists for the Romanian Village Museum „Dimitrie Gusti” (a National Museum directly under the coordination of the Ministry of Culture and Religious Affairs). Moreover, a broad series of oral history interviews was conducted in the period 2001-2002 by the Romanian Radio Broadcasting Company through the „Gheorghe Brătianu” Oral History Centre, Bucharest (SRR - CIO).

In compliance with the requirements of the Ministry of Environment and Waters Management and the Ministry of Culture and Religious Affairs, specific management plans have been drawn up for the management and conservation of the heritage remains from the Roşia Montană area, in the context of the implementation of the mining project. These plans have been included in the documentation prepared for the Report on the Environmental Impact Assessment Study. (see EIA Report, volume 32-33, *Plan M-Cultural Heritage Management Plan*, part I –*Management Plan for the Archaeological Heritage from Roşia Montană Area*; part II-*Management Plan for the Historical Monuments and Protected Zone from Roşia Montană*; part III- *Cultural Heritage Management Plan*).

These management plans comprise detailed presentations of the obligations and responsibilities regarding the protection and conservation of the heritage remains from the Roşia Montană area, which the company has assumed in the context of the implementation of the mining project, according to the decision of the central government. These heritage remains include: archaeological remains above and under the ground, historic buildings, protected areas, intangible heritage assets, cultural landscape items, etc. In this context, it should be noted that besides the works for the protection and preservation of the archaeological heritage, works are being carried out for the rehabilitation and conservation of the protected area Historical Centre Roşia Montană (comprising 35 historic buildings, and projects for the restoration of 11 of these buildings are currently being drafted), Tăul Mare, Tăul Brazi and Tăul Anghel as well as remains of the surface mining works from the Vaidoiaia area and the creation of a modern museum dedicated to the history of mining in the Apuseni Mountains area. This museum will be established in the coming years and it will include exhibitions of geology, archaeology, industrial and ethnographic heritage as well as an underground section organized around the Cătălina Monuleşti gallery.

Moreover, representatives of the Directorate for Culture, Religious Affairs and National Cultural Heritage of Alba County have visited Roşia Montană many times in order to collect information and to check the situation. The same administrative body was the intermediary for the specific stages of acquisitions of historic buildings made by RMGC. The Ministry of Culture and Religious Affairs expressed its pre-emption right regarding the acquisition of these buildings.

Note that apart from the obligations undertaken by RMGC as regards the protection and conservation of the archaeological remains and historical monuments, there are a whole series of obligations, which rest with the local public authorities from Roşia Montană and from Alba County and with the central public authorities, namely the Romanian Government.

These aspects are further detailed in the Cultural Heritage Management Plans included in the EIA Report (see EIA Report, volume 32, *Management Plan for the Archaeological Heritage from Roşia Montană Area*, pages 21-22, 47, 52-53, 66-67-Romanian version/ 22-24; 47; 55-56; 71-72 English version) and the EIA Report, volume 33- *Management Plan for the Historical Monuments and Protected Zone from Roşia Montană* pages 28-29, 48-50, 52-53, 64-65, page 98 – Annex 1- Romanian version/ 28-29; 47-50; 51-53; 65-66; 103- Annex 1- English version).

Item no. 3227

No. to identify the observations received from the public No. 111146/25.08.2006

Proposal Taking into account the fact that the Roşia Montană mining project aims to resettle the churches and cemeteries from area what is inadmissible from orthodox culture and tradition point of view, the Holy Synod of the Romanian Orthodox Church pronounces against the Roşia Montană Gold Corporation project and hopes that this area will remain intact in its holiness, purity and beauty.

This statement made by Holy Synod in 2003 is very important for all the past, present or future actions of the Company. In the last years the mining project was redesigned for many times in order to mitigate the impact especially for churches and graves.

Solution But this statement is also very important because it gives us the opportunity to state more accurately our attitude and principles: The Company is committed to developing the mining project with the community and for its benefit, and in the same time with respect for its values. We believe that economic development should not come into conflict with spirituality and traditional values.

Our principle does not imply offering economic benefits (jobs, high living standards, etc.) in exchange of community giving up its core, spiritual values.

Mining itself is one of the core values of this community, being present in Roşia Montană along with the Christian traditions for thousand years. The symbols still present in Roşia Montană community's life are the mining symbols on the funeral crosses, on houses, Sainte Varvara, still seen as the holly protector of the miners.

The company does not intend to destroy churches, monuments or graveyards – our main concern is to mitigate the impacts generated by the proposed mining project.

Item no.

3228

No. to identify
the
observations
received from
the public

No.
113118/
25.08.2006

Proposal

The questioner does not agree to the promotion of the Roşia Montană Project, making the following comments:

- In EIA there are no presented all the possible risks derived from this project;
- Total costs for closing the mine are unrealistic;
- There isn't until now an approved Zonal Urbanism Plan for the Protected Areas;
- The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate;
- Information about the foundation which RMGC will establish and subsidize is not given. This foundation follows to assume the obligations which the mining operation can not assume;
- The present urbanism plans of the Roşia Montană commune do not correspond with the mining project proposal described in EIA;
- There is no liner proposed for the tailings pond;
- The proposed waste deposits will be not constructed according to the legislation in force;
- No financial guarantees have been stipulated;
- There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;
- The EIA report does not assess the "zero alternative";
- The Project poses a threat for protected flora and fauna;
- The EIA report does not refer to the impact on the listed heritage buildings of noise and vibrations caused by the mining operations;
- The public/ONGs wish to consult the contracts and agreements between Company and Romanian State;
- The Urbanism Plan has been modified without public consultation;
- From archeological point of view, the area proposed to be occupied by project was not legally investigated;
- The questioner contests the protection of the architectural and spiritual monuments with the responsibility of the state institutions for the protection operation.

SEE THE CONTENT OF THE TYPE 1 CONTESTATION

Solution

It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.

A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.

In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.

As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures,

the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.

More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.

A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions

unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the "worst case scenario" based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology

adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of $400\mu\text{ g/m}^3$ hourly average and $179\mu\text{ g/m}^3$ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m^3 discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate $877\text{ m}^3/\text{s}$. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page 173-176.

*

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best

practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being too low—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

According to Law 5/2000, regarding the approval of the Territory Arrangement Plan – 3rd Section – protected areas (“Law 5/2000”) (article 5, paragraphs 2-3), local public authorities, with the support of the competent central public authorities, had the obligation to establish the boundaries of the protection areas for the cultural heritage elements stipulated in Annex III to the above-mentioned law. This measure should have been taken within 12 months from the effective date of Law 5/2000, based on specialized studies. For this purpose, the local public authorities had to prepare the town planning documentation and its related regulations, developed and approved according to the law. This documentation must comprise the necessary protection and conservation measures for the national cultural heritage elements located in this area.

Concurrently, Law 350/2001 on the territory arrangement and urbanism stipulates the right of legal or natural persons interested in arranging the territory, to initiate the development of urbanism plans.

In accordance with these legal provisions, in 2001, RMGC initiated the preparation of these specific town-planning documentations - the General Urbanism Plan and the Zonal Urbanism Plan. These plans have been developed by Romanian certified companies and followed the legal approval procedure. The permit for the establishment of the Roşia Montană Historical Centre Protected Area was issued by the Ministry of Culture and Religious Affairs in 2002 (permits no. 61/14.02.2002 and no. 178/20.06.2002) as part of the procedure for the approval of the town planning documentation. Based on these permits, the Ministry of Culture and Religious Affairs requested the company to develop a Zonal Urbanism Plan for the Historical Centre of Roşia Montană. Out of the 41 historical buildings in Roşia Montană, thirty-five (35) are located inside the protected area of the Roşia Montană Historical Centre.

As for the heritage elements located in the future industrial development area (6 historical buildings), these are discussed in the Industrial Zonal Urbanism Plan prepared by SC Proiect Alba SA. The regulations included in this document will contain measures for the protection of these monuments.

In conclusion, the town planning studies and the specialized studies conducted for the purpose of establishing the boundaries of the protection areas within the future mining operations perimeter are currently pending approval, in accordance with the legal provisions, by the competent institutions and committees. Please note that none of the historical houses located in the perimeter of the proposed project will be affected; on the contrary, all the 41 historic buildings will be included in a complex restoration and rehabilitation program (see the Management Plan). This program is mandatory, regardless of the implementation of the mining project, if we want to prevent these buildings from collapsing because of their advanced degradation.

*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15th May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14th December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15th May 2006) and prior to the public debate start up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26th 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot (art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

*

Introduced as part of the Environmental Impact Assessment Report Study (EIA), the Roşia Montană Foundation is shifting in focus. The Community Sustainable Development Plan activities initially conceived as coming under the Foundation umbrella (business oriented activities: business incubator, business advisory center, micro-finance facility, as well as social oriented activities: education and training center) have been advanced independently, via partnerships and with community participation in decision-making – a preferable way to advance social and economic development programs.

Going forward, the Foundation will take shape around preservation, patrimony and cultural heritage

issues, with its final form determined in consultation with the community.

In terms of the philosophy that guides the company's Sustainable Development efforts, the Roșia Montană Gold Corporation (RMGC) sees itself not as principal provider, but as a partner. Community involvement is considered the starting point; over time, as the community builds the capacity to maintain programs in its own right, the company will turn over control of currently-established programs to the community and its institutions.

For more information, please see Roșia Montană Sustainable Development and the Roșia Montană Project – annex 4.

*

We underline the fact that your statement is false. The General Urbanism Plan for the Roșia Montană commune, endorsed in 2002 allows the development of Roșia Montană project, as it has been presented during the public consultations.

Concurrently, pursuant to the provisions of art. 41, paragraph 2, from the Mining Law no.85/2003, the authorities from the local administration have the liability to adjust and/or update the territory arrangement plans and the general urbanism plans, in order to allow the development of all operations necessary for the development of mining activities.

RMGC has also initiated the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roșia Montană Industrial Area and Zonal Urbanism Plan – Roșia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no.78/26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

reestablish.

With respect to your comments made as regards a presumptive infringement of the provisions of Government Decision No.351/2005 (“GD 351/2005”), there are several aspects to be taken into consideration. Thus:

1. Firstly, please note that, according to the provisions of art. 6 of GD 351/2005, any activity that might determine the discharge of dangerous substances into the environment is subject to the prior approval of the water management authorities and shall comply with the provisions of the water permit issued in accordance with the relevant legislation.

The GD 351/2005 provides that the water permit shall be issued only after all technical-construction measures are implemented as prevent the indirect discharge of dangerous substances into the underground waters. The maximum discharge limits are expressly provided under GD 351/2005 and compliance with such is a condition for granting and maintaining the water permit.

In accordance with the provisions of GD 351/2005, the actual discharge limits should be authorized by the relevant authority, such process being understood by the lawmaker in consideration of the complexity and variety of industrial activities, as well as the latest technological achievements.

Therefore, please note that the EIA stage is not intended to be finalized into an overall comprehensive permit, but it represents only a part of a more complex permitting process. Please note that, according with art. 3 of GD 918/2002, the data`s level of detail provided in the EIA is the one available in the feasibility stage of the project, obviously making impossible for both the titleholder and authority to exhaust all required technical data and permits granted.

The adequate protection of the ground water shall be ensured by the terms and conditions of the water permit. The issuance of the water permit shall be performed following an individual assessment of the project, considering its particular aspects and the relevant legal requirements applicable for mining activities. Until the water permit is obtained, any allegation regarding the infringement of GD 351/2005 is obviously premature mainly because the water permit shall regulate, in accordance with the relevant legal provisions, the conditions to be observed by the developer as regards the protection of the ground water;

2. Secondly, kindly note that the complexity and specificity of mining projects generated the need of a particular legal framework. Therefore, for such projects, the reading of the legal provisions of a certain enactment should be corroborated with the relevant provisions of the other regulations applicable.

In this respect, please not that the understanding of GD 351/2005 must be corroborated with the provisions of the entire relevant legislation enforceable as regards Roşia Montană Project, with a particular accent to Directive 2006/21/EC on the management of waste from the extractive industries (“Directive 21”).

The very scope of Directive 21 is to provide a specific legal framework for the extractive wastes and waste facilities related to mining projects, considering the complexity of such projects and the particular aspects of mining activities that can not always be subject to the common regulations on waste management and landfill.

From this perspective, Directive 21 provides that, an operator of a waste facility, as such is defined thereunder (please note that the TMF proposed by RMGC is considered a “waste facility” under Directive 21), must inter alia, ensure that:

- a) *“the waste facility is [.....]designed so as to meet the necessary conditions for, in the short and long-term perspectives, preventing pollution of the soil, air, groundwater or surface water, taking into account especially Directives 76/464/EEC (1), 80/68/EEC (2) and 2000/60/EC, and ensuring efficient collection of contaminated water and leachate as and when required under the permit, and reducing erosion caused by water or wind as far as it is technically possible and economically viable;”*
- b) *“the waste facility is suitably constructed, managed and maintained to ensure its physical stability and to prevent pollution or contamination of soil, air, surface water or groundwater in the short and long-term perspectives as well as to minimize as far as possible damage to landscape.”*

In addition, it should be mentioned that RMGC was required by MWEM under the Terms of Reference, to perform the EIA considering the provisions of Directive 21 and the BAT Management of Mining Waste. The Directive 21 was intended by the EU DG of Environment to be the legislative regime applicable to sound management of mining waste throughout Europe and therefore compliance with its provisions is mandatory.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation (“RMGC”) has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project’s design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;

- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Security Report has been made available for public access by being posted at the following Internet address http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm as well as through the printed version which could have been found at several information locations established for public hearings.

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

This statement is ungrounded, because the environmental impact assessment (EIA) process has included preliminary cumulative estimates for stationary motorized equipment and linear (vehicular) sources were prepared in order to provide an initial understanding of the potential cumulative noise and vibration impacts from background and Roşia Montană Project sources, and to guide future monitoring and measurement activities as well as the selection of appropriate Best Management Practices/Best Available

Techniques for further mitigation of the potential noise and vibration impacts from Project activities. These preliminary estimates apply to major construction activities, as well as the operation and decommissioning/closure of the mine and process plant. They are documented as data tables and isopleth maps for major noise-generating activities in selected, representative Project years; see Tables 4.3.8 through 4.3.16 and Exhibits 4.3.1 through 4.3.9. All these details related to the applied assessment methodology, the input data of the dispersion model, the modeling results and the measures established for the prevention/mitigation/elimination of the potential impact for all project stages (construction, operation, closure) are included in Chapter 4, Section 4.3 Noise and Vibrations of the EIA Report.

Project Years 0, 9, 10, 12, 14, and 19 were selected for modeling because they are considered to be representative of the most significant levels of noise-generating activity. They are also the same years used for air impact modeling purposes in Section 4.2, as air and noise impacts share many of the same sources or are otherwise closely correlated. In order to more accurately reflect potential receptor impacts, all of these exhibits integrate the background traffic estimates discussed in Section 4.3.6.1.

The Project site plan and process plant area and facility drawings were used to establish the position of the noise sources and other relevant physical characteristics of the site. Receptor locations were established using background reports and project engineering and environmental documentation provided by RMGC. With this information, the source locations and receptor locations were translated into input (x, y, and z) co-ordinates for the noise-modeling program.

Tables 4.3.8 through 4.3.16 and Exhibits 4.3.1 through 4.3.9 present the average maximum noise values likely to be experienced by the receptor community over all Project phases after incorporation of a variety of initial mitigation measures designed specifically to reduce the impacts associated with mobile and stationary machinery sources. The influence of non-mining related background (primarily traffic) noise is also included.

To evaluate the sound levels associated with haul trucks and other mobile sources crossing the site carrying excavated ore, waste rock, and soil, a noise analysis program based on the (U.S.) Federal Highway Administration's (FHWA) standard RD-77-108 [1] model was used to calculate reference noise emissions values for heavy trucks along the project roadways. The FHWA model predicts hourly L_{eq} values for free-flowing traffic conditions and is generally considered to be accurate within 1.5 decibels (dB).

The model is based on the standardized noise emission factors for different types and weights of vehicles (e.g., automobiles, medium trucks, and heavy trucks), with consideration given to vehicle volume, speed, roadway configuration, distance to the receiver, and the acoustical characteristics of the site. The emission levels of all three vehicle types increase as a function of the logarithm of their speed.

To evaluate the sound sources from the proposed mine processing facility and the semi-stationary material handling equipment (at the ore extraction, waste rock and soil stockpiling areas), a proprietary computerized noise prediction program was used by AAC to simulate and model the future equipment noise emissions throughout the area. The modeling program uses industry-accepted propagation algorithms based on the following American National Standards Institute (ANSI) and International Organization for Standardization (ISO) standards:

- *ANSI S1.26-1995 (R2004), Method for the Calculation of the Absorption of Sound by the Atmosphere;*
- *ISO 9613-1:1993, Acoustics -- Attenuation of sound during propagation outdoors-- Part 1: Calculation of the absorption of sound by the atmosphere;*
- *ISO 9613-2:1996, Acoustics -- Attenuation of sound during propagation outdoors -- Part 2: General method of calculation;*
- *ISO 3891:1978, Acoustics -- Procedure for describing aircraft noise heard on the ground.*

The calculations account for classical sound wave divergence (i.e., spherical spreading loss with adjustments for source directivity from point sources) plus attenuation factors due to air absorption, minimal ground effects, and barriers/shielding.

This model has been validated by AAC over a number of years via noise measurements at several operating industrial sites that had been previously modeled during the engineering design phases. The comparison of modeled predictions versus actual measurements has consistently shown close agreement; typically in

the range of 1 to 3 dB (A).

References:

[1] FHWA Highway Traffic Noise Prediction Model; see Federal Highway Administration Report Number FHWA-RD-77-108, USA, Washington, D.C., 1978.

A detailed presentation of blasting technology can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project.

*

The partnership between Gabriel Resources and Regia Autonomă a Cuprului Deva (currently, CNCAF Minvest SA) has been established based on Law no. 15/1990 on the reorganization of the state owned companies as autonomous directions and trade companies, published in the Official Gazette, Section I, no. 98/08.08.1990, as subsequently amended and supplemented. Art. 35 of this law provides the possibility of the regies autonomous to enter into partnerships with legal third parties, Romanian or foreign, for the purpose of setting up new trading companies.

Roşia Montană Gold Corporation SA was set up in 1997, according to the legal provisions in force as at that time, the setting up being made by observing all the conditions imposed by Company Law no. 31/1990 and Trade Register Law no. 26/1990, in regard of the setting up of the joint stock companies with mixed capital.

We underline that the Articles of Associations of Roşia Montană Gold Corporation SA, representing the result of the parties agreement in regard of the terms and conditions under which the partnership between the Romanian state and investor takes place represents a public document, being included in the category of documents which, as per Law no. 26/1990 on the Trade Register, are published in the Romanian Official Gazette and for which the Trade Register is obliged to issue, on the expense of the persons submitting a request, certified copies.

As for the agreement concerning the setting up of the mixed company together with Gabriel Resources Ltd., this has been expressed by the Ministry of Industry and Trade, the conditions imposed by the setting up of the mixed company being the following: (i) ensuring of the jobs at the level existing upon the conclusion of the agreement concerning the setting up of the mixed company; (ii) the expenses incurred by the fulfillment of the exploration stage should be fully supported by Gabriel; (iii) the obtaining of the approval from the ANRM by the Copper Autonomous Direction Deva and (iv) the observance of all legal provisions in force concerning the setting up of the mixed companies with foreign partners. These conditions have been fully complied with as at the setting up of the company and during the development of its activity.

We also specify that the establishing of the shareholders' quotas to the benefits and losses of Roşia Montană Gold Corporation SA has been made by considering their contribution quota to the company's share capital. The current percentage of 80% for Gabriel Resources Ltd. and of 19.31% for CNCAF Minvest SA resulted from the initial contribution and the subsequent contributions of the shareholders to the company's share capital, in consideration also of Gabriel Resources Ltd. advancing all expenses and costs related to the development-exploitation and permitting of the Roşia Montană Mining Project.

The provisions of the Articles of Associations of Roşia Montană Gold Corporation SA on the necessary majority and quorum conditions for the decision-making process within the General Shareholders Meeting and the quotas to the benefits and losses of the company are taken from Law no. 31/1990, and no derogation exists in regard of this aspect.

*

This claim is not true; the Urbanism Plan has been prepared with public consultation.

Roşia Montană Gold Corporation SA (RMGC) has requested and obtained from Alba County Council the Urbanism Certificate no. 78 of 26.04.2006, for the entire Roşia Montană mining project, including the tailings management facility. The Urbanism Certificate also stipulated the preparation of a Zonal

Urbanism Plan, to reflect all changes made to the Roşia Montană Project, following the public consultations and debates organized in relation to this project, and the consultations with the permitting authorities. This plan, entitled “Modification of the Zonal Urbanism Plan, Roşia Montană Industrial Area”, was prepared and subjected to public debate in June 2006 in accordance with the provisions of Order no.176/N/2000 issued by the Ministry of Public Works and Territory Development for the approval of the technical regulations “Guidelines regarding the methodology applied for the preparation and framework content of the Zonal Urbanism Plan” and, at present, it is pending approval.

Concerning the Roşia Montană General Urbanism Plan approved in 2002, such plan was prepared in parallel with the Zonal Urbanism Plan of 2002, all the provisions of the General Urbanism Plan being also included in the Zonal Urbanism Plan. Also, the approval procedure related to the two urbanism plans was carried out in parallel.

*

Preventive archaeological researches within the Roşia Montană mining project area have been undertaken based on specific techniques, specifically trial trenches in all accessible areas that are suitable for human habitation, taking into account the bibliographical information and the observations recorded during the archaeological survey campaigns, the geophysical studies and the analyses of the photogrammetric flights. In addition, surface investigations were undertaken, where appropriate.

The archaeological researches at Roşia Montană covered a large surface and focused on the areas known to have archaeological potential. THEREFORE, ALL AREAS THAT HAVE BEEN ARCHAEOLOGICALLY DISCHARGED HAD BEEN PREVIOUSLY INVESTIGATED. All research programs, beginning with the 2004 campaign, have been undertaken in full compliance with the current legal requirements, i.e. Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs.

The proposed gold mining project at Roşia Montană has raised a series of issues related to the rescue of the historical-archaeological heritage within the area, as well as issues related to its scientific development and also the enhancement of heritage within a museum. Given the complex difficulties encountered in this respect, the Ministry of Culture and Religious Affairs decided to initiate the “Alburnus Maior” National Research Program.

The company’s role was to provide the necessary financial resources for the assessment, research and enhancement of the archaeological remains, in full compliance with the Romanian current legislation. The development of the research and of the archaeological discharge works has been conducted through specific means and methodologies that have been adjusted to the realities of every site researched, in our case, Roşia Montană. They consisted in:

- Archives studies;
- Archaeological surveys; trial trenches;
- aerial reconnaissance/survey and aerial photo interpretation ; high resolution satellite images;
- mining archaeology studies; underground topography and 3D modeling;
- geophysical surveys;
- extensive archaeological investigations in the areas with an identified archaeological potential- this implied carrying out archaeological excavations;
- Interdisciplinary studies- sedimentology, archaeo-zoology, comparative palynology, archaeo-metallurgy, geology, mineralogy;
- Radiocarbon dating and dendrochronology;
- This research and its results were included in an integrated database;
- traditional and digital archaeological topography and development of the GIS project; generate a photo archive- both traditional and digital;
- restoration of artifacts;
- an inventory and a digital catalogue of the artifacts;
- studies conducted by specialists in order to enhance the research results - publication of monographs/scientific books and journals, exhibitions, websites, etc.

All the preventive archaeological researches undertaken at Roşia Montană since 2000 have been carried

out as part of a complex research program; permits for preventive archaeological excavations being issued in compliance with the current legislation. These archaeological investigations have been undertaken by representatives of 21 specialized institutions from Romania and 3 others from abroad, under the scientific coordination of the Romanian National Museum of History. All archaeological researches have been conducted in full compliance with the existing legislation. The investigations undertaken during each archaeological research campaign have been approved by the Ministry of Culture and Religious Affairs based on the Annual Archaeological Research Plan approved by the National Commission of Archaeology.

Under the current legislation (Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs) the archaeologists who have conducted the research may ask that an archaeological discharge certificate be granted. Based on a complex research program, the archaeologists prepare comprehensive documentation with regard to the researched area. Upon consideration of the submitted documentation, the National Commission of Archaeology makes a decision as to whether to recommend or not the granting of the archaeological discharge certificate. In the case of the research conducted in the period 2001-2006, the archaeological discharge certificate was issued directly by the Ministry of Culture and Religious Affairs or by its local agencies.

Preventive archaeological researches at Roșia Montană have allowed the research of five Roman cremation necropolis (Tău Corna, Hop-Găuri, Țarina, Jig - Piciorag and Pârâul Porcului – Tăul Secuilor), two funerary areas (Carpeni, Nanului Valley), sacred areas (Hăbad, Nanului Valley), habitation areas (Hăbad, Carpeni, Tăul Țapului, Hop), the most significant being the Roman structures on the Carpeni Hill and the circular funerary monument at Tău Găuri. In addition, for the first time in Romania, surface investigations have been paralleled by underground investigations of Cetate, Cârnic, Jig and Orlea massifs, with important discoveries in the Piatra Corbului, area, Cătălina-Monulești gallery and the Păru Carpeni mining sector.

The research consisted of aerial photo interpretation, archaeological magnetometric studies, electrical resistivity, palynology, sedimentology, geology studies, radiocarbon and dendrochronology dating. For a better management of the research units and of the archaeological findings, data bases were used, including text and photographs-among which 4 satellite images (an archive satellite image type SPOT Panchromatic (10m) from 1997; 2 satellite images LANDSAT 7 MS (30 m), dating from 2000 and 2003; a satellite image with priority programming SPOT 5 SuperMode color (2,5 m resolution-19 July 2004); all data have been included in a comprehensive GIS program, a first in the Romanian archaeological research.

In the case of archaeological monuments that are located close to industrial facilities, plans have been redesigned to ensure that the archaeological remains in question will not be affected. Where appropriate, the archaeological monument was preserved in situ and restored, i.e. the circular funerary monument at Hop-Găuri (see The "Alburnus Maior" monograph series, volume II, Bucharest, 2004). Another example in this respect is the Carpeni Hill, designated an "archaeological " reserve, and the Piatra Corbului area. In 2004, after being thoroughly investigated, these areas have been included on the List of Historic Monuments. Add to this the areas where ancient mining remains will be preserved, such as the Cătălina Monulești gallery and the mining sector Păru Carpeni, as well as the protected area Roșia Montană Historic Center, including a number of heritage assets (35 historic monument houses).

We emphasise in this respect that the identified and researched structures have been published in preliminary form in the Archaeological Research Chronicle of Romania, after every archaeological research campaign, as well as in volume 1 of the Alburnus Maior monographic series. We mention here the areas where Roman habitation structures have been identified and researched, as well as the references to be consulted for further information: Hop-Găuri, Carpeni, Tăul Țapului (CCA 2001 (2002), p. 254-257, no. 182; 261-262, nr. 185; 264-265, no. 188; 265-266, no. 189. Alburnus Maior I, 2003, p. 45-80; 81-122; 123-148; CCA 2001 (2002), 257-261; CCA 2003 (2004) ,280-283; Alburnus Maior I, 2003, p. 387-431, 433-446, 447-467).

For further details related to the applicable legal framework, the responsibilities of the Project titleholder, or for a detailed description of the preventive archaeological researches undertaken to date and of the Cultural Heritage Management Plans, please see Annex called "Information on the Cultural heritage of Roșia and Related Management Aspects". In addition, the annex includes supplementary information with regard to the result of the researches undertaken as part of the "Alburnus Maior" National Research Program between 2001 and 2006.

In conclusion, the area mentioned by the questioner has been researched in accordance with the Romanian legal requirements, as well as with European standards and practices in the field.

Note that the type of research undertaken at Roșia Montană, known as preventive/rescue archaeological research, as well as other related heritage studies, are done everywhere in the world in close connection with the economic development of certain areas. Both the costs for the research and for the enhancement and maintenance of the preserved areas are provided by investors, in a public-private partnership set up in order to protect the cultural heritage, as per the provisions of the European Convention on the Protection of the Archaeological Heritage (Malta-1992) [1].

References:

[1]The text of the Convention is available at the following address:

<http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

*

In 2000, in the context of the proposal of a new mining project in the Roșia Montană area, the Ministry of Culture and Religious Affairs approved a series of studies to be conducted in order to research the archaeological and architectural heritage of the area. And at the end of that year, the Design Centre for National Cultural Heritage (now the National Institute for Historical Monuments) presented the preliminary results of these researches to the National Commission for Historical Monuments and of the National Commission of Archaeology. Based on these results, in 2001, the Ministry of Culture and Religious Affairs initiated the “Alburnus Maior” National Research Program (the Order no. 2504 / 07.03.2001 of the Minister of Culture and Religious Affairs) in compliance with the Law 378/2001 (as subsequently amended by Law 462/2003 and by Law 258/2006 and Law 259/2006). Thus, since 2000, the Ministry of Culture and Religious Affairs – directly or through its subordinate institutions - has fulfilled its duties with regard to the management of the issues related to Roșia Montană’s heritage.

Thus, the preventive archaeological researches have been conducted by the representatives of 21 national institutions and 3 others from abroad under the scientific coordination of the National Museum of History of Romania. They have been carried out based on the annual approval of the National Commission of Archaeology of the Ministry of Culture and Religious Affairs. In accordance with the legislation in force, this research program is carried out with the financial support provided by RMGC (the company that plans to expand and continue to mine the gold-silver deposit in Roșia Montană). Thus, large-scale preventive investigations have been conducted or are underway in the RMP impact area. A proposal will be made based on the results thereof either for the archaeological discharge of some researched perimeters from the project perimeter or the preservation *in situ* of certain representative structures and monuments, in compliance with the legislation in force. In the case of the areas proposed for conservation and the ones for which the archaeological discharge measure was applied, the decision was made based on the surveys conducted by specialists and on the analysis of the National Commission of Archaeology. In the period 2000-2005, the mining project underwent a series of modifications designed to promote the implementation of the decision regarding the conservation of the local heritage. Examples of these include: extending the duration of the field investigations on several years (e.g. Țarina, Pârâul Porcului, Orlea) and changing the location of some elements of infrastructure in order to allow the conservation of the archaeological remains found in the Carpeni, Tău Găuri and Pietra Corbului areas.

The architectural and town-planning surveys have been conducted, in accordance with the legislation in force, by companies certified by the Ministry of Culture and Religious Affairs, while the town-planning documentations drafted by these companies and the restoration and conservation works undertaken so far have been approved by the National Commission for Historical Monuments. Thus, the town-planning documentations have been approved and implemented in accordance with current legislation, and the company has agreed to these decisions and modified the mine development plans accordingly:

Extensive ethnographic research was conducted in the Roșia Montană-Abrud-Corna area in the period 2001-2004 coordinated by a team of specialists for the Romanian Village Museum „Dimitrie Gusti” (a National Museum directly under the coordination of the Ministry of Culture and Religious Affairs). Moreover, a broad series of oral history interviews was conducted in the period 2001-2002 by the

Romanian Radio Broadcasting Company through the „Gheorghe Brătianu” Oral History Centre, Bucharest (SRR - CIO).

In compliance with the requirements of the Ministry of Environment and Waters Management and the Ministry of Culture and Religious Affairs, specific management plans have been drawn up for the management and conservation of the heritage remains from the Roşia Montană area, in the context of the implementation of the mining project. These plans have been included in the documentation prepared for the Report on the Environmental Impact Assessment Study. (see EIA Report, volume 32-33, Plan M- *Cultural Heritage Management Plan*, part I –*Management Plan for the Archaeological Heritage from Roşia Montană Area*; part II-*Management Plan for the Historical Monuments and Protected Zone from Roşia Montană*; part III- *Cultural Heritage Management Plan*).

These management plans comprise detailed presentations of the obligations and responsibilities regarding the protection and conservation of the heritage remains from the Roşia Montană area, which the company has assumed in the context of the implementation of the mining project, according to the decision of the central government. These heritage remains include: archaeological remains above and under the ground, historic buildings, protected areas, intangible heritage assets, cultural landscape items, etc. In this context, it should be noted that besides the works for the protection and preservation of the archaeological heritage, works are being carried out for the rehabilitation and conservation of the protected area Historical Centre Roşia Montană (comprising 35 historic buildings, and projects for the restoration of 11 of these buildings are currently being drafted), Tăul Mare, Tăul Brazi and Tăul Anghel as well as remains of the surface mining works from the Vaidoia area and the creation of a modern museum dedicated to the history of mining in the Apuseni Mountains area. This museum will be established in the coming years and it will include exhibitions of geology, archaeology, industrial and ethnographic heritage as well as an underground section organized around the Cătălina Monuleşti gallery.

Moreover, representatives of the Directorate for Culture, Religious Affairs and National Cultural Heritage of Alba County have visited Roşia Montană many times in order to collect information and to check the situation. The same administrative body was the intermediary for the specific stages of acquisitions of historic buildings made by RMGC. The Ministry of Culture and Religious Affairs expressed its pre-emption right regarding the acquisition of these buildings.

Note that apart from the obligations undertaken by RMGC as regards the protection and conservation of the archaeological remains and historical monuments, there are a whole series of obligations, which rest with the local public authorities from Roşia Montană and from Alba County and with the central public authorities, namely the Romanian Government.

These aspects are further detailed in the Cultural Heritage Management Plans included in the EIA Report (see EIA Report, volume 32, *Management Plan for the Archaeological Heritage from Roşia Montană Area*, pages 21-22, 47, 52-53, 66-67-Romanian version/ 22-24; 47; 55-56; 71-72 English version) and the EIA Report, volume 33- *Management Plan for the Historical Monuments and Protected Zone from Roşia Montană* pages 28-29, 48-50, 52-53, 64-65, page 98 – Annex 1- Romanian version/ 28-29; 47-50; 51-53; 65-66; 103- Annex 1- English version).

Item no. 3229

No. to identify the observations received from the public No. 112130/25.08.2006

Proposal

The questioner opposes the promotion of the Roşia Montană Project.

Solution

Regarding your allegation, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environmental impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that *"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"*.

Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environmental approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

Item no. 3230

No. to identify the observations received from the public
No.
111105/
25.08.2006

Contestation against the Environment Impact Assessment Study and the Report to the Environment Impact Assessment Study.

Proposal

The questioner has the following comments:

- The EIA study has no relevance or connection with the area which should have to be investigated
- The foreseen works will affect also two hunting grounds
- The running waters are poor in fish species due to the pollution

As regards the submitted report:

- The information is too general, unspecific and without direct reference at the impacted area
- Minimization of the impact effect
- Speculations which are scientifically unproved
- The whole report denotes a study elaborated by amateurs and not by specialists

A realistic assessment of the potential impact generated both in the area of influence of the RMP and in the surrounding areas requires undoubtedly a solid basis for analysis.

Starting from this principle, monitoring activities were conducted in the period 1999 – 2000 in order to support the baseline reports. The project proposal and the data available in the baseline reports served as starting point for a thorough assessment of all the types of impacts related to the implementation of the Roşia Montană Project. Concrete solutions have been proposed for the prevention, mitigation, removal of the potential impact.

Similar technologies are being used in more than 400 mines worldwide and the management methods for the related risks have already proven their efficiency in the other cases.

All these aspects represent significant premises which allow us to consider the conclusions reached by the over 100 experts at the end of the impact assessment as closely connected to the project proposal and relevant in order to make a decision (this is also mentioned in the report drafted by the international group of independent experts-IGIE, which is available on MMGA's website: www.mmediu.ro).

Solution

*

The Project site will cover the hunting ground no. 7 Ciuruleasa (having a total area of 12,347 ha) and no. 8 Detunata (having a total area of 14,057 ha), impacting 1,481 ha (10%) of the first one and 164 ha (1%) of the latter one, respectively.

Further details may be found in the Environmental Impact Assessment Study, Chapter 4.6 Biodiversity, pages 70-74, and tables 3.13, 3.14.

*

In the Report on Environmental Impact Assessment Study (p. 64), the hydro-biological assays have emphasized a depreciation of water quality (including the water of lakes located within Project's implementation area) that is caused by previous mining activities.

Therefore, that is why the fish populations are reduced at some lakes, all fish species being introduced in time. Thus, their value is low from economic and ecologic point of view.

*

The Environmental Impact Assessment study report (EIA) that Roşia Montană Gold Corporation (RMGC) submitted responded fully and professionally to the Terms of Reference proposed by the Ministry of the Environment and Water Management (MEWM) and complied with the relevant legal provisions and international practices.

Contrary to your allegations, please note that more than 100 independent consultants, (certified) experts and specialists renowned at the national, European, and even international levels, prepared the report. We are confident that the EIA provides sufficiently detailed information and reasoning for its conclusions to permit the MEWM to make its decision on the Roşia Montană Project (RMP).

Subsequent to submission of the EIA, it has been reviewed by two different sets of experts. Technical experts representing several international private sector banks and export credit agencies have concluded that the EIA complies with the Equator Principles designed to promote responsible lending by financial institutions to projects which raise environmental and social concerns, and an ad hoc committee of European experts (International Group of Independent Experts - IGIE) has publicly stated that the EIA was well-developed, taking into consideration their recommendations and suggestions.

A copy of the IGIE report and RMGC's response are included as a reference document to the present annex of the EIA.

Item no.

3231

No. to identify the observations received from the public

No.
111371/
25.08.2006

The questioner requests the MEWM not to emit the environment permit for the Roşia Montană mining project.

The questioner formulated remarks and proposals as follows:

- The total costs for the mine closure are unrealistic;
 - The financial guarantees have not been established;
 - There is no liner proposed for the tailings pond;
 - The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit.
 - There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;
- Proposal**
- The EIA report does not assess the "zero alternative";
 - The Project poses a threat for the protected flora and fauna;
 - S.C. Roşia Montană Gold corporation S.A. does not comply with the provisions of the art.11 from the Mining Law 85/2003
 - The EIA report does not contain an impact assessment of the phenomenon "cyanide rain" caused by the cyanide evaporation from the tailings management facility and a description of the trans-boundary impact in case of accident on some natural important areas such as Koros Maros National park from Hungary located along the Mureş valley

SEE THE CONTENT OF THE TYPE 3 CONTESTATION

The mine closure costs are not unrealistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

Solution

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar

earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world’s largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans”

(Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Security Report has been made available for public access by being posted at the following Internet address http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm as well as through the printed version which could have been found at several information locations established for public hearings.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in

Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in the atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings

management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;

- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the areas situated up to 2 km towards the north-eastern vicinity of the industrial site will be of 4 to 80 µg/m³/h, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection;
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). HCN is weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain will not effectively reduce the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mures and Tisa river basins in Hungary. Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1.

Item no. 3232

No. to identify the observations received from the public No. 111093/25.08.2006

Proposal The questioner requests the MEWM not to emit the environment permit for Roşia Montană mining project

As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that *"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"*.

Solution Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining:

- the report on the environmental impact assessment study;
- the conclusions of the parties involved in the assessment;
- the possibilities to implement the project;
- the titleholder answers to the grounded proposals/comments of the public.

Item no. 3233

No. to identify the observations received from the public No. 111448/25.08.2006

Proposal

The questioner requests the MEWM not to issue the environment permit for the Roşia Montană mining project arguing as follows:

- The processing with cyanides would compromise the tourist potential from area;
- 80 % of the precious metals extracted will go to RMGC;
- The massive resettlement of the population, churches and cemeteries is intolerable;
- The lack of information and transparency on the part of the Ministry for Environment and Waters Management is intolerable;
- The simplistic argument that the Project will generate new jobs.

SEE CONTESTATION TYPE 4

Solution

The development of Roşia Montană's tourism potential can be done in parallel with active mining operations. Chapter 5 of the Environmental Impact Assessment Study Report (EIA) identifies and assesses project alternatives, including tourism. Importantly, the EIA concludes that the project does not preclude the development of other industries such as tourism. On the contrary, the mining project would remove some of the existing significant impediments to establishment of other industries, such as pollution, poor access and other problems that have arisen through lack of inward investment. As described in Volume 14, 4.8 Social and Economical Environment, and in Volume 31, Community Sustainable Development Management Plans, there are currently some tourism activities in Roşia Montană. However the tourism industry is not at present a significant economic driver.

As the Roşia Montană Project (RMP) project affects only 4 of Roşia Montană's 16 sub-comuna, Roşia Montană could continue to develop its tourism potential. There are initiatives to do so, such as "Tourism development model and its contribution to sustainable development in Zlatna, Bucium, Roşia Montană and Baia de Arieş as alternative to mono-industrial mining activities" prepared by the National Institute for Research and Development in Tourism (INCDT) published in April 2006, just as the EIA report was being submitted to the Ministry of Environment and Water Management.

Roşia Montană Gold Corporation (RMGC) has also commissioned a study which sets out how the potential tourism markets and how these might best be approached in an integrated project:

"From experience, tourism will be possible and profitable only when there is something to offer to tourists in terms of clean environment, proper infrastructure (good roads, accommodation, restaurants, running water, proper sewage system, waste disposal facilities, etc.), attractions (museums, other things to see such as historical monuments, etc). A mining project such as the one proposed by RMGC will provide, through taxes, and the development of service industries, the necessary funds to improve the infrastructure. Through the RMP and its heritage management plans, US\$25 million will be invested by the company in the protection of cultural heritage in such a way to support tourism. A training program will provide the necessary skills to develop tourist activities and the Roşia Montană Micro Credit will support people in starting pensions, restaurants, etc., all needed for attracting tourists. At the end of the project, there will be a new village, plus the restored old centre of Roşia Montană with a museum, hotels, restaurants and modernized infrastructure, plus restored mining galleries (e.g. Cătălina Monuleşti) and preserved monuments such as the one from Tău Găuri - all of which would serve as tourist attractions. Further to this, it is understood that the government will be acting locally to encourage economic growth. (see Roşia Montană Initial Tourism Proposals Gifford Report 13658.R01).

There are good examples where tourism and mining has been carried on side by side. The examples of the Martha Gold Mine, Waihi in New Zealand and the Rio Narcea Gold Mine in Spain have been cited, and the latter is documented in the EU "Best Reference" document for management of mining wastes. This is because these mines are operated efficiently, safely and with care of the environment. Because these

mines are located in districts with a long history of mining, visitors can be shown mining technology old and new. Roşia Montană is in a good position to take similar advantage of its mining history and RMGC proposes to manage its operations in line with this best practice. Other related examples have been discussed in Roşia Montană Initial Tourism Proposals.

While cyanide is a highly toxic substance and its manufacture, supply, use and disposal must be carefully managed, RMGC is a signatory to the International Cyanide Management Code that requires the adoption of best practice for cyanide management. RMGC will obtain cyanide from a manufacturer who will also be a signatory to the Code.

As cyanide is quite commonly used in gold extraction, the European Union recently issued a Directive on the management of wastes from the extractive industry [1]. This Directive has been used as a point of reference in designing the RMP and, in particular, the management of cyanide. In line with the requirements of the Directive, cyanide will *not* be discharged in waste products (process “tailings”) to the tailings pond at levels that are toxic for humans, mammals and birds, i.e. above 10 parts per million (ppm). In order to achieve this, most of the cyanide will be recovered from the process circuits for re-use and residual cyanide levels will be reduced to below 10 ppm using a patented chemical process (cyanide destruction circuit).

A simplified description of the ore processing system and the use and management of cyanide is provided in the Non-Technical Summary. Cyanide solution is used to dissolve the microscopic particles of gold and silver from the ore after it has been crushed and ground to a fine powder (ore leaching). Carbon is used to remove the metals from the cyanide solution (adsorption) and the gold and silver is then separated from the carbon using an electric current (electrowinning). The cyanide solution and carbon are then re-used to minimize waste discharges.

References:

[1] Directive 2006/21/EC of the European Parliament and of the Council on the management of waste from the extractive industries

*

According to art. 38 letter c) of the Mining Law no. 85/2003, “*the titleholder of the license/permit has the following rights: to dispose of the quantities of mining products achieved*”. Therefore, this is a legal right of all mining licenses titleholders, irrespective of the mineral resources/reserves for which mining activities are granted into concession.

Mining activities are developed by titleholders on their own risk and using their own financial resources for scoping of resources/reserves and for projects permitting and operation. Apart from the exploration/exploitation tax, which is a fix amount to be paid for each perimeter irrespective of the activities developed, the titleholders are bound to pay to the state the mining royalty. The mining royalty is set up by art. 45 of the Mining Law no. 85/2003 as a quota from the value of the mining production achieved.

The Romanian State has the legal right to purchase precious metals through the National Bank of Romania (NBR). The NBR purchases precious metals when it deems necessary and as per the legal provisions in force, being also the only one able to decide the volume of the gold reserves of the Romanian state. In this respect, art. 30 and 31 let. a) of the Law no. 312/2004 for the NBR Statute approval provide: “*The NBR, observing the general rules regarding liquidity and external assets specific risk, establishes and maintains international reserves, so as to be able to determine at any moment their size. Such reserve is cumulatively or selectively composed of: gold within state thesaurus or deposited abroad; [...]. The National Bank of Romania monitors the maintaining of the gold reserve at a level it deems as being appropriate for the external transactions of the state*” respectively “*the NBR is authorized, under the conditions it establishes and modifies from time to time, to perform the following operations: to sell, buy and perform any other transactions with gold ingots and coins and other precious metals*”.

*

The company has considered social impact mitigation as the central element of the resettlement and

relocation strategy. For the actual impact of the RMP in this respect, please refer also to the EIA Report, Chapter 4 – Potential Impacts, Subchapter 4.8 - Social and Economic Environment.

At the individual level, the resettlement and relocation were turned into individual development opportunities through:

- small business compensation and financial support;
- professional training and career development;
- properties replacement values compensation, including land restoring cost and eventual crop lost;
- scholarship;
- relocation / resettlement assistance for properties search, registration formalities, health care support, jobs search and training, small savings and investment assistance.

At the community level, resettlement sites in both rural area (Piatra Albă – Roșia Montană) and an urban one (Furcilor Hill- Alba Iulia) offering higher living standards.

The idea animating this project may not be deemed as antichristian, as long as its main principle is that of responsible mining. We believe that resources development is not an act against God, if it is performed in a responsible manner. This project provides to future generations not only jobs, but also a cleaner environment, personal development opportunities, small enterprise support, and support provided for the development of one of the most underdeveloped areas of Romania.

All reburials will be done at the request of the families, and the expense of RMGC. The process will follow to the letter Romanian law on reburials [1], with the company's commitment to act with respect and reverence. Abandoned graves will be relocated, also with full respect and reverence, to Piatra Albă's new cemetery.

Currently, the most powerful driver of negative social effects is Roșia Montană's 70% unemployment and the region's declining economic conditions. Without the RMGC mining project, unemployment in Roșia Montană would exceed 90%. These economic circumstances make the long term survival of the village—in the absence of the RMGC mining project—doubtful.

Two churches and two prayer houses out of a total of 10 places of worship located within the project's footprint must be relocated or restored under the mine plan. Those churches will be moved in accordance with the wishes of the congregation, at the expense of RMGC. Churches construction is a central element in the new community of Piatra Albă being built by the company.

References:

[1] the relocation of graves and cemeteries is governed by the following regulatory acts:

- (i) Law no. 489/2006 on the freedom of religion and the general regime of religious affairs, published in the Romanian Official Gazette, Section I, no. 11/08.01.2007;
- (ii) Law no. 98/1994 establishing and sanctioning breaches of the hygiene and public health rules, published in the Romanian Official Gazette, Section I, no. 317/16.11.1994, as subsequently amended and supplemented ("Law no. 98/1994");
- (iii) The hygiene norms and recommendations concerning the population's life environment, published in the Romanian Official Gazette, Section I, no. 140/03.07.1997, as subsequently amended and supplemented ("Order 536/1997");
- (iv) GD no. 955/2004 on the approval of the framework Rules for the organization and operation of the public services for the administration of the public and private domain of local interest, published in the Romanian Official Gazette, Section I, no. 660/22.07.2004;
- (v) Order no. 261/1982 on the approval of the standard Rules for the administration of graveyards and the crematories of the localities, published in the Official Gazette no. 67/11.03.1983;
- (vi) Rules for the organization and operation of the parish and monastery graveyards within the eparchies of the Romanian Orthodox Church, approved by Decision of the Religious Affairs Department no. 16.285/31.12.1981.

*

Public consultation and information during the environmental impact assessment procedure, including

the publication of the Environmental Impact Assessment (EIA) Report documentation for consultation purposes, have been made in compliance with the provisions of (i) Articles 11 (2), 12 and 15 of Government Decision no. 918/2002 regarding the Environmental Impact Assessment Framework Procedure and the Approval of the List of Public or Private Projects Forming the Object of This Procedure ("Government Decision no. 918/2002")[1], (ii) Chapter 3 regarding the public information and participation in the environmental impact assessment procedure of Order no. 860/2002 of the Minister of Waters and Environmental Protection Regarding the Environmental Impact Assessment and Environmental Permitting Procedure ("Order no. 860/2002"), and of the principles established by the Aarhus Convention on access to information, public participation in decision-making and access to justice in environmental matters[2], and also of the provisions of Directive 85/337/EEC on Environmental Impact Assessment of the Effects of Certain Public and Private Projects on the Environment.

The hardcopy of the EIA Report was available at 48 locations – town halls, environmental protection agencies, libraries, ministries, information centers of the Roşia Montană Project: Zlatna Town Hall, Deva Environmental Protection Agency, Arad Environmental Protection Agency, Arad Town Hall, Petroşani University Library, Turda Town Hall, Abrud Town Hall, Abrud Information Center, Câmpeni Town Hall, Lupşa Town Hall, Roşia Montană Information Center, Bucium Information Center, Bucium Town Hall, Deva Town Hall, Deva County Library, Brad Town Hall, Roşia Montană Town Hall, Bistra Town Hall, Baia de Arieş Town Hall, Alba Iulia Town Hall, Alba Iulia Environmental Protection Agency, Alba County Prefecture, Alba County Council, Alba Iulia '1 Decembrie 1918' University Library, Baia Mare North University Library, Romanian Academy Library, Baia Mare 'Petre Dulfu' County Library, Sibiu 'Lucian Blaga' University Library, Alba Iulia Information Center, Cluj Environmental Protection Local Agency, Cluj Environmental Protection Regional Agency, Cluj Town Hall, Cluj Technical University Library, Arad County Library, Cluj County Prefecture, Cluj 'Babes Bolyai' University Library, Bucharest Information Center, Bucharest Economic Studies Academy Library, Bucharest Central University Library, Bucharest National Library, Timișoara County Library, Bucharest Town Hall, Timișoara Western University Library, Petroşani University Library, Bucharest Ministry of Environment and Water Management, Arad 'Vasile Goldiș' University, Arad 'Aurel Vlaicu' University, Bucharest Environmental Protection National Agency, Sibiu Environmental Protection Agency, Roşia Montană Environmental Information Center. According to the law, public institutions had the obligation to allow public access to this documentation during the working hours.

Also, the electronic copy of this study was made available on several web pages, such as: the web page of the Ministry of Environment and Water Management - www.mmediu.ro; Sibiu Regional Environmental Protection Agency - www.ipmsb.ro; Alba Environmental Protection Agency - www.apm-alba.ro; the web pages of Roşia Montană Gold Corporation S.A (RMGC). and Gabriel Resources - www.gabrielresources.com; www.povesteadevarata.ro and the Environmental Partnership for Mining - www.epmining.org.

Also, we have distributed more than 6,000 CDs and DVDs with the English and Romanian versions of the EIA Report.

References:

[1] Please note that Government Decision no. 918/2002 was abrogated by Government Decision no. 1213/2006 Regarding the Environmental Impact Assessment Framework Procedure for Certain Public and Private Projects, published in the *Official Gazette*, Part 1, no. 802 of 25/09/2006 ("Government Decision no. 1213/2006").

However, considering the provisions of Article 29 of Government Decision no. 1213/2006, stipulating that "*The projects transmitted to a competent environmental protection authority for the issuance of the environmental permit and forming the object of the environmental impact assessment, prior to the coming into force hereof, shall be subject to the environmental impact assessment procedure in force at the time of application*", please note that the provisions of Government Decision no. 918/2002 are still applicable to RMGC's project.

[2] The Aarhus Convention was ratified in Romania by Law no. 86/2000 for the Ratification of the Convention on Access to Information, Public Participation in Decision Making and Access to Justice in Environmental Matters, signed at Aarhus on June 25, 1998.

*

It is true that Roşia Montană Project (RMP) will create an average of 1,200 jobs during the 2 year construction period. It is expected that the majority of these positions will be sourced locally, from the project impacted area.

During the 16 years of operations the RMP will require 634 jobs (direct employment including contracted employment for cleaning, security, transportation, and other). It is expected that most of these jobs will be sourced locally, from the project impacted area [1] But this is not the only benefit of the project.

With the mining project as the economic catalyst, Roşia Montană Gold Corporation (RMGC) is committed to working proactively to create an enabling business environment promoting local sustainable development with all manner of non-mining enterprises. This will be developed during the life of the project and designed to operate independently following mine closure.

For more information, please see Roşia Montană Sustainable Development and the Roşia Montană Project – annex 4.

References:

[1] Roşia Montană Project, Environmental Impact Assessment Study Report (EIA), Non Technical Summary, vol.19, pp.7. With inclusion of additional hiring for contracted employment for cleaning, security, transportation, and other, direct employment is 634

Item no.

3234

No. to identify the observations received from the public

No.
111435/
25.08.2006

Proposal

The questioner requests the MEWM not to issue the environment permit for the Roşia Montană mining project.

The questioner formulates the following comments:

- The environment problems from Roşia Montană are in close connection with the mining technologies and with occurred social and economic aspects
- Blasting will cause landslides, the dust with content of radon and other noxious radioactive elements which will be spread over long distances
- The tailings management facility failure will determine the contamination of the surface waters with cyanide seepage
- The permanent evaporation of cyanide from the basin surface will affect large areas having even a trans-frontier impact
- The impact study elaborated by RMGC does not take into account the Romanian legislation and some provisions of the EC.

Solution

We strongly disagree with the view that the mining technologies to be used in the Roşia Montană Project (RMP) will cause environmental damage. In fact, the modern mining technologies to be used in the Project will minimize environmental damage. The RMP will be conducted in compliance with relevant mandatory Romanian and EU law and in accordance with international best practices. It will bring Best Available Techniques (BAT) to Romania for the first time.

Roşia Montană Gold Corporation (RMGC) has also committed to a strong plan of environmental rehabilitation so that the area will be cleaner after the project than it is now. RMGC will clean up the pollution from past poor mining practices.

As an example of the use of modern mining technologies, consider the way cyanide will be used at the mine. It is true that cyanide is one of the few substances that can dissolve gold. Cyanide is used in hundreds of gold mines around the world and in many other industries. At Roşia Montană, the Tailings Management Facility (TMF) will be constructed to the highest international standards. It will be an environmentally safe construction for permanent deposition of detoxified tailings resulting from ore processing. Sophisticated equipment will be used for geotechnical and water level monitoring. Because detoxification will take place before the tailings are deposited to the TMF, they will contain very low concentrations of cyanide (approx. 5-7 parts per million or ppm or mg/l), which is below the regulatory limit of 10 ppm recently adopted by the EU in the Mining Waste Directive.

RMGC has signed and will comply with the International Cyanide Management Code (ICMC), which requires the use of best practices in the field of cyanides management. RMGC will obtain the cyanides from a manufacturer that also complies with this code. The Report on Environmental Impact Assessment Study (EIA) also evaluated alternatives to cyanide from the economic, process applicability, and environmental perspectives. The study concluded that the use of cyanide in the manner discussed above is a BAT as defined by the EU.

*

The subsoil is rocky, therefore the land is very stable, and it is not exposed to sliding risk.

The analysis of the data included in Ipromin's study, entitled „Geo-mechanical study for the measurement of the effects of quarrying operations on the constructions located inside the protected area” indicates that, in the case of the excavation technologies to be used in the Roşia Montană mining perimeter, the oscillation velocity (the most important parameter of the seismic wave generated by the blasting) is

significantly reduced as we move away from the centre of the explosion. This is a proof of the fact that the impact of pit explosions affects a rather limited area having reduced intensity in the neighbouring areas therefore the risk of land sliding is very low.

As shown in Table no. 1 and Figure no. 1, the oscillation velocity at a distance of 500 meters from the centre of the explosion corresponds, on the MKS scale, to natural earthquakes of 1st and 2nd degree.

The ore will be mined in open pits and will require blasting operations using explosive placed in bore holes. In order to ensure the necessary daily ore amount, at least 3 mining panels will be blasted, using approximately 6,860 kg explosive/front.


Using the formulas provided in the specialized literature, the values of the oscillation velocity at a distance of 100 m, 200 m and 300 m from the protected constructions have been determined, in case of blasting 6,860 kg per blasting phase, as provided by the planned work technology.

The following values of the oscillation velocity of the material particle are determined (Table no. 2 and Figure 1).

Table no. 2

Blasting Type	Distance from the explosion centre				
	100 m	200 m	300 m	400 m	500 m
Instantaneous	24,8	9,1	4,7	3,0	2,2
nΔt = 0,140 s micro-delay	17,6	6,5	3,3	2,2	1,6
nΔt = 0,600 s micro-delay	14,6	5,4	2,8	1,7	1,3

Figure 1. Diagram of the oscillation velocity variation depending on the distance depending on the load detonated per blasting phase.



Neither the former blasting operations performed with old technologies, in the Cetate and Cârnic pits from Roşia Montană, have generated land sliding in the neighboring areas.

A detailed presentation can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project

*

Radon is a radioactive gas of natural origin generated by the uranium natural disintegration. Uranium is an element which practically occurs everywhere in earth's crust. Radon comes into atmosphere by means of the air rising to surface through fissures from terrestrial crust. Radon may generate problems if its concentration in the air inhaled by people is high. These problems may occur inside the closed spaces where the air with radon content penetrates through pores and small fissures present in any foundation and especially inside the houses without efficient systems of ventilation. Thus, the radon concentrations in these houses may increase more than 10 times compared to the concentrations from the outer air.

Within Roşia Montană area there are no radioactive ore deposits. According to the measurements performed by the National Research – Development Institute for Environment Protection – ICPM Bucharest, the radioactivity of the environment around the Cetate and Cârnic open pits from Roşia Montană is within the natural background limits.

It is specified that the gold and silver ore mining in open pit begun in 1970. The mining has been continued until 2006 in two open pits (Cetate and Cârnic) by CNCAF MINVEST SA – Deva – Roşiamin subsidiary. Also, in this area, the Aprăuș secondary crushing station as well as processing plant has run since 1960. All these objectives together with the two waste rock dumps (Valea Verde and Hop) and the two tailings management facilities with dried surfaces (Valea Saliștei and Gura Roşiei) have constituted sources of dust emission. For these sources there are no implemented measures to reduce dust emissions. The surfaces of Cetate and Cârnic open pits, waste rock dumps and tailings management facilities continue to be sources of dust emission because although CNCAF MINVEST SA – Deva – Roşiamin subsidiary's activity ceased, their perimeters were not rehabilitated.

As for the dust generated by the activities proposed by Roşia Montană Project we made the following mentions:

- The dust will have a composition similar to that one emitted into atmosphere in over 35 years' time as a result of the mining in Cetate and Cârnic open pits and processing in the old processing plant. This affirmation relies on the fact that the Project proposes to continue the mining in Cetate and Cârnic open pits and to open Orlea and Jig new open pits of which rocks have a composition similar to those from Cetate and Cârnic open pits;
- The dust emitted from the old mining activity does not contain radioactive material above natural background limits and therefore it is not anticipated that future activity will produce dust containing radioactive materials;
- The radioactivity of the dust emitted in future, will be comparable with that one registered during the last 35 years, a level situated within the natural background limits;
- Roşia Montană Project provides the implementation of a rigorous air quality management plan, including a monitoring programme, so that the concentration of total particles in suspension and of those inhaled by people from the surrounding localities will be maintained far below the limit values for population's health protection;
- According to dispersion maps (obtained through mathematical modeling) for the total particles in suspension (TSP) and particles with equivalent aerodynamic diameters below 10 µm (PM₁₀) it is observed that the concentration decrease is rapid depending on the distance from source, so that the localities outside the industrial site will have concentrations 4 – 20 times lower than limit values on distances from 0 km to 2.5 / 4 km towards the site perimeter. At higher distances, concentrations will be over 20 times lower than limit values.

Details regarding the aspects referring to the dust generated by mining activities: Environmental Impact Assessment (EIA) report, Vol. 3 – Air Quality Baseline Study, Vol.12 – Chapter 4.2.

*

The proposed Tailings Management Facility (TMF) is designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution. In addition, a comprehensive monitoring program as outlined in Plan F of the EIA report will be established to confirm the design and operational parameters are being met.

The TMF has been designed to prevent pollution of groundwater and to prevent catastrophic failure. Specifically, the design features include an engineered liner system within the TMF basin which consists of colluvium, re-compacted to meet a permeability specification of 1×10^{-6} cm/sec, a cut off wall within the foundation of the starter dam to control seepage, a low permeability core for the starter dam to control seepage, and a seepage collection dam and sump below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline.

Cyanide is used in hundreds of gold mines and in many other industries around the world. At Roşia Montană, the Tailings Management Facility (TMF) will be constructed to the highest international standards. It will be an environmentally safe construction for permanent deposition of detoxified tailings resulting from ore processing. Because detoxification will take place before the tailings are deposited to the TMF, they will contain very low concentrations of cyanide (5-7ppm) which is below the regulatory limit of 10ppm recently adopted in the EU Mine Waste Directive and well below international standards of 50 ppm.

The cyanide used in operations will be carefully handled according to EU guidelines and safely contained. Cyanide rapidly breaks down to harmless substances under normal atmospheric conditions, i.e. it is short-lived in the environment. The cyanide used in the project will be subject to a cyanide destruct process and residual cyanide deposited with the process tailings in the Tailings Management Facility will degrade rapidly. This system of use and disposal of cyanide in gold mining is classed as Best Available Techniques by the EU.

*

The assessment of the HCN emissions is based on a Model summarized in Volume 12, Chapter 4.2 Air. AERMOD, Version 99351. -EPA, 2004. User's Guide for the AMS/EPA Regulatory Model – AERMOD. EPA-454/B-03-001, was used for modeling the dispersion of HCN. Please also see: http://www.epa.gov/scram001/dispersion_prefrec.htm#aermod. The concentrations estimate were much below the awareness limits stipulated by the standards for the air quality.

The Cyanide management Plan and the Air quality management Plan present clear solutions to prevent / reduce / remove the potential impact of the HCN emissions; starting from the results of the HCN dispersion model, we present here some of them:

- the sodium cyanide will be handled in liquid form only, as from the unloading from the supply trucks, up to the time it is discharged onto the TMF, within the tailings; the sodium cyanide is represented by alkaline solutions of high pH (over 10.5-11) of various sodium cyanide concentrations. The scope of the alkalinity of these solutions is to maintain the cyanide as cyan ions form (CN⁻) and to stop forming the hydrogen cyanide (HCN), phenomenon which occurs in environment of low pH only;
- the volatilization of the cyanide off a solution can't happen as free cyanide, but HCN only;
- the handling and storage of the cyanide solutions will only take place through closed systems; the only facilities / areas where HCN could form and volatilize, with small emission ratios, are the leaching tank and the tailings thickener, as well as the tailings dam;
- the HCN emissions from the surface of the above mentioned tanks and from the surface of the tailings dam could occur due to the decrease of the pH within the superficial layers of the solutions (which encourages the occurrence of HCN) and due to the desorption (volatilization in the air) of this compound;
- the concentration of the cyanides within the handled solutions will decrease from 300 mg/L in the leaching tanks up to 7 mg/L (total cyanides) at the point of discharge into the tailings dam. The significant decrease of the cyanide concentration at the point of discharge into the tailings dam is supported by the detox system;
- the knowledge on the cyanide chemistry, as well as the experience from similar activities, have

lead us to the following possible HCN emissions in the air: 6 t/year from the leaching tanks, 13 t/year from the tailings thickeners and 30 t/year (22.4 t, and 17 mg/h/m², during hot season and 7.6 t, and 11.6 mg/h/m², during the cold season) from the surface of the tailings dam, meaning a daily average total HCN emission of 134.2 kg;

- once emitted, the hydrogen cyanide is subject to certain chemical reactions in low atmosphere, leading to ammonia;
- the mathematical modeling of the HCN concentrations in the ambient air (if the HCN is not subject to chemical reactions in the atmosphere) showed the highest concentrations at the level of the soil, within the industrial site, namely within the area of the TMF and near the processing plant – the maximum concentration being of 382 µg/m³ per hour;
- the highest concentrations of HCN in the ambient air will be of 2.6 times less than the value imposed for the safety of the workers, as stipulated by the national legislation;
- the concentrations of HCN in the ambient air in the inhabited areas near the industrial site will be of 4 – 80 µg/m³, over 250 – 12.5 less than the safety value as stipulated by the national legislation (the national legislation and the EU legislation for the air quality don't stipulate any limit values for the protection of population's health);
- the advance of the HCN in the atmosphere involves an insignificant compound of reactions in liquid phase (the water vapors in the atmosphere and the rain drops) because, at partial low pressure, specific to gases in free air, the HCN is very weak soluble in water, and the rain will not effectively reduce the concentrations from the air (MUDDER, et al., 2001, CICERONE and ZELLNER, 1983);
- the chance for the value of the HCN concentrations in precipitations within or outside the area of the Project be significantly higher than the basic values (of 0.2 ppb) is extremely low.

For further details regarding the Use of cyanide in technological processes, the Balance of the cyanides, as well as the Emissions and the impact of the cyanide against the quality of the air, please see the EIA Report, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.2.3).

The references for this Project include:

- CICERONE, R.J., and ZELLNER, R., 1983. *The atmospheric chemistry of hydrogen cyanide (HCN)*. *Journal of geophysics research*, Volume 88, issue no. C15, page. 10,689 to 10,696;
- MUDDER, T.I., BOTZ, M.M., and SMITH A., 2001. *Chemistry and Treatment of Cyanidation Wastes*, The Second edition. *Mining Journal Books, Ltd.*, London, 373 p.

*

According to the provisions of art. 44 (3) of the Order of Ministry of Water and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure („Order no. 860/2002”), RMGC prepares „an evaluation of the public's grounded proposals, containing solutions for the settlement of the underlined problems, which shall be submitted to the relevant public authority for environmental protection, according to the form presented in annex no. IV.2”.

We consider that in the absence of some specific details of the provisions of the enactments allegedly breached by the report to the environmental impact assessment study, the project's titleholder cannot answer such affirmation.

Though your statement is not grounded and/or supported in any way, the only authority empowered to analyze such breaches of the European legislation is the environmental authority. To this end, we specify the provisions of art. 45 of the Order no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure (“Order no. 860/2002”), which provide: “after the examination of the report to the environmental impact assessment study, of the conclusions of the parties involved in the evaluation, of the possibilities to fulfill the project and the grounded evaluation of the public's proposals, the public authority competent in regard of the environmental protection shall take the decision concerning the issuing of the environmental approval/integrated environmental approval or the grounded rejection of the project on the respective location”.

Item no. 3235

No. to identify the observations received from the public No. 111424/ 25.08.2006

Proposal The questioner requests the MEWM not to grant the environment permit for Roşia Montană mining project.
The questioner formulates the following comments:
- The RMGC Company has not credibility;
- The project does not contribute to the durable development

RMGC is a Romanian company whose majority shareholder is Gabriel Resources, Ltd. Gabriel is a Canadian company listed on the Toronto Stock Exchange. Its management team has 60 years of experience permitting and operating seven mines on four continents, including gold and silver mining operations. Gabriel Resources has adopted a corporate structure similar to all other Canadian-based resource companies operating worldwide.

*

According to the relevant legal provisions, the interested public may submit justified proposals on the environment impact assessment. Art. 44 (3) of the Order no. 860/2002 on the Environment Impact Assessment Procedure and the issuance of the environmental approval provides to this end that „based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report to the environmental impact assessment study with an annex containing solutions for the solving of the underlined issues”.

As the statement of the attendant to the public consultations does not contain any specific indications on the problems in regard of the project initiated by RMGC, subject to the environmental impact assessment procedure, RMGC is not in position to answer and has not the capacity to make any comments to this end.

Solution Nonetheless, considering Roşia Montană Gold Corporation (RMGC) has expressed its full availability to discuss any issues relevant for the proposed project, please note the following:

A starting premise to this context is that RMGC is committed to ensuring that the Roşia Montană Project (RMP) will be a catalyst for local and regional economic development. It is recognised that, as with any major industrial development, impacts will be positive and negative. RMGC commits to work alone and in partnership to ensure that beneficial impacts will be maximised. RMGC will priorities a participatory approach wherever possible and will seek guidance from local and regional authorities and from the community when deciding on issues that may impact the area’s development. Negative impacts will be mitigated through measures as described in the EIA report.

RMGC recognizes that in order to ensure it meets its sustainable development commitments it must support, as a minimum, five key interrelated areas that make up the three traditional pillars of sustainable development - social, environmental and economic. These areas are presented below as five capitals of sustainable development.

RMGC has developed its Sustainable Development Policy [1] in support of this and this is presented further on in this annex. Supporting elements are also presented, as are a set of Authority, Community, and Company initiatives within the Roşia Montană Sustainable Development Partnerships and Programs.

1. Five Capitals of Sustainable Development

Financial Capital

Economic Development Impact, fiscal management, taxes

- Average of 1200 jobs during construction over 2 years, the majority of which sourced locally
- 634 jobs during operations (direct employment including contracted employment for cleaning, security, transportation, and other), for 16 years, most of which sourced locally
- Some 6000 indirect jobs for 20 years, locally & regionally [2]
- US\$ 1 billion in profit share, profit tax, royalties and other taxes and fees to Romanian local, regional & national government
- US\$ 1.5 billion procuring goods & services. US\$ 400 million during construction (2 years) and US\$ 1.1 billion during production, from Romania (16 years)

To further promote and develop the economic opportunities presented by the RMP, RMGC is also cooperating with local stakeholders regarding setting up their own businesses:

- The set up of a micro-credit finance facility in the area to allow access to affordable financing
- The set up of a business centre and incubator units, offering mentoring, training (entrepreneurial, business plans, fiscal & administrative management, etc), legal, financial & administrative advice to promote local & regional business development both to service the RMP but also to encourage entrepreneurship in preparation of the post-mining sustainable development needs,

Physical Capital

Infrastructure – including buildings, energy, transport, water and waste management facilities

- Increases in revenue to government agencies, of the order of US\$ 1 billion over 20 years (construction + production + closure) will result in additional money the government may allocate to improving community infrastructure
- RMGC will also develop the resettlement sites of Piatra Albă and Dealul Furcilor in Alba Iulia. Piatra Albă will contain a new civic centre, commercial and residential areas. These will be transferred to the local authorities once complete. The RRAP contains full details of these initiatives

Human Capital

Health and education

- A private dispensary & health clinic in Piatra Albă (see RRAP), accessible to wider community through health insurance
- Upgrading of a wing of Abrud hospital, accessible to the wider community through the national Romanian health system
- Improvement of mobile emergency medical system in the area
- The building of a new school, residential & civic centre in Piatra Albă. This is fully described in the RRAP
- Health awareness campaigns (in partnership with local authorities & NGOs) covering: reproductive health, diet, and lifestyle amongst others
- Partnerships with education providers & NGOs concerning access to & improvement of education facilities in the area, e.g.: the NGO and local authorities lead CERT Educational Partnership (www.certapusen.ro).

Social Capital

Skills training, community relationships and social networks and the institutional capacity to support them, preservation of cultural patrimony

- Efforts to develop and promote Roşia Montană's cultural heritage for both locals and tourism – RMGC is a partner in the Roşia Montană Cultural Heritage Partnership (info@rmchp.ro)
- Providing adult education opportunities and skills enhancement including training programs, funds and scholarships, to increase employment chances both direct with RMGC and indirect – RMGC is a partner in the Roşia Montană Professional and Vocational Program (info@rmpvtp.ro)
- Programs assisting vulnerable people & groups, and to consolidate social networks particularly in Roşia Montană – RMGC is a partner in the Roşia Montană Good Neighbour Program lead by local NGO ProRoşia (info@rmgnp.ro)
- RMGC supports a NGO-lead partnership working with the youth in the area to improve and increase the capacity of the community (www.certapusen.ro).

Natural Capital

Landscape, biodiversity, water quality, ecosystems

- Measures contained in the RMP management plans and SOPs will result in mitigation of environmental impacts and conditions as identified in the EIA.
- The improved environmental condition will enhance the quality of life in Roşia Montană.
- Training & assistance in integrating environmental considerations into business plans.
- Awareness-building regarding positive environmental performance of business activities.
- Environmental standards associated with loans through the micro-credit finance facility including monitoring of environmental performance.
- Business Code of Conduct requiring suppliers to RMP to comply with RMGC's environmental performance standards.

RMGC's view of the social and economic benefits of the RMP is described in the Community Sustainable Development Plan and EIA Chapter 4.8 – the Social and Economic Environment.

In order to achieve its commitments, RMGC acknowledges that it needs to collaborate with the Community, Authorities and civil society on issues that impact the area's development. This approach allows the Community to own, direct and control all relevant development issues in a multi-stakeholder and integrated manner.

In the spirit of that commitment, to date, RMGC has conducted extensive consultations, including 1262 individual meetings and interviews, and the distribution of questionnaires for which over 500 responses have been received, 18 focal group meetings, and 65 public debates, in addition to holding discussions with government authorities, non-governmental organisations and potentially affected stakeholders. Feedback has been used in the preparation of the Management Plans of the RMP's Environmental Impact Assessment (EIA) as well as the drafting of the Annex to the EIA.

Support of the area's sustainable development will be conducted within the framework of Partnership as promoted by organisations such as the United Nations Development Program (UNDP). For example, future socio-economic impacts mitigation and enhancement measures will be conducted under the guidance of the Roşia Montană Socio-Economic Research Centre (info@rmserc.ro), which in turn is partnered with the local authorities. This will allow a transparent evaluation of the effectiveness of sustainable development support and will provide a forum to implement necessary improvements.

Other sustainable development support partnerships are presented under the section entitled Roşia Montană Sustainable Development Programs and Partnerships further in this annex (www.rmsdpps.ro).

Beyond immediate direct and indirect benefits, the presence of the RMP as a major investment improves the area's economic climate, that will in turn encourage the development of non-mining activities. It is expected that the improved investment and economic climate will lead to business opportunities that can develop concurrent with the RMP, even as they extend well beyond economic activities related directly to mining operations. This diversification of economic development is a critical benefit of the investments generated to realise the RMP.

For more information, please see Roşia Montană Sustainable Development and the Roşia Montană Project – annex 4.

References:

[1] This is an updated version of the policy already presented in the EIA management plans – it has been improved following feedback during public consultation.

[2] Economists have argued that the multiplier effect for the RMP is in the order of 1 Direct job to 30 Indirect Full Time Job Equivalents over twenty years – the methodology used may be available via a direct request to RMGC. However, the more conservative 1 : 10 Direct : Indirect figure is used here to maintain consistency with internationally accepted multiplier effects for large mining projects in impoverished regions, such as mentioned in UNCTAD (2006) Commodity policies for development: a new framework for the fight against poverty. TD/B/COM.1/75, Geneva, Switzerland. From experience, this is also the number most often quoted in Canada.

Item no. 3236 Same as: 3237, 3238

No. to identify the observations received from the public No. 111449/25.08.2006 Same as: No. 111068/25.08.2006, No. 111350/25.08.2006

Proposal

The questioner does not agree to the Roşia Montană project implementation formulating the following remarks and comments:

- The tailings management facility location represents a danger for the Abrud town;
- The final costs for the noxious effect neutralization are unrealistic;
- The Project poses a threat for protected flora and fauna;
- There is no liner proposed for the tailings pond;
- No financial guarantees have been stipulated;
- The EIA report does not assess the "zero alternative";
- There is no safety report available for the public disclosure and competent authorities assessment, in accordance with the legislation in force.

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Solution

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake(MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, "TMF Potential Failure Scenarios" of the EIA.

*

RMGC's closure estimates, which were developed by a team of independent experts with international

experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roșia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits ;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake ;
- Covering and vegetating the tailings pond and its dam areas ;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas ;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment ;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roșia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roșia Montană area.

Some of the Roșia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD

copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation (“RMGC”) has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project’s design

and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

This claim is not true. The safety report was submitted together with the Environmental Impact Assessment (EIA) Report on May 18th, 2006 and was available for public consultation at the locations where the EIA Report was submitted, both as hardcopy and in electronic form. The electronic copy of the report could be accessed both on the web page of the Ministry of Environment and Water Management, and on www.povesteaadevarata.ro.

Item no. 3239

No. to identify the observations received from the public No. 111073/25.08.2006

Proposal The questioner does not agree to the Roşia Montană project implementation formulating the following remarks and comments:
- The quality of the study is unrealistic;
- The conclusions of the study, comprised within the hydro geologic model, are unproven and hypothetical;
- The level of study approaching is under- minimal compared with the project importance;
- The study is elaborated by a team having hydro geologic knowledge but not necessarily specialists

Solution We do not agree with the assertion that the study is unrealistic. The Environmental Impact Assessment study report (EIA) that Roşia Montană Gold Corporation (RMGC) submitted responded fully and professionally to the Terms of Reference proposed by the Ministry of the Environment and Water Management (MEWM) and complied with the relevant legal provisions and international practices. More than 100 independent consultants, (certified) experts and specialists renowned at the national, European, and even international levels, prepared the report. We are confident that the EIA provides sufficiently detailed information and reasoning for its conclusions to permit the MEWM to make its decision on the Roşia Montană Project (RMP). Subsequent to submission of the EIA, it has been reviewed by two different sets of experts. Technical experts representing several international private sector banks and export credit agencies have concluded that the EIA complies with the Equator Principles designed to promote responsible lending by financial institutions to projects which raise environmental and social concerns, and an ad hoc committee of European experts (International Group of Independent Experts - IGIE) has publicly stated that the EIA was well-developed, taking into consideration their recommendations and suggestions. A copy of the IGIE report and RMGC's response are included as a reference document to the present annex of the EIA.

Further, if the questioner is alleging that the project is unrealistic from a geological perspective, again, we strongly disagree. RMGC is confident of its estimate of the ore deposit. Its evaluation of the ore deposit is based on a reserve calculation performed after a very detailed and complete exploration program from 1997 to 2006 that produced 191,320 samples from drilling, underground networks, and surface rock. This program is the most extensive such research program ever undertaken in Romania.

Each ore sample was analyzed for gold and silver. The resulting database, containing more than 400,000 analyses, was verified by independent experts from both Romania and abroad. The Romanian company IPROMIN SA performed three feasibility studies for the RMP. These feasibility studies also contain calculations of resources and reserves. Both IPROMIN and external auditors confirmed the results.

While the figure of 330 tons of reserves was correct in 2004, the project was subsequently redesigned to reflect stakeholder concerns, and the size of the pits was reduced. Thus, for the smaller pits that are now proposed in the EIA, RMGC's survey calculates a reserve of 215 million tones of ore with an average grade of 1.46 g/t Au and 6.9 g/t Ag, respectively, for a total amount of 314.11 tones of gold and 1480.36 tones of silver. Even with this reduced figure, the Roşia Montană ore deposit remains among the top ten undeveloped gold deposits in the world.

In conclusion, considering the fact that your question is just a simple allegation which does not indicate specific possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple allegation, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining,

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;

(iv) the titleholder answers to the grounded proposals/comments of the public.

*

The hydrogeologic characterization and model of the Corna Valley are based on surface water monitoring, groundwater monitoring, drilling, test pitting and field mapping programs that were carried out between 2000 and 2005. The model that has been developed and is presented in the EIA (Section 4.1, Section 3.0, the *Hydrogeology Baseline Report* and *TMF Management Plan*) is based on the results of these field studies and is consistent with standard engineering practice for these types of facilities. The studies have been conducted and signed off on by registered and competent engineers suitably qualified to perform this test work, evaluation and studies.

*

We strongly disagree with the assertion that the level of study here is inadequate.

With respect to the ore deposit, Roșia Montană Gold Corporation (RMGC) is confident of its estimate. Its evaluation of the ore deposit is based on a reserve calculation performed after a very detailed and complete exploration program from 1997 to 2006 that produced 191,320 samples from drilling, underground networks, and surface rock. This program is the most extensive such research program ever undertaken in Romania. Each ore sample was analyzed for gold and silver. The resulting database, containing more than 400,000 analyses, was verified by independent experts from both Romania and abroad. The Romanian company IPROMIN SA performed three feasibility studies for the Roșia Montană project. These feasibility studies also contain calculations of resources and reserves. Both IPROMIN and external auditors confirmed the results.

While the figure of 330 tons of reserves was correct in 2004, the project was subsequently redesigned to reflect stakeholder concerns, and the size of the pits was reduced. Thus, for the smaller pits that are now proposed in the Environmental Impact Assessment study report (EIA), RMGC's survey calculates a reserve of 215 million tones of ore with an average grade of 1.46 g/t Au and 6.9 g/t Ag, respectively, for a total amount of 314.11 tones of gold and 1,480.36 tones of silver. Even with this reduced figure, the Roșia Montană ore deposit remains among the top ten undeveloped gold deposits in the world.

With respect to the quality of the EIA report RMGC submitted, responded fully and professionally to the Terms of Reference proposed by the Ministry of the Environment and Water Management (MEWM) and complied with the relevant legal provisions and international practices. More than 100 independent consultants, (certified) experts and specialists renowned at the national, European, and even international levels, prepared the report. We are confident that this documentation provides sufficiently detailed information and reasoning for its conclusions to permit the MEWM to make its decision on the Roșia Montană Project (RMP). Subsequent to submission of the EIA, it has been reviewed by two different sets of experts. Technical experts representing several international private sector banks and export credit agencies have concluded that the EIA complies with the Equator Principles designed to promote responsible lending by financial institutions to projects which raise environmental and social concerns, and an ad hoc committee of European experts (International Group of Independent Experts - IGIE) has publicly stated that the EIA was well-developed, taking into consideration their recommendations and suggestions.

A copy of the IGIE report and RMGC's response are included as a reference document to the present annex of the EIA.

*

The hydrogeological team was led by an accredited engineer (P.Eng) and vice-president and director of MWH, one of the most highly recognized designers of dams in the world. The hydrogeologic work was based on surface water monitoring, groundwater monitoring, drilling, test pitting and field mapping programs that were carried out between 2000 and 2005, conducted and signed off on by registered and competent engineers suitably qualified to perform this test work, evaluation and studies. The company has checked and validated the professional standing of all consultants who worked on the project and good standing is a requirement in all contracts.

Item no. 3240 Same as: 3241

No. to identify the observations received from the public No. 111294/25.08.2006 Same as: No. 111163/25.08.2006

Proposal

The questioner does not agree to the Roşia Montană project implementation formulating the following remarks and comments:

- The tailings management facility location represents a danger for the Abrud town;
- The final costs for the noxious effect neutralization are unrealistic;
- The Project poses a threat for protected flora and fauna;
- There is no liner proposed for the tailings pond;
- No financial guarantees have been stipulated;
- The EIA report does not assess the "zero alternative";
- There is no safety report available for the public disclosure and competent authorities assessment, in accordance with the legislation in force.

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Solution

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake(MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, "TMF Potential Failure Scenarios" of the EIA.

*

RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roșia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits ;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake ;
- Covering and vegetating the tailings pond and its dam areas ;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas ;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment ;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roșia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roșia Montană area.

Some of the Roșia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version

of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation (“RMGC”) has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion

confirmed by a variety of lending institutions, who have completed detailed reviews of the project's design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive ("MWD") and the Environmental Liability Directive ("ELD").

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

This claim is not true. The safety report was submitted together with the Environmental Impact Assessment (EIA) Report on May 18th, 2006 and was available for public consultation at the locations where the EIA Report was submitted, both as hardcopy and in electronic form. The electronic copy of the report could be accessed both on the web page of the Ministry of Environment and Water Management, and on www.povesteaadevarata.ro.

Item no.

3242

No. to identify
the
observations
received from
the public

No.
111123/
25.08.2006

Proposal

The questioner does not agree to the promotion of the Roşia Montană Project, making the following comments:

- The adoption of a law that forbids the utilization of noxious substances (cyanide).
- The project will affect both the area and the whole country
- The tailings management facility with huge quantities of poisons would constitute a permanent danger
- The cyanides through evaporation will act against the biodiversity and will infest the underground waters
- The project is unprofitable from economic point of view

Solution

In response to your question, kindly note the following:

Toxic substances, including cyanides, are used in several other industrial branches, not only in the mining industry. For instance, only 13% of the world cyanide production is used in the mining field. The rest of 87% is used in the pharmaceuticals industry, cosmetics, plastic industry, chemical synthesis products etc.

The existence and functioning of a 21st century modern society is unconceivable without the use of such substances. But the existing legislation in Romania, in the European Union as well as worldwide strictly regulates the use of such substances. Moreover, there is an International Cyanides Management Code, and Gabriel Resources is the only company in the European mining field that has been accepted as signatory of the above-mentioned code.

A bill must consider both existing legislative drawbacks as well as the uniqueness of the regulation in a certain field. From this point of view, the object of the legislative proposal is generically found in already adopted pieces of legislation, amongst which we would like to mention: Government Emergency Ordinance no. 152/2005 regarding prevention and integrated control of pollution, that sets necessary measures for the prevention, if this is not possible, mitigation of emissions, including measures regarding management of wastes, in order to reach a high level of environmental protection. Cyanides can also be found among the relevant polluting substances to be considered when setting the limit values of emissions as per the mentioned ordinance.

Moreover, aspects related to usage, transportation and manipulation of toxic substances (including CN) are regulated by law no. 360/2003 on hazardous substances regime, Government Decision no. 347/2003 on restricting introduction on the market and use of certain substances and hazardous chemical compounds, Government Emergency Ordinance no. 200/2000 on classification, labeling, and encasement of chemical hazardous substances and compounds as well as the norms of application of this ordinance that has been approved by means of Government Decision no. 490/2002, Government Decision no. 856/2002 on the evidence of management of wastes and for the approval of the list containing wastes, including hazardous wastes.

Consequently, one may not consider that there is any legislative insufficiency regarding the regulation of the use of the hazardous substances (including cyanide).

Furthermore, as per Law no. 24/2000 regarding the norms of legislative techniques for the drafting of normative acts, the solutions contained by a piece of legislation must be very funded, and must consider social interest, the Romanian legislative politics and the requirements to correlate with internal regulations ensemble, must consider the harmonization of national legislation with the European legislation as well as with the international treaties that Romania has taken part in. Thus, the reference made in the question regarding the prohibition of cyanides, related to the necessity to harmonize legislation is redundant, due to the fact that, at least as far as environmental protection, wastes and hazardous substances are concerned; the European legislation is substantially transposed into the internal legislation.

*

The overall development of RMP, as currently proposed by Roşia Montană, will certainly affect the area and the whole country in a benefic way. Considering the above statement, kindly note that the Romanian state will gain approximately US\$1.0 billion from its share of the profits from the Project and profit taxes, royalties, and other taxes such as payroll taxes that RMGC will pay.

We agree that the exploitation of gold reserves is an issue of national strategic importance for Romania and therefore we are proposing a project that not only meets all relevant mandatory Romanian and EU standards but also provides new jobs for Romanians, especially in the Roşia Montană region, and will serve as a catalyst for reviving the important mining sector, which is strategically important for the Romanian economy and an important part of rural development.

*

The Tailings Management Facility (TMF) at the Roşia Montană Project (RMP) will be constructed to the highest international standards. It will be an environmentally safe construction for permanent deposition of detoxified tailings resulting from ore processing. Because cyanide detoxification will take place before the tailings are deposited in the TMF, they will contain very low concentrations of cyanide (5-7ppm) which is below the regulatory limit of 10ppm recently adopted in the EU Mine Waste Directive for discharge to a storage pond.

Cyanide is used in hundreds of gold mines and many industries around the world. The cyanide used in RMP operations will be carefully controlled according to EU guidelines and safely contained in a series of ponds and lagoons on the project site to prevent groundwater pollution. Cyanide rapidly breaks down to harmless substances under normal atmospheric conditions, i.e. it is short-lived in the environment. The cyanide used in the project will be subject to a cyanide destruct process and residual cyanide deposited with the process tailings in the TMF will degrade rapidly. This system of use and disposal of cyanide in gold mining is classed as Best Available Techniques (BAT) by the EU.

Not only will detoxified cyanide from the mine be contained in world-class TMF, but RMGC is committed to environmental rehabilitations from past poor mining practices. The area will be less polluted after the project is completed than it is now.

At the end of the mine's operation, the TMF will undergo rigorous closure procedures in accordance with all applicable Romanian and EU regulations. The area will eventually be covered with successive layers of clay and top soil for vegetation. Further information on the operation, maintenance and closure of the TMF can be found in the EIA, Plan F, "Tailings Facility Management Plan."

*

The storage of tailings in the Corna valley will not contaminate groundwater. The Roşia Montană Tailings Management Facility (TMF or "the facility") has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam, and;
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, "The Tailings Facility Management Plan" for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablished. Cyanide is used in hundreds of gold mines and in many other industries around the world. At Roşia Montană, the Tailings Management Facility (TMF) will be constructed to the highest international standards. It will be an environmentally safe construction for permanent deposition of detoxified tailings resulting from ore processing. Because detoxification will take place before the tailings are deposited to the TMF, they will contain very low concentrations of cyanide (5-7ppm) which is below the regulatory limit of 10ppm recently adopted in the EU Mine Waste Directive for discharge to a storage pond.

The cyanide used in operations will be carefully handled according to EU guidelines and safely contained. Cyanide rapidly breaks down to harmless substances under normal atmospheric conditions, i.e. it is short-lived in the environment. The cyanide used in the project will be subject to a cyanide destruct process and residual cyanide deposited with the process tailings in the Tailings Management Facility will degrade rapidly to levels well below maximum regulatory levels. This system of use and disposal of cyanide in gold mining is classed as Best Available Techniques by the EU.

As part of the EIA development a series of air quality models were developed to assess air quality during the construction, operations, and closure phases of the project. These studies indicated that concentrations were generally low and fell below the limit values in the populated areas. The initial air dispersion modelling only considered the TMF decant pond, but considered both the summer and winter periods. The breakdown of metal-cyanide complexes to HCN is slow enough in the TMF, that volatilisation from the tailings beach is not considered. The maximum 1-hour averages in air at ground level are less than $400 \mu\text{g}/\text{m}^3$ compared to a commonly applied limit of $5,000 \mu\text{g}/\text{m}^3$. This limit is taken from the American Conference of Governmental Industrial Hygienists (ACGIH). This limit is often considered too conservative as a ceiling limit. The Board of Directors of the International Cyanide Management Institute has announced their intent to evaluate cyanide air limits for the Cyanide Code Implementation Guidance document of the International Cyanide Code (http://www.cyanidecode.org/whatnew/Revision_Standard.pdf). The modification being evaluated would establish an $11,000 \mu\text{g}/\text{m}^3$ -ceiling limit (equivalent to 10 ppm) and maintain the $5,000 \mu\text{g}/\text{m}^3$ (4.7 ppm) limit as an exposure limit for a continuous 8-hour period. Maximum HCN concentrations volatilised from the Roşia Montană TMF are indicated to be more than an order of magnitude below these limits directly above the source area, and more than two orders of magnitude lower outside of the site boundaries.

Another consideration is the "rainout" of HCN from the air, in which the rain would contain elevated cyanide. HCN uptake in precipitation is a very minor component of HCN fate in the atmosphere (Mudder, et al., 2001). Atmospheric concentrations of HCN are not very soluble in water, and rainout does not effectively reduce atmospheric HCN concentrations (Cicerone and Zellner, 1983). By inference and

because of the low predicted atmospheric HCN concentration, concentrations of cyanide in rainfall are unlikely to be measurable above background in and around the Roşia Montană Project area.

- For details regarding issues on the cyanide use in technological process, on cyanide balance, and on emissions and cyanide effects on the air quality: EIA Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

*

The assertion is not accurate. The project would still be profitable even if the market prices for gold and silver decline from their currently high levels. The estimated total cash cost to produce gold over the life of the project is USD 237/ounce. Based on a gold price of USD 600/ounce and a silver price of USD 10.50/ounce, the total profit for all shareholders of the Rosia Montana Project ("RMP") is USD 1,572 million, with an internal rate of return of 26%.

Item no.

3243

No. to identify the observations received from the public

No.
111120/
25.08.2006

The questioner requests the MEWM not to emit the environment permit for the Roşia Montană mining project.

The questioner formulated remarks and proposals as follows:

- The total costs for the mine closure are unrealistic;
 - The financial guarantees have not been established;
 - There is no liner proposed for the tailings pond;
 - The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit.
 - There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities;
- Proposal**
- The EIA report does not assess the "zero alternative";
 - The Project poses a threat for the protected flora and fauna;
 - S.C. Roşia Montană Gold corporation S.A. does not comply with the provisions of the art.11 from the Mining Law 85/2003
 - The EIA report does not contain an impact assessment of the phenomenon "cyanide rain" caused by the cyanide evaporation from the tailings management facility and a description of the trans-boundary impact in case of accident on some natural important areas such as Koros Maros National park from Hungary located along the Mureş valley

SEE THE CONTENT OF THE TYPE 3 CONTESTATION

The mine closure costs are not unrealistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

Solution

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar

earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world’s largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans”

(Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Security Report has been made available for public access by being posted at the following Internet address http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm as well as through the printed version which could have been found at several information locations established for public hearings.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in

Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in the atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings

management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;

- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the areas situated up to 2 km towards the north-eastern vicinity of the industrial site will be of 4 to 80 µg/m³/h, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection;
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). HCN is weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain will not effectively reduce the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mures and Tisa river basins in Hungary. Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1.

Item no. 3244

No. to identify the observations received from the public No. 111114/25.08.2006

Proposal The questioner requests the MEWM not to emit the environment permit for Roşia Montană mining project

As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that *"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"*.

Solution Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining:

- the report on the environmental impact assessment study;
- the conclusions of the parties involved in the assessment;
- the possibilities to implement the project;
- the titleholder answers to the grounded proposals/comments of the public.

Item no. 3245

No. to identify the observations received from the public
No.
111115/
25.08.2006

Proposal
The questioner does not agree to the Roşia Montană project implementation formulating the following remarks and comments:
- The project does not contribute to the durable development
- The project affects gravely the life span and population and ecosystem equilibrium
- The project will affect the properties of 2000 persons, 730 houses, 138 apartments, 16,000 ha of agricultural land, remarkable Roman vestiges, several churches and 9 ancient cemeteries

Solution
According to the relevant legal provisions, the interested public may submit justified proposals on the environment impact assessment. Art. 44 (3) of the Order no. 860/2002 on the Environment Impact Assessment Procedure and the issuance of the environmental approval provides to this end that „*based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report to the environmental impact assessment study with an annex containing solutions for the solving of the underlined issues*”.

As the statement of the attendant to the public consultations does not contain any specific indications on the problems in regard of the project initiated by Roşia Montană Gold Corporation (RMGC), subject to the environmental impact assessment procedure, RMGC is not in position to answer and has not the capacity to make any comments to this end.

Nonetheless, considering RMGC has expressed its full availability to discuss any issues relevant for the proposed project, please note the following:

A starting premise to this context is that RMGC is committed to ensuring that the Roşia Montană Project (RMP) will be a catalyst for local and regional economic development. It is recognised that, as with any major industrial development, impacts will be positive and negative. RMGC commits to work alone and in partnership to ensure that beneficial impacts will be maximised. RMGC will priorities a participatory approach wherever possible and will seek guidance from local and regional authorities and from the community when deciding on issues that may impact the area’s development. Negative impacts will be mitigated through measures as described in the EIA report.

RMGC recognizes that in order to ensure it meets its sustainable development commitments it must support, as a minimum, five key interrelated areas that make up the three traditional pillars of sustainable development - social, environmental and economic. These areas are presented below as five capitals of sustainable development.

RMGC has developed its Sustainable Development Policy [1] in support of this and this is presented further on in this annex. Supporting elements are also presented, as are a set of Authority, Community, and Company initiatives within the Roşia Montană Sustainable Development Partnerships and Programs.

1. Five Capitals of Sustainable Development

Financial Capital

Economic Development Impact, fiscal management, taxes

- Average of 1200 jobs during construction over 2 years, the majority of which sourced locally
- 634 jobs during operations (direct employment including contracted employment for cleaning, security, transportation, and other), for 16 years, most of which sourced locally
- Some 6000 indirect jobs for 20 years, locally & regionally [2]
- US\$ 1billion in profit share, profit tax, royalties and other taxes and fees to Romanian local, regional & national government
- US\$ 1.5 billion procuring goods & services. US\$ 400 million during construction (2 years) and

US\$ 1.1 billion during production, from Romania (16 years)

To further promote and develop the economic opportunities presented by the RMP, RMGC is also cooperating with local stakeholders regarding setting up their own businesses:

- The set up of a micro-credit finance facility in the area to allow access to affordable financing
- The set up of a business centre and incubator units, offering mentoring, training (entrepreneurial, business plans, fiscal & administrative management, etc), legal, financial & administrative advice to promote local & regional business development both to service the RMP but also to encourage entrepreneurship in preparation of the post-mining sustainable development needs,

Physical Capital

Infrastructure – including buildings, energy, transport, water and waste management facilities

- Increases in revenue to government agencies, of the order of US\$ 1 billion over 20 years (construction + production + closure) will result in additional money the government may allocate to improving community infrastructure
- RMGC will also develop the resettlement sites of Piatra Albă and Dealul Furcilor in Alba Iulia. Piatra Albă will contain a new civic centre, commercial and residential areas. These will be transferred to the local authorities once complete. The RRAP contains full details of these initiatives

Human Capital

Health and education

- A private dispensary & health clinic in Piatra Albă (see RRAP), accessible to wider community through health insurance
- Upgrading of a wing of Abrud hospital, accessible to the wider community through the national Romanian health system
- Improvement of mobile emergency medical system in the area
- The building of a new school, residential & civic centre in Piatra Albă. This is fully described in the RRAP
- Health awareness campaigns (in partnership with local authorities & NGOs) covering: reproductive health, diet, and lifestyle amongst others
- Partnerships with education providers & NGOs concerning access to & improvement of education facilities in the area, e.g.: the NGO and local authorities lead CERT Educational Partnership (www.certapuseri.ro).

Social Capital

Skills training, community relationships and social networks and the institutional capacity to support them, preservation of cultural patrimony

- Efforts to develop and promote Roşia Montană's cultural heritage for both locals and tourism – RMGC is a partner in the Roşia Montană Cultural Heritage Partnership (info@rmchp.ro)
- Providing adult education opportunities and skills enhancement including training programs, funds and scholarships, to increase employment chances both direct with RMGC and indirect – RMGC is a partner in the Roşia Montană Professional and Vocational Program (info@rmpvtp.ro)
- Programs assisting vulnerable people & groups, and to consolidate social networks particularly in Roşia Montană – RMGC is a partner in the Roşia Montană Good Neighbour Program lead by local NGO ProRoşia (info@rmgnp.ro)
- RMGC supports a NGO-lead partnership working with the youth in the area to improve and increase the capacity of the community (www.certapuseri.ro).

Natural Capital

Landscape, biodiversity, water quality, ecosystems

- Measures contained in the RMP management plans and SOPs will result in mitigation of environmental impacts and conditions as identified in the EIA.
- The improved environmental condition will enhance the quality of life in Roşia Montană.
- Training & assistance in integrating environmental considerations into business plans.
- Awareness-building regarding positive environmental performance of business activities.
- Environmental standards associated with loans through the micro-credit finance facility including monitoring of environmental performance.

- Business Code of Conduct requiring suppliers to RMP to comply with RMGC's environmental performance standards.

RMGC's view of the social and economic benefits of the RMP is described in the Community Sustainable Development Plan and EIA Chapter 4.8 – the Social and Economic Environment.

In order to achieve its commitments, RMGC acknowledges that it needs to collaborate with the Community, Authorities and civil society on issues that impact the area's development. This approach allows the Community to own, direct and control all relevant development issues in a multi-stakeholder and integrated manner.

In the spirit of that commitment, to date, RMGC has conducted extensive consultations, including 1262 individual meetings and interviews, and the distribution of questionnaires for which over 500 responses have been received, 18 focal group meetings, and 65 public debates, in addition to holding discussions with government authorities, non-governmental organisations and potentially affected stakeholders. Feedback has been used in the preparation of the Management Plans of the RMP's Environmental Impact Assessment (EIA) as well as the drafting of the Annex to the EIA.

Support of the area's sustainable development will be conducted within the framework of Partnership as promoted by organisations such as the United Nations Development Program (UNDP). For example, future socio-economic impacts mitigation and enhancement measures will be conducted under the guidance of the Roşia Montană Socio-Economic Research Centre (info@rmserc.ro), which in turn is partnered with the local authorities. This will allow a transparent evaluation of the effectiveness of sustainable development support and will provide a forum to implement necessary improvements.

Other sustainable development support partnerships are presented under the section entitled Roşia Montană Sustainable Development Programs and Partnerships further in this annex (www.rmsdpps.ro).

Beyond immediate direct and indirect benefits, the presence of the RMP as a major investment improves the area's economic climate, that will in turn encourage the development of non-mining activities. It is expected that the improved investment and economic climate will lead to business opportunities that can develop concurrent with the RMP, even as they extend well beyond economic activities related directly to mining operations. This diversification of economic development is a critical benefit of the investments generated to realise the RMP.

For more information, please see Roşia Montană Sustainable Development and the Roşia Montană Project – annex 4.

References:

[1] This is an updated version of the policy already presented in the EIA management plans – it has been improved following feedback during public consultation.

[2] Economists have argued that the multiplier effect for the RMP is in the order of 1 Direct job to 30 Indirect Full Time Job Equivalents over twenty years – the methodology used may be available via a direct request to RMGC. However, the more conservative 1 : 10 Direct : Indirect figure is used here to maintain consistency with internationally accepted multiplier effects for large mining projects in impoverished regions, such as mentioned in UNCTAD (2006) Commodity policies for development: a new framework for the fight against poverty. TD/B/COM.1/75, Geneva, Switzerland. From experience, this is also the number most often quoted in Canada.

*

We strongly disagree with the assertion that the project will gravely affect human lifespan, human population in the region, and the equilibrium of ecosystems in the area. For this reason, we have undertaken several baseline studies, including with respect to current human health and environmental conditions.

At present, both the average lifespan and the population's health in Roşia Montană is lower than in neighbouring localities, in the county, and in Romania. But the health of the people and the average lifespan is expected to improve with approval of the Project, thanks to the mine closure and

environmental rehabilitation plan that RMGC proposed in the Report to the Environmental Impact Assessment study.

The fully balanced state of an ecosystem known as *climax* is extremely rare in nature, because of extensive human interventions. The Roșia Montană area is characterized by significant human impact and thus prohibits the state of climax at the regional, local or micro environmental levels.

It is nevertheless true that the mining project is considered to have a significant environmental impact, namely with regard to the environmental factors (water, air, soil, subsoil, flora and fauna), according to the documents submitted as part of the EIA. But that merely requires a higher state of review for the project. The project will be operated in compliance with relevant mandatory Romanian and European law, including environmental law, and in accordance with international best practices, many of which improve the state of environmental protection. For instance, the impact on the flora and fauna during mine operations will occur only at the local level and will not lead to the extinction of any species.

With the approval of the Project the extensive environmental rehabilitation plan RMGC has proposed will take place and thus the environment of the local ecosystem improve at no cost to either the Romanian State or Romanian tax payers.

*

The numbers stated by the questioner are inaccurate, as the urbanism certificate no. 78/26.04.2006 provides for the following details in respect of the PMP area:

- number of houses 489, 126 apartments;
- 1,258 hectares of various land usage categories land.

The construction and operation of the Roșia Montană Project requires the acquisition of properties in four of Roșia Montană's 16 sub-comuna. For the most part, therefore, property ownership in the larger part of Roșia Montană will not be affected by the project.

In order to acquire the necessary properties, the company has established a property purchase program compliant with the RRAP guidelines developed by the World Bank.

Item no. 3246

No. to identify the observations received from the public No. 111112/25.08.2006

Proposal

The questioner opposes the promotion of the Roşia Montană Project.

Solution

Regarding your allegation, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environmental impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that "*based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues*".

Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environmental approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

Item no. 3247

No. to identify
the
observations
received from
the public
No.
111111/
25.08.2006

Proposal

The questioner opposes the promotion of the Roşia Montană Project

Solution

Regarding your allegation, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environmental impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that "*based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues*".

Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environmental approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

Item no.	3248 Same as: 3249
No. to identify the observations received from the public	No. 111317/ 25.08.2006 Same as: No. 111316/25.08.2006
Proposal	<p>The questioner requests the MEWM not to emit the environment permit for Roşia Montană mining project.</p> <p>The questioner expresses the following remarks:</p> <ul style="list-style-type: none"> - The gold and silver reserves from Rosia Montana represent one of the strategic reserves of Romania - From economic point of view, the distribution of the benefits resulted from gold and silver extraction is opposite to the international practice - The urbanism plans do not correspond to the project proposal; - Within the EIA report there are no financial guarantees regarding the safety assurance of the waste deposit - From technical point of view, the tailings management facility will be not "lined". It is situated above the Abrud town and could have a catastrophic consequence in case of failure - The EIA report does not contain an evaluation of the phenomenon so-called "cyanide rain" nor a description of the trans-frontier impact on some natural important areas in case of accident - The EIA report does not assess the "zero alternative"; - The data provided by EIA report infringe the standards of environment protection <p>SEE THE CONTENT OF THE TYPE 2 CONTESTATION</p>
Solution	<p>The Romanian Mine Law, Law 85/2003, does not put any restrictions on the licenses to be given for exploration for gold and development of gold reserves. Both Romanian and foreign companies, both public and private companies, may apply to obtain a license to work a gold deposit. The Romanian state no longer has a monopoly on gold production.</p> <p>We agree that Roşia Montană represents an issue of national strategic importance, designed to raise the bar for long-term investment in Romania. RMGC is the largest employer in this disadvantaged region and indeed the whole county and is the largest local taxpayer. Romania will receive about US\$ 1 billion for its share of the project, and a total of about US\$ 1.5 billion when one includes the value of goods and services procured in Romania. The project meets or exceeds all Romanian and EU standards, creates new jobs for Romanians, especially in Roşia Montană and the surrounding region, and will be a catalyst for reviving the mining sector, which is strategic to the Romanian economy and an important tool for rural development.</p> <p>However, we disagree that this means the project should not be approved. RMGC has been working on this project since 1998 and has invested over US\$ 200 million to date. By the time production begins, the company will have invested almost US \$1 billion. Mining is a high risk industry; it is an industry rule of thumb that for every 1,000 projects considered, 100 merit drilling, and only one is opened as an actual productive mine. In fact, no country in the developed world is currently involved directly in assuming the risk of mining operations; instead, private capital assumes the risk and will bring the best available techniques to Romania. Approval of this project will show the world that Romania welcomes this type of productive foreign investment. The profits from the mine and the jobs provided by the mine are tangible benefits to Romania.</p> <p>As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that <i>"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"</i>.</p> <p>Consequently, considering the fact that your proposal is just an allegation which does not indicate possible</p>

problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining:

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

*

Unlike the common international practice related to the distribution of profits, it should be noted that in relation to the Roşia Montană Project, the distribution of benefits is more favorable to Romania/Romanian State than to the investor/the titleholder of the project.

Furthermore, please observe that the Romanian government has an ownership stake in the project (without putting up any capital) and has a direct share in the profits in the expected amount of USD 306 million, along with the right to receive profit taxes, royalties and other taxes and fees. Nowhere else in the developed world does a government have a direct profit sharing interest in a mining project such as this.

*

We would like to state that your statement is erroneous. The General Urbanism Plan (PUG) of Roşia Montană approved in 2002, allows the development of Roşia Montană Project as it was presented during public debates.

At the same time, pursuant to the provisions under art. 41, 2nd paragraph from Mines Law no. 85/2003, the local authorities must alter and/or update existing territorial arrangement plans and general urban plans, in order to allow execution of all required actions to develop mining activities.

RMGC has also commenced the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no 78 from 26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement

mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

Tailings Management Facility

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

Proximity to Abrud

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake (MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, “TMF Potential Failure Scenarios” of the EIA.

*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains”

phenomenon that has no connection with the behavior of the cyanide compounds in atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the populated areas close by industrial site will be of 4 to 80 µg/m³, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection - the national legislation and European Union (EU) legislation on the Quality of Air, don't stipulate limit values for the population's health protection);
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.

Also, the specialty literature doesn't comprise information related to the effect of air-borne HCN emissions on fauna and flora.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact

Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.4.3).

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU Best Available Techniques (BAT) – compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worst case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

According to the provisions of art. 44 (3) of the Order of Ministry of Water and Environment Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure („Order no. 860/2002”), the project titleholder prepares *„an evaluation of the public’s grounded proposals, containing solutions for the settlement of the underlined problems, which shall be submitted to the relevant public authority for environmental protection, according to the form presented in anenx no. IV.2”*.

We consider that, as no exact specification is made in regard of the enactments allegedly breached by the report to the environmental impact assessment study (EIA), the project’s titleholder cannot answer in regard of this affirmation of a generic character.

Though your statement is not grounded and/or supported in any way, the only authority empowered to analyze such breaches of the European legislation is the environmental authority. To this end, we specify the provisions of art. 45 of the Order no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure (“Order no. 860/2002”), which provide: *“after the examination of the report to the environmental impact assessment study, of the conclusions of the parties involved in the evaluation, of the possibilities to fulfill the project and the grounded evaluation of the public’s proposals, the public authority competent in regard of the environmental protection shall take the decision concerning the issuing of the environmental approval/integrated environmental approval or the grounded rejection of the project on the respective location”*.

Item no.

3250

No. to identify
the
observations
received from
the public

No.
111149/
25.08.2006

Proposal

The questioners request the MEWM not to emit the environment permit for Roşia Montană mining project.

The questioners formulate the following remarks:

- The gold and silver resources from Roşia Montană represent one of the strategic reserves of România
 - From economic point of view, the distribution of the benefits resulted from gold and silver extraction is opposite to the international practice
 - The urbanism plans do not correspond to the project proposal;
 - Within the EIA report there are no financial guarantees regarding the safety assurance of the waste deposit
 - From technical point of view, the tailings management facility will be not "lined". It is situated above the Abrud town and could have a catastrophic consequence in case of failure
 - The EIA report does not contain an evaluation of the phenomenon so-called "cyanide rain" nor a description of the trans-frontier impact on some natural important areas in case of accident
 - The EIA report does not assess the "zero alternative";
 - The data provided by EIA report infringe the standards of environment protection
- SEE THE CONTENT OF THE TYPE 2 CONTESTATION

Solution

The Romanian Mine Law, Law 85/2003, does not put any restrictions on the licenses to be given for exploration for gold and development of gold reserves. Both Romanian and foreign companies, both public and private companies, may apply to obtain a license to work a gold deposit. The Romanian state no longer has a monopoly on gold production.

We agree that Roşia Montană represents an issue of national strategic importance, designed to raise the bar for long-term investment in Romania. RMGC is the largest employer in this disadvantaged region and indeed the whole county and is the largest local taxpayer. Romania will receive about US\$ 1 billion for its share of the project, and a total of about US\$ 1.5 billion when one includes the value of goods and services procured in Romania. The project meets or exceeds all Romanian and EU standards, creates new jobs for Romanians, especially in Roşia Montană and the surrounding region, and will be a catalyst for reviving the mining sector, which is strategic to the Romanian economy and an important tool for rural development.

However, we disagree that this means the project should not be approved. RMGC has been working on this project since 1998 and has invested over US\$ 200 million to date. By the time production begins, the company will have invested almost US \$1 billion. Mining is a high risk industry; it is an industry rule of thumb that for every 1,000 projects considered, 100 merit drilling, and only one is opened as an actual productive mine. In fact, no country in the developed world is currently involved directly in assuming the risk of mining operations; instead, private capital assumes the risk and will bring the best available techniques to Romania. Approval of this project will show the world that Romania welcomes this type of productive foreign investment. The profits from the mine and the jobs provided by the mine are tangible benefits to Romania.

As regarding your request, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environment impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that *"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"*.

Consequently, considering the fact that your proposal is just an allegation which does not indicate possible

problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environment approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining:

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

*

Unlike the common international practice related to the distribution of profits, it should be noted that in relation to the Roşia Montană Project, the distribution of benefits is more favorable to Romania/Romanian State than to the investor/the titleholder of the project.

Furthermore, please observe that the Romanian government has an ownership stake in the project (without putting up any capital) and has a direct share in the profits in the expected amount of USD 306 million, along with the right to receive profit taxes, royalties and other taxes and fees. Nowhere else in the developed world does a government have a direct profit sharing interest in a mining project such as this.

*

We would like to state that your statement is erroneous. The General Urbanism Plan (PUG) of Roşia Montană approved in 2002, allows the development of Roşia Montană Project as it was presented during public debates.

At the same time, pursuant to the provisions under art. 41, 2nd paragraph from Mines Law no. 85/2003, the local authorities must alter and/or update existing territorial arrangement plans and general urban plans, in order to allow execution of all required actions to develop mining activities.

RMGC has also commenced the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roşia Montană Industrial Area and Zonal Urbanism Plan – Roşia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no 78 from 26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement

mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

Tailings Management Facility

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

Proximity to Abrud

The TMF is located approximately 2 km above the town of Abrud and therefore the design criteria for the dam have been established to address consequence of a dam failure. The proposed dam at the Tailings Management Facility (TMF) and the secondary dam at the catchment basin are rigorously designed to exceed Romanian and international guidelines, to allow for significant rainfall events and prevent dam failure due to overtopping and any associated cyanide discharge, surface or groundwater pollution.

Specifically, the facility has been designed for two Probable Maximum Precipitation (PMP) events and the associated Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area. The construction schedule for embankment and basin staging will be completed to ensure that PMP storage requirements are available throughout the project life. The Roşia Montană TMF is therefore designed to hold a total flood volume over four times greater than the Romanian government guidelines. In addition, an emergency spillway for the dam will be constructed in the unlikely event that another event occurs after the second PMP event. A spillway is only built for safety reasons to ensure proper water discharge in an unlikely event and, thus, avoid overtopping which could cause a dam breach. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Additional study was done regarding earthquakes, and, as indicated in the EIA the TMF is engineered to withstand the Maximum Credible Earthquake (MCE). The MCE is the largest earthquake that could be considered to occur at the site based on the historical record.

In addition, Section 7 of the EIA report includes an assessment of the risks cases that have been analyzed and include various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modelling results indicate the extent of tailings run out. Based on the two cases analyzed, the tailings will not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

For a more detailed technical analysis, please refer to Chapter 7, Section 6.4.3.1, "TMF Potential Failure Scenarios" of the EIA.

*

The possibility for a "cyanide rain" phenomenon to occur doesn't exist. Moreover, the specialty literature does not indicate a phenomenon called "cyanide rain"; it is known and researched only the "acid rains"

phenomenon that has no connection with the behavior of the cyanide compounds in atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the populated areas close by industrial site will be of 4 to 80 µg/m³, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection - the national legislation and European Union (EU) legislation on the Quality of Air, don't stipulate limit values for the population's health protection);
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.

Also, the specialty literature doesn't comprise information related to the effect of air-borne HCN emissions on fauna and flora.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact

Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2 (Section 4.4.3).

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU Best Available Techniques (BAT) – compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worst case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1

*

The Report on the Environmental impact assessment study (EIA) considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue (Chapter 5 – *Assessment of Alternatives*).

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project (RMP).

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

According to the provisions of art. 44 (3) of the Order of Ministry of Water and Environment Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure („Order no. 860/2002”), the project titleholder prepares *„an evaluation of the public’s grounded proposals, containing solutions for the settlement of the underlined problems, which shall be submitted to the relevant public authority for environmental protection, according to the form presented in anenx no. IV.2”*.

We consider that, as no exact specification is made in regard of the enactments allegedly breached by the report to the environmental impact assessment study (EIA), the project’s titleholder cannot answer in regard of this affirmation of a generic character.

Though your statement is not grounded and/or supported in any way, the only authority empowered to analyze such breaches of the European legislation is the environmental authority. To this end, we specify the provisions of art. 45 of the Order no. 860/2002 on the environmental impact assessment and environmental approval issuance procedure (“Order no. 860/2002”), which provide: *“after the examination of the report to the environmental impact assessment study, of the conclusions of the parties involved in the evaluation, of the possibilities to fulfill the project and the grounded evaluation of the public’s proposals, the public authority competent in regard of the environmental protection shall take the decision concerning the issuing of the environmental approval/integrated environmental approval or the grounded rejection of the project on the respective location”*.

Item no. 3251

No. to identify the observations received from the public
No.
111109/
25.08.2006

Proposal

The questioner does not agree to the environment permit approval because this project has a enormous environment and social risk and does not offer on long term durable economic benefits for România and Romanians. There are two important questions:

1. Are the incomes, expressed in financial terms, and the assurance of work places high enough to compensate the social and environment costs on short and long term?
2. Are there guarantors that the technical elements presented in the environment impact report will be observed exactly by the main implied corporations?

Solution

In an area grappling with chronic high unemployment, the direct jobs created by Roşia Montană Gold Corporation (RMGC) will prove a strong stabilizing influence in Roşia Montană and the region. In the long term, the injection of investment into the area, if handled correctly, should stimulate other development. RMGC is committed to promoting long term development opportunities as part of the sustainable development plan.

According to the provisions of art. 52 (1) of the Mining Law no. 85/2003, the entity ceasing the mining activities should submit to the competent authority an application accompanied by the updated mining activities cessation plan, describing the details for the actions necessary to be performed for the effective mine closure. The Mine Closure Plan should contain, among others, a social protection program for the personnel.

At the time of closure the company will do all it can for the existing workforce in providing assistance in finding alternative employment. Given the skills base and experience that the workers will have acquired, this might be jobs on other mining projects. Alternatively, RMGC will provide the opportunity of re-training and support in setting up alternative businesses.

RMGC is committed to promoting long term development opportunities as part of the sustainable development plan. Under the auspices of the United Nations Development Program (UNDP), a number of working groups will be established one of which will be assigned the task of exploring development opportunities. These working groups will be made up of Government, community representatives and RMGC. The working groups will welcome suggestions and contributions from all interested parties.

Taken over 20 years, the injection of investment into the area, if handled correctly, should stimulate other development. RMGC is committed to promoting long term development opportunities as part of the sustainable development plan.

One of the most important sides of development is community and local authorities capacity building and development. Even before the project starts, the company is interested in working together with the community to finding the best development solutions for the area.

Meanwhile, a number of programs already in place aim at raising both the educational profile and the level of skills in the community, to meet the needs of the project and to encourage people think of other ways of making a living apart from mining. The vocational training program is one of them. Business training is part of the vocational training program. A business incubator is also established.

For more information, please see Roşia Montană Sustainable Development and the Roşia Montană Project – annex 4.

*

Considering the legal provisions, art. 48 of the Order of the Minister of Waters and Environmental

Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure (“Order no. 860/2002”), the relevant public authority for the environmental protection takes the decision of issuing the environmental approval “only if the project provides for the elimination of the negative consequences upon the environment, in line with the applicable provisions of the technical norms and regulations in force.” The environmental approval represents the technical-legal document whereby the project’s fulfillment conditions are established, from the environmental protection’s point of view. Consequently, the mining project cannot be developed in other technical conditions than those for which the environmental approval has been obtained.

We specify the fact that the applicable legislation establishes punctually the obligations incumbent on the project titleholder, with regard to the observance of the technical elements object of the environmental impact assessment report and pursuant to the analysis of which the environmental approval has been issued, representing real guarantees for their observance, as follows:

- (i) art 51 (1) of the Order no. 860/2002 provides that “*The environmental approval is suspended for the failure to observe its provisions, after a prior notice, with term, which is maintained until the causes are removed, but no more than 6 months*”;
- (ii) according to art. 51(2) of the Order no. 860/2002 “*The relevant public authority for the environmental protection orders, after the expiry of the suspension term, the annulment of the environmental approval and the cessation of the project’s execution*”;
- (iii) the provisions of art. 96(3) item 1 of the Government Emergency Ordinance no.195/2005 on the environmental protection, approved, with amendments, by Law no. 256/2006, provides for the sanctioning of the legal persons failing to observe the obligation “*of operating without observing the provisions of the environmental approvals for the activities which are the object of the regulation procedures, from an environmental protection point of view*”.

Also, besides the guarantees specified above, it is to be noted that the very evaluation report to the environmental impact assessment study contains monitoring mechanisms of the technical elements, as per the control list of the Order no. 860/2002 “*depending on the project’s type, the monitoring shall be made both during the construction and the operation stage, respectively during the closing, environmental recovery and post-closing stages*”.

As a supplementation to the above, there also exist the guarantees calculated and created according to the provisions of the Mining Law no. 85/2003, as follows: (i) the financial guarantee covering the annual value for the environmental recovery, and (ii) the financial guarantee for the post-closing environmental final recovery. In conclusion, the development of the project RMGC proposes cannot be made otherwise than observing the technical conditions and the obligations imposed by the environmental approval.

Item no. 3252 Same as: 3253, 3254, 3255, 3256

No. to identify the observations received from the public No. 111108/25.08.2006 Same as: No. 111136/25.08.2006, No. 111135/25.08.2006, No. 111129/25.08.2006, No. 111128/25.08.2006

Proposal

The questioner does not agree to the Roşia Montană project implementation formulating the following remarks and comments:

- The project affects the whole region (“Țara Motilor”)
- The cost for România will be disproportioned as compared with the benefits
- No financial guarantees have been stipulated;
- There is no liner proposed for the tailings pond;
- The EIA report does not include an assessment of the "cyanide rain" phenomenon.
- The Roman galleries from the Orlea and Cărnic massifs are unique in world and will be destroyed
- The Project poses a threat for protected flora and fauna;
- The utilization of hundreds of tones of explosives may have negative effects over atmosphere and earth crust

Proposal to place Roşia Montană on the UNESCO World Heritage List.

The overall development of the RMP, as currently proposed by Roşia Montană, will certainly affect the area and the whole country in a benefic way. Considering the above statement, kindly note that the Romanian state will gain approximately US\$1.032 billion from its share of the profits from the Project and profit taxes, royalties, and other taxes such as payroll taxes that RMGC will pay.

Furthermore, the Project will indirectly generate 6,000 jobs in the region, and RMGC’s environmental rehabilitation program will help clean up pollution from past poor mining practices in Roşia Montană that affect the region. Given the strong tradition of mining in the region, we believe the Project will serve as a catalyst for reviving the important mining sector, which is strategically important for the Romanian economy and an important part of rural development.

*

Solution

RMGC acknowledges that the mine will have some costs—particularly to those individuals who must relocate. We are continually working to mitigate the costs to individuals and to the communities in the four of the 16 sub-comuna impacted in Roşia Montană. For example, we will be constructing a new village in Piatra Alba where whole communities can relocate (should they desire to do so) and have adjusted our mine design to ensure that all 41 historic structures in Roşia Montană are protected.

That said, the Roşia Montană Project will create many economic opportunities for Romania and Romanians—particularly for residents in Roşia Montană and the surrounding region, which has suffered from dire economic conditions for decades. The Romanian State through the Ministry of Industry and Commerce (MEC) has a 19.3% ownership interest in the project. This interest is a fully carried interest with no obligation to fund its share of the capital investment. The direct financial benefit to the Romanian State at the local, county, and national level is projected to be US \$1,032 million. This includes the government’s share of the profits, profit taxes, royalties, and other taxes (i.e. payroll taxes). An additional US\$ 1.5 billion of Romanian goods and services will be acquired over the life of the project.

At the level of the individual, the mine project will create 600 direct jobs – jobs that are sorely needed in Roşia Montană - and 6,000 indirect jobs across Romania.

*

RMGC’s closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in

the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from being not realistic—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

Roşia Montană Gold Corporation (“RMGC”) has invested significant time, energy, and resources assessing the viability of a mining project in the valley of Roşia Montană. This assessment has led RMGC to conclude that Roşia Montană presents an attractive long-term development opportunity – an opinion confirmed by a variety of lending institutions, who have completed detailed reviews of the project's design and profitability. We have every confidence that we will see the project through to the end of its projected 16-year lifespan, regardless of any fluctuations in the market price of gold.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

It is stated precisely that a “cyanide rain” phenomenon will not exist. Neither was encountered in other places or situations. Moreover, the specialty literature doesn’t make any mentions related to the so-called “cyanide rains” phenomenon, but only “acidic rains” phenomenon which can’t be generated by the cyanic compounds breaking down in the atmosphere.

The reasons for making the statement that ‘cyanide rains’ phenomenon won’t occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution cannot occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/L within the leaching tanks up to 7 mg/L (total cyanide) at the discharge point into the tailings management facility. The drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of the cyanide chemistry and on the grounds of the past experience, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;

- Once released into air, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant. The maximum concentration is of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the standard value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air in the populated areas close by the industrial site will be of 4 to 80 µg/m³, more than 250 – 12.5 times lower than standard value stipulated by the national legislation for labor protection – the national legislation and European Union (EU) legislation on the Air Quality don't stipulate standard values for the population's health protection;
- Once released in air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partially low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001; Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project be significantly higher than the background values (0.2 ppb) is extremely low.

Details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality are contained in the Environmental Impact Assessment (EIA) Report, Chapter 2, Subchapter 4.1 and Subchapter 4.2 (Section 4.2.3).

*

The reports and studies published by experts in the field make clear that the Roman galleries at Roşia Montană are significant, but not unique. As indicated in the gazetteer of the Roman mining sites from Transylvania and Banat-prepared as part of the Environmental Impact Assessment Study for the Roşia Montană project, it is difficult to justify the claim that the Roşia Montană site is unique importance if we consider the history of mining in the Roman Empire, and especially in the province of Dacia. There are at least 20 other sites with relatively similar features and some of them (Ruda Brad, Bucium – the Vulcoi Corabia area and Haneş – Amlaşul Mare area) have already produced concrete evidence proving that their archaeological potential is, to a certain extent, similar to that of the ancient *Alburnus Maior* site. This aspect should also be taken into consideration when claiming that Roşia Montană is a site of unique importance.

Most of the Roman mining works in the Cărnic massif, as well as in other mining areas can only be accessed by specialists, in very difficult conditions, being partially inaccessible to the public. Moreover, under the EU safety rules applying to similar museums all over Europe, rules that have been transposed into Romanian legislation, Roman galleries that pose safety risks cannot be opened for public access. It should be noted that extensive portions of comparable Roman galleries will be preserved *in situ*.

Consequently, based on the scientific report submitted by French experts, on the proposal by the National Archaeology Commission, the Minister of Culture and Religious Affairs has granted the archaeological discharge certificate for the Cărnic Massif, with the exception of a 5 ha area, including Piatra Corbului. As part of the effort to minimize negative impacts, in addition to the thorough investigation of the area and publication of its results, specialists have deemed it appropriate to make a 3-D representation as well as replicas of these structures at a scale of 1:1. These will be included in the mining museum that is proposed at Roşia Montană. A lawsuit has been filed with regard to the archaeological discharge certificate and the case is ongoing.

As an alternative, the company considered the preparation of a specialized study comprising financial estimates for the conservation in their entirety of the galleries from the Cărnic massif and for opening them to tourists. Moreover, note that the costs for the development and maintenance of a public circuit in this massif are prohibitive and such an investment would not be economically feasible (see Annex "*Costs*

Construction activities in the Orlea area, necessary for the development of the proposed mining project, cannot start until the archaeological investigations have been completed, in accordance with the Romanian legal provisions and international practices and guidelines. (Cultural Heritage Baseline Report, vol. 6, p. 46). Under the Government Ordinance no. 43/2000 on the protection of the cultural heritage and the designation of some archaeological sites as areas of national interest, as last amended, “the investor shall finance a feasibility study and a technical proposal, describing the measures to be taken (later to be presented in detail) and the funds necessary for conducting preventive archaeological researches or, as the case may be, archaeological surveillance. Also, the investor shall finance the necessary works for the preservation of the archaeological heritage or, where appropriate, for the archaeological discharge of the area affected by works. The investor shall finance the enforcement of such measures”.

Surface and underground preventive archaeological researches will continue in the Orlea area, which is in an area with identified archaeological potential (as mentioned in The Cultural Heritage Baseline Report, vol. 6, page 48). In addition, the report mentions the fact that the researches undertaken so far in this massif are preliminary in character. It also says that, since mining activities in the Orlea area are to be developed at a later stage, surface archaeological research in this area is to be carried out starting with 2007.

The preliminary underground investigations, undertaken in the Orlea Massif, have led to the uncovering, in 2004, of a significant discovery. The value of the discovery was confirmed in the summer of 2005. The French team led by Dr. Beatrice Cauuet uncovered a chamber with a hydraulic wheel, and subsequently an entire mine dewatering system. This complex, uncovered in the Păru Carpeni area, was dated to Roman times and has been subject to extensive archaeological investigations, while special measures have been taken to ensure its preservation *in situ*. The discovery would not be affected by the future development of the Orlea open pit exploitation. Surface preventive archaeological research in the Orlea area, as well as underground archaeological research in the Orlea - Țarina segment are planned to be undertaken between 2007 and 2012, as indicated in the Cultural Heritage Baseline Report, vol. 6, p. 48.

In the 1980s, a mining museum was developed in the Orlea massif. The museum included a series of well-preserved galleries that have been separated from adjacent, access galleries by concrete walls. The Orlea galleries, as well as those in the Cărnic massif and in other mining areas in Roșia Montană, are trapezoidal in form. During the successive reworking and mining of these galleries, parts of the Roman remains have been destroyed. In addition, the galleries suffered further deterioration, especially due to the recent mining works using drilling-blasting techniques that caused cave-ins and deterioration of underground mining remains. The removal of mine waste in the course of archaeological research adds to the process of deterioration of the Roman galleries, further accentuated by the closure of mining operations at Minvest (1st June, 2006) – given that the mining activities have ensured a minimal level of mine dewatering. Under the existing legislation, shutting down mining activities requires a comprehensive set of conservation measures. However, at Roșia Montană the mine was abandoned without any restoration works. Just a couple of months later, drainage channels inside the Sfânta Cruce gallery, the main drainage gallery, got clogged, which led to the flooding of a number of galleries, several kilometers long. Proper maintenance works are needed if the archaeological remains are to be preserved for future generations. In the absence of such measures, the result will be disastrous, and the parts of galleries that have been preserved will disappear as a result of cave-ins and flooding. The Roman steps at Brad (Roman mining remains covered by Law 5/2000) are illustrative in this respect – once maintenance works stopped, the galleries became inaccessible.

In accordance with the List of Historic Monuments published in the Official Gazette nr. 646 bis of 16 July 2004, the industrial area that is to be developed in the Orlea Massif includes 2 archaeological sites classified as historic monuments – the Roman settlement at Alburnus Maior, the Orlea area (code LMI AB-I-m-A-00065.01), and the Roman mining exploitation at Alburnus Maior, the Orlea Massif (AB-I-m-A-00065.02).

Law 422/2001 on the protection of historic monuments, as last amended, provides for the declassification of archaeological sites, once the archaeological discharge certificate has been granted, as approved by the National Archaeological Commission within The Minister of Culture and Religious Affairs. The

archaeological discharge procedure, as defined by the law, is the procedure by means of which an area of archaeological interest may be restored to its current use (Law 258/2006, art. 5, paragraph 2).

Consequently, the proposed mining operations in the Orlea Massif can be developed only after the completion of preventive, surface and underground archaeological researches, which will produce a comprehensive body of data on the Roman site located in the Orlea area. As shown in Annex I to the Cultural Heritage Baseline Report (Archaeological Site Record Card-9. Orlea Massif, p.231-236), no archaeological investigations have been undertaken in this area, nor any expert studies that would determine in detail the characteristics and the spatial distribution of the archaeological remains in the area. RMGC has, therefore, committed to financing a preventive archaeological research program, to be undertaken between 2007-2012 by an expert team. Based on the research findings, a decision will be made as to whether the archaeological discharge procedure should be applied. There are no legal provisions that would prohibit conducting preventive archaeological researches in the areas with an identified archaeological heritage, such as the Orlea area.

Given the significance of the Roşia Montană's cultural heritage, and the current legal requirements, S.C. Roşia Montană Gold Corporation S.A allocated more than USD 10 million for the archaeological investigations carried out between 2001-2006. What is more, based on the research results, on the experts' opinions and on the decision of competent authorities, the budget destined for the research, conservation and preservation of the Roşia Montană's cultural heritage, undertaken as part of the project development, amounts to more than USD 25 million, as indicated in the Environmental Impact Assessment Study, published in May 2006 (see the EIA Report, vol. 32, Management Plan for the Archaeological Heritage from the Roşia Montană area, p. 84-85). Archaeological investigations in the Orlea area are to be continued, and a **Modern Mining Museum** will be opened, including **geology, archaeology, ethnographic and industrial heritage exhibitions**. Other plans include the development for public access of the **Cătălina-Monuleşti gallery and the Tău Găuri monument, as well as the restoration of the 41 historical buildings and of the protected zone Roşia Montană Historic Centre**.

For further information on the history of the research and the most important discoveries related to the historic galleries at Roşia Montană, as well as for the specialists' conclusions on the matter, and assessments of a potential tourist circuit including the historic mining structures at Cărnic, or for the opinions formulated in 2004 by Edward O'Hara, General Rapporteur on Cultural Heritage of the Parliamentary Assembly of the Council of Europe, please consult the annexes entitled "Information on the Cultural Heritage of Roşia Montană and Related Management Aspects" and "Costs Estimate for the Development of ancient mining networks from Cărnic", as well as the Romanian version of the O'Hara Report. Detailed information on the complex issue of the mining works at Roşia Montană, on their results and on the potential subsequent developments, are available in the EIA Report, vol. 6, Cultural Heritage Baseline Report (pages 32, 36-55, 83-109).

In conclusion, with regard to your question, please note that under no circumstances will the Roman galleries at Roşia Montană be destroyed or replaced with replicas without being first investigated and studied. It should be mentioned that this type of research, known as preventive/rescue archaeological research is done everywhere in the world in close connection with the economic development of certain areas. In addition, both the costs for the research and for the enhancement and maintenance of the areas conserved are provided by investors, in a public-private partnership set up in order to protect the cultural heritage, as per the provisions of the European Convention on the Protection of the Archaeological Heritage (Malta-1992) [1].

Based on the research findings, the international guidelines and best practices in the field, it has been decided that the most effective solution for enhancing this type of cultural heritage is to preserve *in situ* the most significant underground mining archaeological remains uncovered at Roşia Montană, and to create exact replicas of the galleries that cannot be opened for public access, either due to safety reasons or because of the state of preservation of the remains.

Reference:

[1]The text of the Convention is available at the following address:
<http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons

of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The quantity of TNT mentioned in the question is over-exaggerated, and the tendentious wording of the question is misleading.

In reality, during a blasting phase, up to 1,296 kg AM will be detonated, resulting in a mining mass of 8,000 – 10,000 t. In order to obtain the daily production (tailings and ore), the movement of the rock of approx. 28-32 exploitation panels is necessary, respectively the detonation of a quantity of approx. 10 t of explosive AM-type, as presented in Chapter 2 – Technological Processes, Section 4.1.1.2, p. 60 *et seq.*

The priming will be of sequential type and NONEL-type non-electric fuses (non-electric) and detonating wire will be used, technology that assures a mining mass crushing degree compatible to the loading machines capacity and determines the reduction of the exploded rock spreading area.

For the definitive outlining of the pit sides, bore holess similar to those used for mining will be used, having though a smaller explosive quantity with approx. 20% compared to the production holes, the start being given by dynamite cartridges.

For the detonation the NONEL technology will be used.

The load blasting order will be performed with micro delay, from the hole center to the base part and to the upper one, and from the center hole of the first row to the side extremities and to the following rows, technology that assures the significant decrease of the seismic intensity and an increased effectiveness of the rock movement explosions.

The model of atmospheric dispersion has been developed using the Best Available Techniques, in order to simulate the transport of the pollutants generated by the mining activities outside the Project area. Modern concepts related to the flow and dispersion in complex terrains are incorporated in AERMOD by using a new and simple approach. If this is not necessary, the plume is modelled, either having a path that impacts the terrain or with a path that follows the terrains' topography.

AERMOD may forecast concentrations of pollutants from multiple sources for a wide variety of sites, meteorological conditions, types of pollutants and mediation periods. For this project, the concentrations on short term have been calculated using the maximum hourly rates of emission for activities developed simultaneously and for the averages calculated for intervals of 1 hour, 8 hours and 24 hours. The annual

concentrations have been calculated using all active sources during the respective year.

For the dust emission control from open pits and haulage roads of ore and waste rock, the following measures have been taken:

- Utilization of a new blasting technology, namely the sequential blasting technology which reduces drastically the height of the dust plume and dispersion area;
- Ceasing of the activities generating dust during the periods with intense winds or when the automatic monitor for particles installed in the Roşia Montană protection area indicates an alert situation;
- Implementation of a program for dust control on the unpaved roads during the drought seasons by means of watering trucks and inert substances for dust restraining. These measures will reduce the dust emissions with 90%;
- Minimizing of the unloading height at manipulation/discharge of materials;
- Prescribing and application of speed limitation on traffic;
- Implementation of a program of periodically maintenance of vehicles and motorized equipments;
- Automatic monitoring of the air quality and meteorological parameters;
- Implementation of additional measures for dust emission control: ore and waste rock watering at the loading into trucks.

Details: the Report on Environmental Impact Assessment Study (Volume 12 – Chapter 4.2, Subchapter 4.2.4) and the Air quality Management Plan (Volume 24, Plan D) include, in a detailed manner, technical and operational measures for decreasing/eliminating dust emissions generated by the activities developed within the Project.

The “destruction“ of certain geological structures may occur in case of natural cataclysms, such as volcanic eruptions or earthquakes of maximum intensity, which involve the release of huge energy; this does not happen in the case of pit explosions.

Previous underground and massive surface blasting has been carried out in the area of the Roşia Montană deposit. The impact of these blasting operations on the geological structure has been limited to very small distances, such impact being insignificant on longer distances. A relevant example is represented by the underground galleries underneath the Cetate pit, which resisted the massive blasting carried out in this pit, although they were not reinforced. Only the works located 10-15 m underneath the pit floor have been impacted, several blocks falling due to the local increase of the rock cracking degree.

The earth shell is permanently subject to earthquakes of various intensities, of tectonic and anthropic nature. For the comfort of population and safety of constructions, the level of these earthquakes should not exceed the maximum admissible limits imposed by the standards.

Pit blasting activities and heavy equipment traveling are allowed provided that the parameters of the generated vibrations comply with the limits imposed by the law.

A detailed presentation of blasting technology can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project

*

The proposals for the classification of monuments on the World Heritage List-the UNESCO List- are made by the Government and by its institutions competent in this field, here the Ministry of Culture and Religious Affairs, the National Institute for Historical Monuments and the National Commission for Historical Monuments (in accordance with the legal provisions, see below).

We mention that UNESCO (UNITED NATIONS EDUCATIONAL, SCIENTIFIC AND CULTURAL ORGANIZATION) is not an institution that replaces/substitutes for the national institutions competent in the cultural heritage field.

The national and governmental institutions in Romania competent, according to the law, to manage the monuments included on the World Heritage List (the UNESCO monuments respectively) are the Ministry of Culture and Religious Affairs, the National Institute for Historical Monuments and the National

Commission for Historical Monuments.

The competences of these institutions are defined by the Romanian legislation on historical monuments, namely Law 259/2006 as follows:

-article 28, paragraph (1)-25- The Ministry of Culture and Religious Affairs [...] co-operates with interested international bodies and participates together with them to the financing of programs for the protection of historical monuments, including the monuments included on the World Heritage List [...]

-article 29, paragraph (3), letter d). – The main responsibilities of the National Institute for Historical Monuments are: [...] d). Prepare the documentation for the historical monuments proposed for inclusion on the World Heritage List [...]

-article 35, paragraph (1), letter l). The National Commission for Historical Monuments has the following responsibilities/competences: [...] proposes the historical monuments to be included on the World List of Natural and Cultural Heritage and on the List of World Heritage Sites in Danger, drawn up by UNESCO; [...]

According to the legal provisions, the local public authorities also have competences in this respect, namely they draft annual plans for the management and protection of historical monuments located within their administrative territorial unit, including any inscribed on the World Heritage List and ensure their monitoring by their own staff (according to Law 259/2006 article 46, paragraph (1), letter i).

The Environmental Impact Assessment Study for the Roşia Montană area, submitted to the Ministry of Environment and Waters Management in May 2006, was drawn up from the perspective of the implementation of the mining project proposed by RMGC. The EIA was not meant to include on the World Heritage List a very vast area, that the questioner generically calls „Țara Moţilor”. Upon assessment of this document, the competent authorities in the cultural heritage field will have a grounded point of view regarding the approval or dismissal of the Roşia Montană Project.