

Item no.	5096 Same as: 5097, 5098, 5099, 5100, 5101, 5102, 5103, 5104, 5105, 5106, 5107, 5108, 5109, 5110, 5111, 5112, 5113, 5114, 5115, 5116, 5117, 5118, 5119, 5120, 5121, 5122, 5123, 5124, 5125
No. to identify the observations received from the public	No. 114377/ 25.08.2006 Same as: No. 114378/25.08.2006, No. 114379/25.08.2006, No. 114380/25.08.2006, No. 114381/25.08.2006, No. 114382/25.08.2006, No. 114383/25.08.2006, No. 114384/25.08.2006, No. 114385/25.08.2006, No. 114386/25.08.2006, No. 114387/25.08.2006, No. 114388/25.08.2006, No. 114389/25.08.2006, No. 114390/25.08.2006, No. 114391/25.08.2006, No. 114392/25.08.2006, No. 114393/25.08.2006, No. 114394/25.08.2006, No. 114395/25.08.2006, No. 114396/25.08.2006, No. 114397/25.08.2006, No. 114398/25.08.2006, No. 114399/25.08.2006, No. 114400/25.08.2006, No. 114401/25.08.2006, No. 114402/25.08.2006, No. 114403/25.08.2006, No. 114404/25.08.2006, No. 114405/25.08.2006, No. 114406/25.08.2006
Proposal	<p>The questioner doesn't agree with the development of the Roşia Montană project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -In EIA there are not presented all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste deposits will be not constructed in conformity with the Romanian legislation in force (at least 1000 m towards the inhabited areas); -Financial guarantees for the closure and post-closure periods were not fixed. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the</p>

Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corma Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level

of 400 μ g/m³ hourly average and 179 μ g/m³ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding *„the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits”*, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5126 Same as: 5127, 5128, 5129, 5130, 5131, 5132, 5133, 5134, 5135, 5136, 5137, 5138, 5139, 5140, 5141, 5142, 5143, 5144, 5145, 5146, 5147, 5148, 5149, 5150, 5151, 5152, 5153, 5154, 5155
No. to identify the observations received from the public	No. 113431/25.08.2006 Same as: No. 113432/25.08.2006, No. 113433/25.08.2006, No. 113434/25.08.2006, No. 113435/25.08.2006, No. 113436/25.08.2006, No. 113437/25.08.2006, No. 113438/25.08.2006, No. 113439/25.08.2006, No. 113440/25.08.2006, No. 113365/25.08.2006, No. 113366/25.08.2006, No. 113367/25.08.2006, No. 113368/25.08.2006, No. 113369/25.08.2006, No. 113370/25.08.2006, No. 113371/25.08.2006, No. 113372/25.08.2006, No. 113373/25.08.2006, No. 113374/25.08.2006, No. 113234/25.08.2006, No. 113235/25.08.2006, No. 113236/25.08.2006, No. 113237/25.08.2006, No. 113238/25.08.2006, No. 113239/25.08.2006, No. 113240/25.08.2006, No. 113241/25.08.2006, No. 113242/25.08.2006, No. 113243/25.08.2006
Proposal	<p>The questioner doesn't agree with the development of the Roşia Montană project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -In EIA there are not presented all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste deposits will be not constructed in conformity with the Romanian legislation in force (at least 1000 m towards the inhabited areas); -Financial guarantees for the closure and post-closure periods were not fixed. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the</p>

Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corma Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level

of 400 μ g/m³ hourly average and 179 μ g/m³ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding *„the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits”*, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5156 Same as: 5157, 5158, 5159, 5160, 5161, 5162, 5163, 5164, 5165, 5166, 5167, 5168, 5169, 5170, 5171, 5172, 5173, 5174, 5175, 5176, 5177, 5178, 5179, 5180, 5181, 5182, 5183, 5184, 5185
No. to identify the observations received from the public	No. 112717/25.08.2006 Same as: No. 112718/25.08.2006, No. 112719/25.08.2006, No. 112720/25.08.2006, No. 112721/25.08.2006, No. 112722/25.08.2006, No. 112723/25.08.2006, No. 112724/25.08.2006, No. 112725/25.08.2006, No. 112726/25.08.2006, No. 112727/25.08.2006, No. 112728/25.08.2006, No. 112729/25.08.2006, No. 112730/25.08.2006, No. 112731/25.08.2006, No. 112732/25.08.2006, No. 112734/25.08.2006, No. 112735/25.08.2006, No. 112736/25.08.2006, No. 112737/25.08.2006, No. 112738/25.08.2006, No. 112739/25.08.2006, No. 112740/25.08.2006, No. 112741/25.08.2006, No. 112742/25.08.2006, No. 112743/25.08.2006, No. 112744/25.08.2006, No. 112745/25.08.2006, No. 112746/25.08.2006, No. 112747/25.08.2006
Proposal	<p>The questioner doesn't agree with the development of the Roşia Montană project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -In EIA there are not presented all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste deposits will be not constructed in conformity with the Romanian legislation in force (at least 1000 m towards the inhabited areas); -Financial guarantees for the closure and post-closure periods were not fixed. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the</p>

Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corma Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level

of 400 μ g/m³ hourly average and 179 μ g/m³ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding *„the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits”*, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5186 Same as: 5187, 5188, 5189, 5190, 5191, 5192, 5193, 5194, 5195, 5196, 5197, 5198, 5199, 5200, 5201, 5202, 5203, 5204, 5205, 5206, 5207, 5208, 5209, 5210, 5211, 5212, 5213, 5214, 5215
No. to identify the observations received from the public	No. 114407/25.08.2006 Same as: No. 114408/25.08.2006, No. 114409/25.08.2006, No. 114410/25.08.2006, No. 114411/25.08.2006, No. 114412/25.08.2006, No. 114413/25.08.2006, No. 114414/25.08.2006, No. 114415/25.08.2006, No. 114416/25.08.2006, No. 114417/25.08.2006, No. 114418/25.08.2006, No. 114420/25.08.2006, No. 114421/25.08.2006, No. 114422/25.08.2006, No. 114423/25.08.2006, No. 114424/25.08.2006, No. 113751/25.08.2006, No. 114425/25.08.2006, No. 114426/25.08.2006, No. 114427/25.08.2006, No. 114428/25.08.2006, No. 114429/25.08.2006, No. 114430/25.08.2006, No. 114431/25.08.2006, No. 114432/25.08.2006, No. 114433/25.08.2006, No. 114434/25.08.2006, No. 114435/25.08.2006, No. 114436/25.08.2006
Proposal	<p>The questioner is against the development of the Roşia Montană Project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -EIA doesn't present all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste storage facilities will not be built abiding by the Romanian legislation in force (at least 1000 m distance to the inhabited areas); -Financial guarantees for the closure and post-closure periods were not established. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis</p>

presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH

in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m³ hourly average and 179µ g/m³ 8hr average will not be exceeded. These HCN concentrations

are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding „*the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits*”, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes

from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5216 Same as: 5217, 5218, 5219, 5220, 5221, 5222, 5223, 5224, 5225, 5226, 5227, 5228, 5229, 5230, 5231, 5232, 5233, 5234, 5235, 5236, 5237, 5238, 5239, 5240, 5241, 5242, 5243, 5244, 5245
No. to identify the observations received from the public	No. 114436/25.08.2006 Same as: No. 113421/25.08.2006, No. 113422/25.08.2006, No. 113423/25.08.2006, No. 113425/25.08.2006, No. 113426/25.08.2006, No. 113427/25.08.2006, No. 113428/25.08.2006, No. 113429/25.08.2006, No. 113430/25.08.2006, No. 113431/25.08.2006, No. 113432/25.08.2006, No. 113433/25.08.2006, No. 113434/25.08.2006, No. 113435/25.08.2006, No. 113436/25.08.2006, No. 113437/25.08.2006, No. 113438/25.08.2006, No. 113439/25.08.2006, No. 113440/25.08.2006, No. 113365/25.08.2006, No. 113366/25.08.2006, No. 113367/25.08.2006, No. 113368/25.08.2006, No. 113369/25.08.2006, No. 113370/25.08.2006, No. 113371/25.08.2006, No. 113372/25.08.2006, No. 113373/25.08.2006, No. 113374/25.08.2006
Proposal	<p>The questioner is against the development of the Roşia Montană Project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -EIA doesn't present all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste storage facilities will not be built abiding by the Romanian legislation in force (at least 1000 m distance to the inhabited areas); -Financial guarantees for the closure and post-closure periods were not established. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis</p>

presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH

in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400 µg/m³ hourly average and 179 µg/m³ 8hr average will not be exceeded. These HCN concentrations

are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding „*the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits*”, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes

from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5246 Same as: 5247, 5248, 5249, 5250, 5251, 5252, 5253, 5254, 5255, 5256, 5257, 5258, 5259, 5260, 5261, 5262, 5263, 5264, 5265, 5266, 5267, 5268, 5269, 5270, 5271, 5272, 5273, 5274, 5275
No. to identify the observations received from the public	No. 113234/25.08.2006 Same as: No. 113235/25.08.2006, No. 113236/25.08.2006, No. 113237/25.08.2006, No. 113238/25.08.2006, No. 113239/25.08.2006, No. 113240/25.08.2006, No. 113241/25.08.2006, No. 113242/25.08.2006, No. 113243/25.08.2006, No. 113244/25.08.2006, No. 113245/25.08.2006, No. 113246/25.08.2006, No. 113247/25.08.2006, No. 113248/25.08.2006, No. 113250/25.08.2006, No. 113251/25.08.2006, No. 113252/25.08.2006, No. 113253/25.08.2006, No. 113254/25.08.2006, No. 113255/25.08.2006, No. 113256/25.08.2006, No. 113257/25.08.2006, No. 113258/25.08.2006, No. 113259/25.08.2006, No. 113260/25.08.2006, No. 113261/25.08.2006, No. 113262/25.08.2006, No. 113263/25.08.2006, No. 113264/25.08.2006
Proposal	<p>The questioner is against the development of the Roşia Montană Project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -EIA doesn't present all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste storage facilities will not be built abiding by the Romanian legislation in force (at least 1000 m distance to the inhabited areas); -Financial guarantees for the closure and post-closure periods were not established. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis</p>

presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH

in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m³ hourly average and 179µ g/m³ 8hr average will not be exceeded. These HCN concentrations

are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding „*the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits*”, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes

from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5276 Same as: 5277, 5278, 5279, 5280, 5281, 5282, 5283, 5284, 5285, 5286, 5287, 5288, 5289, 5290, 5291, 5292, 5293, 5294, 5295, 5296, 5297, 5298, 5299, 5300, 5301, 5302, 5303, 5304, 5305
No. to identify the observations received from the public	No. 114437/25.08.2006 Same as: No. 114438/25.08.2006, No. 114439/25.08.2006, No. 114440/25.08.2006, No. 114441/25.08.2006, No. 114442/25.08.2006, No. 114443/25.08.2006, No. 114444/25.08.2006, No. 114445/25.08.2006, No. 114446/25.08.2006, No. 114447/25.08.2006, No. 114419/25.08.2006, No. 114448/25.08.2006, No. 114449/25.08.2006, No. 114450/25.08.2006, No. 114451/25.08.2006, No. 114452/25.08.2006, No. 114453/25.08.2006, No. 114454/25.08.2006, No. 114455/25.08.2006, No. 114456/25.08.2006, No. 114457/25.08.2006, No. 114458/25.08.2006, No. 114459/25.08.2006, No. 114460/25.08.2006, No. 114461/25.08.2006, No. 114462/25.08.2006, No. 114463/25.08.2006, No. 114464/25.08.2006, No. 114465/25.08.2006
Proposal	<p>The questioner is against the development of the Roşia Montană Project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -EIA doesn't present all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste storage facilities will not be built abiding by the Romanian legislation in force (at least 1000 m distance to the inhabited areas); -Financial guarantees for the closure and post-closure periods were not established. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis</p>

presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH

in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m³ hourly average and 179µ g/m³ 8hr average will not be exceeded. These HCN concentrations

are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding „*the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits*”, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes

from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5306 Same as: 5307, 5308, 5309, 5310, 5311, 5312, 5313, 5314, 5315, 5316, 5317, 5318, 5319, 5320, 5321, 5322, 5323, 5324, 5325, 5326, 5327, 5328, 5329, 5330, 5331, 5332, 5333, 5334, 5335
No. to identify the observations received from the public	No. 112748/ 25.08.2006 Same as: No. 112749/25.08.2006, No. 112750/25.08.2006, No. 112751/25.08.2006, No. 112752/25.08.2006, No. 112753/25.08.2006, No. 112754/25.08.2006, No. 112755/25.08.2006, No. 112756/25.08.2006, No. 112757/25.08.2006, No. 112758/25.08.2006, No. 112759/25.08.2006, No. 167260/18.09.2006, No. 112761/25.08.2006, No. 112762/25.08.2006, No. 112763/25.08.2006, No. 112764/25.08.2006, No. 112765/25.08.2006, No. 112766/25.08.2006, No. 112767/25.08.2006, No. 112768/25.08.2006, No. 112769/25.08.2006, No. 112770/25.08.2006, No. 112771/25.08.2006, No. 112772/25.08.2006, No. 112773/25.08.2006, No. 112774/25.08.2006, No. 112775/25.08.2006, No. 112776/25.08.2006, No. 112777/25.08.2006
Proposal	<p>The questioner is against the development of the Roşia Montană Project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -EIA doesn't present all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste storage facilities will not be built abiding by the Romanian legislation in force (at least 1000 m distance to the inhabited areas); -Financial guarantees for the closure and post-closure periods were not established. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis</p>

presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH

in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m³ hourly average and 179µ g/m³ 8hr average will not be exceeded. These HCN concentrations

are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page 173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding „*the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits*”, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes

from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5336 Same as: 5337, 5338, 5339, 5340, 5341, 5342, 5343, 5344, 5345, 5346, 5347, 5348, 5349, 5350, 5351, 5352, 5353, 5354, 5355, 5356, 5357, 5358, 5359, 5360, 5361, 5362, 5363, 5364, 5365
No. to identify the observations received from the public	No. 114466/25.08.2006 Same as: No. 114467/25.08.2006, No. 114468/25.08.2006, No. 114469/25.08.2006, No. 114470/25.08.2006, No. 114471/25.08.2006, No. 114472/25.08.2006, No. 114473/25.08.2006, No. 114474/25.08.2006, No. 114475/25.08.2006, No. 114476/25.08.2006, No. 114477/25.08.2006, No. 114478/25.08.2006, No. 114479/25.08.2006, No. 114480/25.08.2006, No. 114481/25.08.2006, No. 114482/25.08.2006, No. 114483/25.08.2006, No. 114484/25.08.2006, No. 114485/25.08.2006, No. 114486/25.08.2006, No. 114487/25.08.2006, No. 114488/25.08.2006, No. 114489/25.08.2006, No. 114490/25.08.2006, No. 114491/25.08.2006, No. 114492/25.08.2006, No. 114493/25.08.2006, No. 114494/25.08.2006, No. 114495/25.08.2006
Proposal	<p>The questioner is against the development of the Roşia Montană Project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -EIA doesn't present all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste storage facilities will not be built abiding by the Romanian legislation in force (at least 1000 m distance to the inhabited areas); -Financial guarantees for the closure and post-closure periods were not established. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis</p>

presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH

in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m³ hourly average and 179µ g/m³ 8hr average will not be exceeded. These HCN concentrations

are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding „*the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits*”, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes

from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5366 Same as: 5367, 5368, 5369, 5370, 5371, 5372, 5373, 5374, 5375, 5376, 5377, 5378, 5379, 5380, 5381, 5382, 5383, 5384, 5385, 5386, 5387, 5388, 5389, 5390, 5391, 5392, 5393, 5394, 5395
No. to identify the observations received from the public	No. 113265/25.08.2006 Same as: No. 113266/25.08.2006, No. 113267/25.08.2006, No. 113268/25.08.2006, No. 113269/25.08.2006, No. 113270/25.08.2006, No. 113271/25.08.2006, No. 113272/25.08.2006, No. 113273/25.08.2006, No. 113274/25.08.2006, No. 113275/25.08.2006, No. 113276/25.08.2006, No. 113277/25.08.2006, No. 113278/25.08.2006, No. 113279/25.08.2006, No. 113280/25.08.2006, No. 113281/25.08.2006, No. 113282/25.08.2006, No. 113283/25.08.2006, No. 113284/25.08.2006, No. 113285/25.08.2006, No. 113286/25.08.2006, No. 113287/25.08.2006, No. 113288/25.08.2006, No. 113289/25.08.2006, No. 113290/25.08.2006, No. 113291/25.08.2006, No. 113292/25.08.2006, No. 113293/25.08.2006, No. 113294/25.08.2006
Proposal	<p>The questioner is against the development of the Roşia Montană Project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -EIA doesn't present all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste storage facilities will not be built abiding by the Romanian legislation in force (at least 1000 m distance to the inhabited areas); -Financial guarantees for the closure and post-closure periods were not established. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis</p>

presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH

in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400 µg/m³ hourly average and 179 µg/m³ 8hr average will not be exceeded. These HCN concentrations

are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding „*the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits*”, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes

from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5396 Same as: 5397, 5398, 5399, 5400, 5401, 5402, 5403, 5404, 5405, 5406, 5407, 5408, 5409, 5410, 5411, 5412, 5413, 5414, 5415, 5416, 5417, 5418, 5419, 5420, 5421, 5422, 5423, 5424, 5425
No. to identify the observations received from the public	No. 112778/25.08.2006 Same as: No. 112779/25.08.2006, No. 112780/25.08.2006, No. 112781/25.08.2006, No. 112782/25.08.2006, No. 112783/25.08.2006, No. 112784/25.08.2006, No. 112785/25.08.2006, No. 112786/25.08.2006, No. 112787/25.08.2006, No. 112788/25.08.2006, No. 112789/25.08.2006, No. 112790/25.08.2006, No. 112791/25.08.2006, No. 112792/25.08.2006, No. 112793/25.08.2006, No. 112794/25.08.2006, No. 112795/25.08.2006, No. 112796/25.08.2006, No. 112797/25.08.2006, No. 112798/25.08.2006, No. 112799/25.08.2006, No. 112800/25.08.2006, No. 112801/25.08.2006, No. 112802/25.08.2006, No. 112803/25.08.2006, No. 112804/25.08.2006, No. 112805/25.08.2006, No. 112806/25.08.2006, No. 112807/25.08.2006
Proposal	<p>The questioner is against the development of the Roşia Montană Project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -EIA doesn't present all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste storage facilities will not be built abiding by the Romanian legislation in force (at least 1000 m distance to the inhabited areas); -Financial guarantees for the closure and post-closure periods were not established. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis</p>

presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH

in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400 µg/m³ hourly average and 179 µg/m³ 8hr average will not be exceeded. These HCN concentrations

are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding „*the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits*”, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes

from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5426 Same as: 5427, 5428, 5429, 5430, 5431, 5432, 5433, 5434, 5435, 5436, 5437, 5438, 5439, 5440, 5441, 5442, 5443, 5444, 5445, 5446, 5447, 5448, 5449, 5450, 5451, 5452, 5453, 5454, 5455
No. to identify the observations received from the public	No. 114496/25.08.2006 Same as: No. 114497/25.08.2006, No. 114498/25.08.2006, No. 114499/25.08.2006, No. 114500/25.08.2006, No. 114501/25.08.2006, No. 114502/25.08.2006, No. 114503/25.08.2006, No. 114504/25.08.2006, No. 114505/25.08.2006, No. 114506/25.08.2006, No. 113346/25.08.2006, No. 113347/25.08.2006, No. 113348/25.08.2006, No. 113349/25.08.2006, No. 113350/25.08.2006, No. 113351/25.08.2006, No. 113352/25.08.2006, No. 113353/25.08.2006, No. 113354/25.08.2006, No. 113355/25.08.2006, No. 113356/25.08.2006, No. 113357/25.08.2006, No. 113358/25.08.2006, No. 113359/25.08.2006, No. 113360/25.08.2006, No. 113361/25.08.2006, No. 113362/25.08.2006, No. 113363/25.08.2006, No. 113364/25.08.2006
Proposal	<p>The questioner is against the development of the Roşia Montană Project and makes the following observations and comments:</p> <ul style="list-style-type: none"> -EIA doesn't present all the possible risks caused by this project to the protected flora and fauna; -There is no liner proposed for the tailings management facilities; -The proposed waste storage facilities will not be built abiding by the Romanian legislation in force (at least 1000 m distance to the inhabited areas); -Financial guarantees for the closure and post-closure periods were not established. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of the potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis</p>

presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH

in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m³ hourly average and 179µ g/m³ 8hr average will not be exceeded. These HCN concentrations

are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding „*the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits*”, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes

from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.

1/D;5456/B

No. to identify the observations received from the public

No.
114734/
08.09.2006

Proposal

The questioner makes the following remarks and proposals:

- The overall costs for mine closure are not realistic;
- The financial guarantees have not been established;
- There is no liner proposed for the tailings management facilities;
- The EIA report does not mention financial guarantees regarding the safety of the waste storage facilities;
- There is no safety report available for the public consultation;
- The EIA report does not assess the "Zero Alternative";
- The Project poses a threat for protected flora and fauna;
- S.C. Roşia Montană Gold Corporation S.A. does not comply with the provisions of the art.11 from the Mining Law 85/2003.

The EIA report does not contain an impact assessment of the phenomenon "cyanide rain" caused by the cyanide evaporation from the tailings management facility nor a description of the trans-boundary impact in case of accident in some natural important areas such as KOROS MAROS National Park from Hungary located along the Mureş valley.

Solution

The overall costs for mine closure are realistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and re-vegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase

the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from not being realistic—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roșia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roșia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the

National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

This claim is not true. The safety report was submitted together with the Environmental Impact Assessment (EIA) Report on May 18th, 2006 and was available for public consultation at the locations where the EIA Report was submitted, both as hardcopy and in electronic form. The electronic copy of the report could be accessed both on the web page of the Ministry of Environment and Water Management, and on www.povesteaadevarata.ro.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and

environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and

priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The possibility for a “cyanide rain” phenomenon to occur doesn’t exist. Moreover, the specialty literature does not indicate a phenomenon called “cyanide rain”; it is known and researched only the “acid rains” phenomenon that has no connection with the behavior of the cyanide compounds in the atmosphere.

The reasons for stating that no “cyanide rains” phenomenon will ever occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution can not occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/l within the leaching tanks up to 7 mg/l (total cyanide) at the discharge point into the tailings management facility; the drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of cyanide chemistry and on the grounds of past experiences, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the

slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;

- Once released, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant; the maximum concentration being of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the limit value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air from the areas situated up to 2 km towards the north-eastern vicinity of the industrial site will be of 4 to 80 µg/m³/h, more than 250 – 12.5 times lower than limit value stipulated by the national legislation for labor protection;
- Once released in the air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). HCN is weak water-soluble at partial, low pressures (feature of the gases released in open air), and the rain will not effectively reduce the concentrations in the air (Mudder, et al., 2001, Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project to be higher than the background values (0.2 ppb) is extremely low.

On the basis of the above presented information, it is very clear that HCN emissions may have a certain local impact on atmosphere quality, restricted to well within legislated limits as described above, but their implication within a possible trans-boundary impact on air quality is excluded.

Also, the specialty literature doesn't comprise information related to the effects of a potential exposure of the vegetation or ecosystems to HCN and neither the effects of the fauna health as a result of inhaling the HCN polluted air.

For details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality, please see the Environmental Impact Assessment (EIA) Report, Chapter 2, Chapter 4.1 and Chapter 4.2.

The EIA Report (Chapter 10, Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mures and Tisa river basins in Hungary. Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mureş River Modelling Program and the full modelling report is presented as Annex 5.1.

Item no. 2/D;5457/B

No. to identify
the
observations
received from
the public
No.
114732/
31.08.2006

Proposal The questioner doesn't agree with the proposal of mining exploration for gold and silver in Roşia Montană.

Regarding your allegation, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environmental impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that *"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"*.

Solution Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environmental approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

Item no.

3/D;5458/B

No. to identify the observations received from the public

No.
114721/
28.08.2006

Proposal

The questioner doesn't agree with the proposal of mining exploration for gold and silver in Roşia Montană and makes the following remarks and comments:

- Negative impact on economy, development, health and human settlements within area;
- Ecological deterioration within area;
- Destruction of historical sites.

Solution

The questioner points to uniformly negative impacts from the Roşia Montană Project (RMP), while ignoring major benefits to an area that suffers chronic high unemployment, and the health effects of historic unremediated pollution caused by past poor mining practice.

To begin with the economic impact, the injection of investment into the area, if handled correctly, should stimulate other development. Roşia Montană Gold Corporation (RMGC) is committed to promoting long term development opportunities as part of the sustainable development plan.

In terms of creating new economic opportunities for local residents, RMGC currently employs almost 500 people, of whom more than 80 % live in Roşia Montană, Abrud, and Campeni. The RMP expects to employ on average 1,200 people during the two-year construction period and 634 people, including security, transportation and cleaning contracted personal, during its 16 years of operations. The goal is to source as many of the jobs locally as possible. Training programs are underway to assist people from the local communities around RMP to qualify for positions both during construction and then operations. If the required skills are not available locally, offers would be made to residents within a 100 km radius of RMP, with a preference to residents of Alba county. Based on our preliminary assessment, the majority of jobs both during construction and operations are expected to come from the local community.

RMGC has already established a protocol with the local authorities to ensure that residents of the local community have first preference for these jobs

In terms of environmental rehabilitation, Roşia Montană is an area already strongly impacted by pollution from past poor mining practices. This is clearly demonstrated by the baseline conditions studies which are included in the Environmental Impact Assessment Study Report (EIA).

The RMP, as proposed in the EIA, will lead to the mitigation of pollution from the area of Roşia Montană, because of the use of Best Available Techniques (BAT). The project will fully comply with all European and Romanian law and with international best practices. The EIA also details the procedures for closing the mine, which include significant environmental rehabilitation.

In terms of resettlement, the mining project affects four of Roşia Montană's 16 sub-comuna, requiring the acquisition of 379 homes. The property purchase plan designed by the company to acquire those properties follows World Bank guidelines, and is based on a willing seller/willing buyer model. To address interest on the part of those who sell their properties but wish to remain in Roşia Montană, the RMGC will build the new community of Piatra Albă, as local permits are obtained.

Public health in the village is also a critical concern for the company. The initiatives the company has undertaken include:

- A private dispensary & health clinic in Piatra Albă (see RRAP), accessible to wider community through health insurance
- Upgrading of a wing of Abrud hospital, accessible to the wider community through the national Romanian health system
- Improvement of mobile emergency medical system in the area
- The building of a new school, residential & civic centre in Piatra Albă. This is fully described in

the RRAP

- Health awareness campaigns (in partnership with local authorities & NGOs) covering: reproductive health, diet, and lifestyle amongst others
- Partnerships with education providers & NGOs concerning access to & improvement of education facilities in the area, e.g.: the NGO and local authorities lead CERT Educational Partnership (www.certapuseri.ro).

Any of these advantages on its own would suggest the spirit in which the RMGC approaches this project and the benefits it will bring. All of them together underscore the depth of the RMGC's commitment to the community.

For more information, please see Roşia Montană Sustainable Development Programs and Partnerships annex 4.

*

We strongly disagree with the assertion that the project will result in ecological deterioration of the area. In fact, due to the mine closure and environmental rehabilitation plan that RMGC proposed in the Report to the Environmental Impact Assessment study, the state of the local environment will sharply improve with the approval of the Project.

It is nevertheless true that the mining project is considered to have a significant environmental impact, namely with regard to the environmental factors (water, air, soil, subsoil, flora and fauna), according to the documents submitted as part of the EIA. But that merely requires a higher state of review for the project. The project will be operated in full compliance with Romanian and European law, including environmental law, and in accordance with international best practices, many of which improve the state of environmental protection. For instance, the impact on the flora and fauna during mine operations will occur only at the local level and will not lead to the extinction of any species.

With the approval of the Project the extensive environmental rehabilitation plan RMGC has proposed will take place and thus the environment of the local ecosystem improve at no cost to either the Romanian State or Romanian tax payers.

*

Based on the specialist reports and publications, the Roman galleries at Roşia Montană are considered important, but not unique. Thus, a catalog of ancient mining works in Transylvania and Banat – developed as part of the Environmental Impact Assessment Study for Roşia Montană – states that it is difficult to justify a claim that the Roşia Montană site is unique, at least in the context of Roman mining operations throughout the Empire, and particularly in Dacia Province. There are at least 20 other sites of relatively similar characteristics – some of which, including Ruda Brad, Bucium – the Vulcoi Corabia and the Haneş – Amlaşul Mare areas, have already provided real data on archaeological remains comparable to the ancient *Alburnus Maior* and discount claims for the uniqueness of the site.

Prior to 1999, the Roman galleries at Roşia Montană were not researched by mining archeology specialists, although their existence had been known for over 150 years. In practice, before 2000, this type of archaeological remains was unknown from scientific research, the references connected to these being in most of the times empirical. Neither the surface archaeological were better known the real sense of the word, but information originated from chance finds occasioned by agricultural and construction works.

Mining archeology research conducted – since 1999 – by a multi-disciplinary specialist team from the University of Toulouse Le Mirail (France), and coordinated by Dr. Beatrice Cauuet aimed to develop – as a first in Romania – a detailed study of this type of archaeological remains, i.e. old mining galleries of Roman and later periods. Extensive research and heritage studies conducted during 200-2006 helped create a comprehensive image of these the national cultural heritage assets, and to adopt specific measures in regard to their protection.

The study of these structures therefore meant better knowledge and documented decision making in regard to their conservation and enhancement. Based on the results of research conducted to date (and

finalized for Cetate, Carnic, Jig and ongoing in Orlea), it was decided to preserve and enhance the following areas of old mining works:

- the Cătălina Monulești Gallery – located in the Historic Center of Roșia Montană, where the most important cache of wax tablets and an ancient mine drainage system had been found in the past;
- mining sector Păru Carpeni – located in the south-eastern part of Orlea, where a successive chamber drainage system equipped with Roman wooden installations (wheels, channels, etc.) was discovered;
- the Piatra Corbului area – located in the south-western part of Cârnic, and preserving traces of fire and water mining operations of ancient and medieval age;
- the Văidoaia area – north-west of Roșia Montană village, preserving areas of ancient open cast mining.

Preventive archaeological research conducted in 2001-2006 helped define and research 13 archaeological sites, for some of which – once exhaustive research work was finalized – the decision was to apply the archaeological duty of care removal procedures, while for others it was decided to apply on site conservation – the funerary precinct at Tăul Găuri, the Roman relics on Dealu Carpeni; Orlea area will be researched in detail during the 2007-2012 period.

As for the historic mining galleries of the Roman period discovered in the mining sectors of Cătălina Monulești and Păru Carpeni, comprehensive rehabilitation, reinforcement and development works have been planned, in order help preserve them in situ and develop them for tourism. This decision was based on the value of the archaeological remains preserved in the galleries, i.e. the wooden Roman installations built for the drainage of mine water during the Roman Age (the so-called Roman wheels). At the same time, the gallery at Cătălina Monulești is renowned for being the one where – in mid 19th century – the most significant cache of waxed tablets was discovered (according to the sources in the historical archives they were 11 of the 32 artifacts of this kind known to date).

Most of the ancient mining works in Cârnic mountain, as well as other mining sectors, are only accessible in difficult conditions, to specialists, and are partly inaccessible to the public at large. Moreover, safety regulations governing similar activities in the museums of the European Union, and which will become law for Romania as well, are not compatible with the conversion of the Roman galleries, inherently exposed to high risk factors, to a space available to tourists. Note that there will be comparable Roman gallery sections that will be preserved on site. As an impact mitigation measure, apart from the full research and publication of research results, the specialists considered it appropriate to develop a 3D graphic model of these structures, and 1:1 replicas within the proposed mining museum at Roșia Montană.

As an alternative, the elaboration of a specialty study was taken into account in order to evaluate the costs needed for the integral preservation and introduction into the tourism circuit of the galleries situated in Cârnic massif. Thus, the necessary investments in order to arrange and maintain the public tourism in this massif rise at an amount unjustified from economic point of view (see the informative brochure entitled *Costs Estimate for the Development of Ancient Mining Networks from Cârnic* elaborated by British companies Gifford, Geo-Design and ForkersLtd).

For the Orlea area (the only one where ancient mining relics have been classified to date, i.e. under HML 2004 Roman mining operations at Alburnus Maior, Orlea area cod LMI AB-I-m-A-00065.02), research has only been of a preliminary nature so far. Detailed research of this area is planned for 2007-2012, and when this research is finalized the necessary measures under the law will have to be taken, either to conserve some sections on site, or to apply the archaeological duty of care removal procedure for others. Detailed information on random archaeological discoveries and preliminary archaeological research (both above and underground) in the area of Orlea Hill was published in the Environmental Impact Assessment Study for the Roșia Montană Project, vol. 6 – Cultural Heritage Baseline Study, Annex I p. 219-222. Also note that the study further states: “As Project development in Orlea area has been scheduled for a later date, as of 2007, surface archaeological investigations will focus on this area. Thus, the building activities involved in Project implementation can not be initiated before archaeological investigations carried out under the Romanian legal provisions and international recommendations and practice have been finalized. (Cultural Heritage Baseline Study, vol. 16, p. 46).

Within the Orlea Massif from Roșia Montană, a Mining Museum was established in 1980. In this mining

perimeter a series of well preserved galleries were arranged and separated by concrete walls towards the mining works which assured the access. The Orlea galleries have a characteristic trapezoidal profile, similarly with the mining works from Cărnic and other mining sector from Roșia Montană. Also, these ancient works suffered in time successive “reshaping”, respectively the taking again having in regard the mining of new ore reserves. These mining works destroyed parts from these ancient remains. Moreover, their preservation state falls into disrepair due to the recent mining works which used drilling – blasting technology, a fact leading to the rock destabilization and destroying of the underground mining remains. The removal of the rockfill from the ancient mining works during the mining archaeological investigations represents another factor contributing to the degradation of the ancient mining works. The degradation of the preservation condition of the mining remains of all ages is accelerated also by the closure of the mining operation managed by Minvest (June 01 2006), which assured, at a minimum level, the global drainage of the system of galleries of the Roșia Montană mine. The closure of a mining activity, according to the national norms in force, implies an extremely wide range of preservation measures, but at Roșia Montană the extractive activity purely and simply was stopped, the mine being abandoned. After few months from abandon, the main gallery of the mine water drainage, namely the Sf. Cruce from Orlea gallery is in a critic condition. In fact, the mine water silted the drainage ways longer than several kilometers. In the case when this mining heritage will be only “frozen” without to take maintenance measures, having in regard their preservation for the next generations, the result will be disastrous. All still existing remains will disappear due to the underground falling and flood. An edifying example consists – unfortunately – from the “Roman steps” from Brad (Roman remains also listed by Law 5/2000) where these became inaccessible when the maintenance works ceased.

Considering the importance of the cultural heritage at Roșia Montană and current legislation, the heritage research budget allocated for 2001-2006 by S.C. Roșia Montană Gold Corporation S.A. amounted to more than 10 million US\$. Moreover, based on the research results, the specialist opinions and competent authority decisions, the budget estimated by the Company for the research, conservation and restoration of the cultural heritage at Roșia Montană in future years, provided the Project is implemented, will be US\$ 25 million, as disclosed in the Environmental Impact Assessment of May 2006 (see EIA Report vol. 32, Archaeological Heritage Management Plan for Roșia Montană area, p. 84-85). Therefore, the intention is to continue work in Orlea area, and especially to create a **modern Mining Museum with geological, archaeological, industrial and ethnographic heritage** displays, and the development of tourist access to the **Cătălina-Monulești** gallery and to the monument at **Tăul Găuri**, as well as to **preserve and restore the 41 historic monument buildings and the protected area of Roșia Montană Historic Center**.

For summary information on the history of the research and the main discoveries related to the historic galleries at Roșia Montană, as well as for specialist conclusions in the matter, and assessments of a potential tourist trail of the historic mining structures at Cărnic, or for the opinions formulated in 2004 by Edward O’Hara, heritage rapporteur of the Parliamentary Assembly of the European Council, please consult the annexes entitled “Information on the Cultural Heritage of Roșia Montană and Related Management Aspects” and “Costs Estimate for the Development of Ancient Mining Networks from Cărnic”, as well as the annexed version in Romanian language of the O’Hara report. . Detailed information on the complex issues involved in the study of old mining works at Roșia Montană, on the results of this research and the prospective capitalization options is available in the Environmental Impact Assessment Study for the Roșia Montană Project, vol. 6 – Baseline Study, p. 26, 32-53, 79-105.

In conclusion, we note that there is no question of destroying the archaeological remains at Roșia Montană, or of merely replacing them with replicas. Research of this type – known as preventive/rescue archaeological research – is done everywhere in the world in relation to economic development of areas, and the costs thereof, as well as the costs of enhancing and maintaining the preserved areas, have to be provided by the investors, which leads to the establishment of a public private partnership in the protection of cultural assets, as provided by the European Convention of Malta (1992) on the protection of the archaeological heritage [1].

It is worth stressing that, apart from the obligations RMGC has committed to in protecting and preserving archaeological remains and historic monuments, there are a number of obligations that relate to both the local government authorities in Roșia Montană and Alba County and to the central government authorities, i.e. the Romanian State. The Cultural Heritage Management Plans included in the EIA Study Report provide clarification of such aspects (see EIA Report, vol. 32, Management Plan for the

Archaeological Heritage at Roşia Montană p. 22-24, 49, 55-56, 71-72 and EIA Report, vol. 33, Management Plan for the Historic Monuments and Protected Areas at Roşia Montană p. 28-29, 47-50, 51-53, 65-66, p. 103 – Annex 1).

All these publicly assumed commitments of the Company are described in detail in the EIA Report, vol. 33, Cultural Heritage Management Plan.

References:

[1] The text of this Convention is available on website:

<http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

Item no.

4/D;5459/B

No. to identify the observations received from the public

No.
114716/
28.08.2006

Proposal

The questioners don't agree with the proposal of mining exploration for gold and silver in Roşia Montană and make the following remarks and comments:
-The rescue of our national patrimony and archeological site of universal importance from Roşia Montană;
- The foreign companies want to take advantage from our mining resources.

Based on the specialist reports and publications, the Roman galleries at Roşia Montană are considered important, but not unique. Thus, a catalog of ancient mining works in Transylvania and Banat – developed as part of the Environmental Impact Assessment Study for Roşia Montană – states that it is difficult to justify a claim that the Roşia Montană site is unique, at least in the context of Roman mining operations throughout the Empire, and particularly in Dacia Province. There are at least 20 other sites of relatively similar characteristics – some of which, including Ruda Brad, Bucium – the Vulcoi Corabia and the Haneş – Amlaşul Mare areas, have already provided real data on archaeological remains comparable to the ancient *Alburnus Maior* and discount claims for the uniqueness of the site.

Prior to 1999, the Roman galleries at Roşia Montană were not researched by mining archeology specialists, although their existence had been known for over 150 years. In practice, before 2000, this type of archaeological remains was unknown from scientific research, the references connected to these being in most of the times empirical. Neither the surface archaeological were better known the real sense of the word, but information originated from chance finds occasioned by agricultural and construction works.

Mining archeology research conducted – since 1999 – by a multi-disciplinary specialist team from the University of Toulouse Le Mirail (France), and coordinated by Dr. Beatrice Cauuet aimed to develop – as a first in Romania – a detailed study of this type of archaeological remains, i.e. old mining galleries of Roman and later periods. Extensive research and heritage studies conducted during 200-2006 helped create a comprehensive image of these the national cultural heritage assets, and to adopt specific measures in regard to their protection.

Solution

The study of these structures therefore meant better knowledge and documented decision making in regard to their conservation and enhancement. Based on the results of research conducted to date (and finalized for Cetate, Carnic, Jig and ongoing in Orlea), it was decided to preserve and enhance the following areas of old mining works:

- the Cătălina Monuleşti Gallery – located in the Historic Center of Roşia Montană, where the most important cache of wax tablets and an ancient mine drainage system had been found in the past;
- mining sector Păru Carpeni – located in the south-eastern part of Orlea, where a successive chamber drainage system for underground water, equipped with Roman wooden installations (wheels, channels, etc.) was discovered;
- the Piatra Corbului area – located in the south-western part of Carnic, and preserving traces of fire and water mining operations of ancient and medieval age;
- the Vaidoaia area – north-west of Roşia Montană village, preserving areas of ancient open cast mining.

Preventive archaeological research conducted in 2001-2006 helped define and research 13 archaeological sites, for some of which – once exhaustive research work was finalized – the decision was to apply the archaeological duty of care removal procedures, while for others it was decided to apply on site conservation – the funerary precinct at Tăul Găuri, the Roman remains on the Carpeni hill; Orlea area will be researched in detail during the 2007-2012 period.

As for the historic mining galleries of the Roman period discovered in the mining sectors of Cătălina Monuleşti and Păru Carpeni, comprehensive rehabilitation, reinforcement and development works have been planned, in order help preserve them in situ and develop them for tourism. This decision was based

on the value of the archaeological remains preserved in the galleries, i.e. the wooden Roman installations built for the drainage of mine water during the Roman Age (the so-called Roman wheels). At the same time, the gallery at Cătălina Monulești is renowned for being the one where – in mid 19th century – the most significant cache of waxed tablets was discovered (according to the sources in the historical archives they were 11 of the 32 artifacts of this kind known to date).

Most of the ancient mining works in Cârnic mountain, as well as other mining sectors, are only accessible in difficult conditions, to specialists, and are partly inaccessible to the public at large. Moreover, safety regulations governing similar activities in the museums of the European Union, and which will become law for Romania as well, are not compatible with the conversion of the Roman galleries, inherently exposed to high risk factors, to a space available to tourists. Note that there will be comparable Roman gallery sections that will be preserved on site. As an impact mitigation measure, apart from the full research and publication of research results, the specialists considered it appropriate to develop a 3D graphic model of these structures, and 1:1 replicas within the proposed mining museum at Roșia Montană.

As an alternative, the elaboration of a specialty study was taken into account in order to evaluate the costs needed for the integral preservation and introduction into the tourism circuit of the galleries situated in Cârnic massif. Thus, the necessary investments in order to arrange and maintain the public tourism in this massif rise at an amount unjustified from economic point of view (see the informative brochure entitled *Costs Estimate for the Development of Ancient Mining Networks from Cârnic* elaborated by British companies Gifford, Geo-Design and ForkersLtd).

For the Orlea area (the only one where ancient mining relics have been classified to date, i.e. under HML 2004 Roman mining operations at Alburnus Maior, Orlea area cod LMI AB-I-m-A-00065.02), research has only been of a preliminary nature so far. Detailed research of this area is planned for 2007-2012, and when this research is finalized the necessary measures under the law will have to be taken, either to conserve some sections on site, or to apply the archaeological duty of care removal procedure for others. Detailed information on random archaeological discoveries and preliminary archaeological research (both above and underground) in the area of Orlea Hill was published in the Environmental Impact Assessment Study for the Roșia Montană Project, vol. 6 – Cultural Heritage Baseline Study, Annex I p. 231-236. Also note that the study further states: “As Project development in Orlea area has been scheduled for a later date, as of 2007, surface archaeological investigations will focus on this area. Thus, the building activities involved in Project implementation can not be initiated before archaeological investigations carried out under the Romanian legal provisions and international recommendations and practice have been finalized. (Cultural Heritage Baseline Study, vol. 6, p. 46).

Within the Orlea Massif from Roșia Montană, a Mining Museum was established in 1980. In this mining perimeter a series of well preserved galleries were arranged and separated by concrete walls towards the mining works which assured the access. The Orlea galleries have a characteristic trapezoidal profile, similarly with the mining works from Cârnic and other mining sector from Roșia Montană. Also, these ancient works suffered in time successive “reshaping”, respectively the taking again having in regard the mining of new ore reserves. These mining works destroyed parts from these ancient remains. Moreover, their preservation state falls into disrepair due to the recent mining works which used drilling – blasting technology, a fact leading to the rock destabilization and destroying of the underground mining remains. The removal of the rockfill from the ancient mining works during the mining archaeological investigations represents another factor contributing to the degradation of the ancient mining works. The degradation of the preservation condition of the mining remains of all ages is accelerated also by the closure of the mining operation managed by Minvest (June 01 2006), which assured, at a minimum level, the global drainage of the system of galleries of the Roșia Montană mine. The closure of a mining activity, according to the national norms in force, implies an extremely wide range of preservation measures, but at Roșia Montană the extractive activity purely and simply was stopped, the mine being abandoned. After few months from abandon, the main gallery of the mine water drainage, namely the Sf. Cruce from Orlea gallery is in a critic condition. In fact, the mine water silted the drainage ways longer than several kilometers. In the case when this mining heritage will be only “frozen” without to take maintenance measures, having in regard their preservation for the next generations, the result will be disastrous. All still existing remains will disappear due to the underground falling and flood. An edifying example consists – unfortunately – from the “Roman steps” from Brad (Roman remains also listed by Law 5/2000) where these became inaccessible when the maintenance works ceased.

Considering the importance of the cultural heritage at Roşia Montană and current legislation, the heritage research budget allocated for 2001-2006 by S.C. Roşia Montană Gold Corporation S.A. amounted to more than 10 million US\$. Moreover, based on the research results, the specialist opinions and competent authority decisions, the budget estimated by the Company for the research, conservation and restoration of the cultural heritage at Roşia Montană in future years, provided the Project is implemented, will be US\$ 25 million, as disclosed in the Environmental Impact Assessment of May 2006 (see EIA Report vol. 32, Archaeological Heritage Management Plan for Roşia Montană area, p. 84-85). Therefore, the intention is to continue work in Orlea area, and especially to create a **modern Mining Museum with geological, archaeological, industrial and ethnographic heritage** displays, and the development of tourist access to the **Cătălina-Monuleşti** gallery and to the monument at **Tăul Găuri**, as well as to **preserve and restore the 41 historic monument buildings and the protected area of Roşia Montană Historic Center**.

For summary information on the history of the research and the main discoveries related to the historic galleries at Roşia Montană, as well as for specialist conclusions in the matter, and assessments of a potential tourist trail of the historic mining structures at Cărnic, or for the opinions formulated in 2004 by Edward O'Hara, General Rapporteur on Cultural Heritage of the Parliamentary Assembly of the European Council, please consult the annexes entitled "Information on the Cultural heritage of Rosia Montana and Related Management Aspects" and "Costs Estimate for the Development of Ancient Mining Networks from Cărnic", as well as the annexed version in Romanian language of the O'Hara report.. Detailed information on the complex issues involved in the study of old mining works at Roşia Montană, on the results of this research and the prospective capitalization options is available in the Environmental Impact Assessment Study for the Roşia Montană Project, vol. 6 – Baseline Study, p. 32 36-58, 85-109.

In conclusion, we note that there is no question of destroying the archaeological remains at Roşia Montană, or of merely replacing them with replicas. Research of this type – known as preventative/rescue archaeological research – is done everywhere in the world in relation to economic development of areas, and the costs thereof, as well as the costs of enhancing and maintaining the preserved areas, have to be provided by the investors, which leads to the establishment of a public private partnership in the protection of cultural assets, as provided by the European Convention of Malta (1992) on the protection of the archaeological heritage [1].

It is worth stressing that, apart from the obligations RMGC has committed to in protecting and preserving archaeological remains and historic monuments, there are a number of obligations that relate to both the local government authorities in Roşia Montană and Alba County and to the central government authorities, i.e. the Romanian State. The Cultural Heritage Management Plans included in the EIA Study Report provide clarification of such aspects (see EIA Report, vol. 32, Management Plan for the Archaeological Heritage at Roşia Montană p. 22-24, 49, 55-56, 71-72 and EIA Report, vol. 33, Management Plan for the Historic Monuments and Protected Areas at Roşia Montană p. 28-29, 47-50, 51-53, 65-66, p. 103 – Annex 1).

All these publicly assumed commitments of the Company are described in detail in the EIA Report, vol. 33, Cultural Heritage Management Plan.

References:

[1] The text of this Convention is available on website:
<http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

*

In response to your allegation, please note that the Romanian State through the Ministry of Economy and Commerce ("MEC") holds a 19.3% ownership interest in the project. This interest is a fully carried interest with no obligation to fund its share of the capital investment.

The direct financial benefits to the Romanian State, at the local, county, and national level are projected to be of approximately US\$1,032 million. This includes the government's share of profits, profit taxes, royalties and other taxes such as payroll taxes. An additional US\$ 1.5 billion of Romanian goods and services will be acquired over the life of the project.

RMGC has been working on this project since 1998 and has invested over US\$200 million to date. By the time production begins, the company will have invested almost US\$1 billion.

Mining is a high risk industry; it is an industry rule of thumb that for every 1,000 projects considered, 100 merit drilling, and only one is opened as an actual productive mine. Approval of this project will show the world that Romania welcomes this type of productive foreign investment.

As to the gold remaining in the possession of the Romanian people, the Romanian National Bank will have the option to purchase any gold produced at Roşia Montană if it wishes.

Item no. 5/D;5460/B

No. to identify
the
observations
received from
the public
No.
114739/
18.09.2006

Proposal The questioner doesn't agree with the proposal of mining exploration for gold and silver in Roşia Montană.

Regarding your allegation, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environmental impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that *"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"*.

Solution Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environmental approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

Item no.

6/D;5461/B

No. to identify
the
observations
received from
the public

No.
114738/
18.09.2006

Proposal

The questioner doesn't agree with the proposal of mining exploration for gold and silver in Roşia Montană.

Solution

Regarding your allegation, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environmental impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that *"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"*.

Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environmental approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

Item no. 7/D;5462/B

No. to identify
the
observations
received from
the public
No.
114737/
18.09.2006

Proposal The questioner doesn't agree with the proposal of mining exploration for gold and silver in Roşia Montană.

Regarding your allegation, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environmental impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that "*based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues*".

Solution Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environmental approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and only after examining

- (i) the report on the environmental impact assessment study;
- (ii) the conclusions of the parties involved in the assessment;
- (iii) the possibilities to implement the project;
- (iv) the titleholder answers to the grounded proposals/comments of the public.

Item no.	8/D; 5463/B
No. to identify the observations received from the public	No. 114735/ 15.09.2006
Proposal	<p>The questioners do not agree to the gold and silver mining operation proposal for Roşia Montană and formulate the following remarks and comments:</p> <ul style="list-style-type: none"> -Difficulties regarding the documentations consulting; -There is no economic scenario that can be decisive for the project; - There is no an environment remediation plan; -The “The polluter pays” principle is not applied; -Non-observance of the EU Directive on underground waters -Insufficient environment financial quarantees; -There is no financial assurance for urgent disasters.
Solution	<p>Public consultation and information during the environmental impact assessment procedure, including the publication of the Environmental Impact Assessment (EIA) Report documentation for consultation purposes, have been made in compliance with the provisions of (i) Articles 11 (2), 12 and 15 of Government Decision no. 918/2002 regarding the Environmental Impact Assessment Framework Procedure and the Approval of the List of Public or Private Projects Forming the Object of This Procedure (“Government Decision no. 918/2002”)[1], (ii) Chapter 3 regarding the public information and participation in the environmental impact assessment procedure of Order no. 860/2002 of the Minister of Waters and Environmental Protection Regarding the Environmental Impact Assessment and Environmental Permitting Procedure (“Order no. 860/2002”), and of the principles established by the Aarhus Convention on access to information, public participation in decision-making and access to justice in environmental matters[2], and also of the provisions of Directive 85/337/EEC on Environmental Impact Assessment of the Effects of Certain Public and Private Projects on the Environment.</p> <p>For public information purposes, we have distributed more than 6,000 CDs and DVDs containing the EIA Report in the English and Romanian languages.</p> <p>The hardcopy of the EIA Study Report was available at 48 locations – town halls, environmental protection agencies, libraries, ministries, information centers of the Roşia Montană Project: Zlatna Town Hall, Deva Environmental Protection Agency, Arad Environmental Protection Agency, Arad Town Hall, Petroşani University Library, Turda Town Hall, Abrud Town Hall, Abrud Information Center, Câmpeni Town Hall, Luşă Town Hall, Roşia Montană Information Center, Bucium Information Center, Bucium Town Hall, Deva Town Hall, Deva County Library, Brad Town Hall, Roşia Montană Town Hall, Bistra Town Hall, Baia de Arieş Town Hall, Alba Iulia Town Hall, Alba Iulia Environmental Protection Agency, Alba County Prefecture, Alba County Council, Alba Iulia ‘1 Decembrie 1918’ University Library, Baia Mare North University Library, Romanian Academy Library, Baia Mare ‘Petre Dulfu’ County Library, Sibiu ‘Lucian Blaga’ University Library, Alba Iulia Information Center, Cluj Environmental Protection Local Agency, Cluj Environmental Protection Regional Agency, Cluj Town Hall, Cluj Technical University Library, Arad County Library, Cluj County Prefecture, Cluj ‘Babes Bolyai’ University Library, Bucharest Information Center, Bucharest Economic Studies Academy Library, Bucharest Central University Library, Bucharest National Library, Timişoara County Library, Bucharest Town Hall, Timişoara Western University Library, Petroşani University Library, Bucharest Ministry of Environment and Water Management, Arad ‘Vasile Goldiş’ University, Arad ‘Aurel Vlaicu’ University, Bucharest Environmental Protection National Agency, Sibiu Environmental Protection Agency, Roşia Montană Environmental Information Center. According to the law, public institutions had the obligation to allow public access to this documentation during the working hours.</p> <p>Also, the electronic copy of this study was made available on several web pages, such as: the web page of the Ministry of Environment and Water Management - www.mmediu.ro; Sibiu Regional Environmental Protection Agency - www.ipmsb.ro; Alba Environmental Protection Agency - www.apm-alba.ro; the web pages of Roşia Montană Gold Corporation S.A. (RMGC) and Gabriel Resources -</p>

References:

[1] Please note that Government Decision no. 918/2002 was abrogated by Government Decision no. 1213/2006 Regarding the Environmental Impact Assessment Framework Procedure for Certain Public and Private Projects, published in the *Official Gazette*, Part 1, no. 802 of 25/09/2006 (“Government Decision no. 1213/2006”). However, considering the provisions of Article 29 of Government Decision no. 1213/2006, stipulating that *“The projects transmitted to a competent environmental protection authority for the issuance of the environmental permit and forming the object of the environmental impact assessment, prior to the coming into force hereof, shall be subject to the environmental impact assessment procedure in force at the time of application”*, please note that the provisions of Government Decision no. 918/2002 are still applicable to RMGC’s project.

[2] The Aarhus Convention was ratified in Romania by Law no. 86/2000 for the Ratification of the Convention on Access to Information, Public Participation in Decision Making and Access to Justice in Environmental Matters, signed at Aarhus on June 25, 1998.

*

The assertion is not accurate. The project would still be profitable even if the market prices for gold and silver decline from their currently high levels. The estimated total cash cost to produce gold over the life of the project is USD 237/ounce. Based on a gold price of USD 600/ounce and a silver price of USD 10.50 /ounce, the total profit for all shareholders of the Roşia Montana Project (“RMP”) is USD 1,572 million, with an internal rate of return of 26%.

*

RMGC is committed to responsible mine closure and rehabilitation in Roşia Montană and we have a plan to achieve it. Our Mine Closure and Rehabilitation Management Plan (Plan J in the EIA) sets out a series of measures to ensure that the mine leaves as small an imprint as possible on Roşia Montană’s landscape. These measures are as follows:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits ;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake ;
- Covering and vegetating the tailings pond and its dam areas ;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas ;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment ;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

The mine’s rehabilitation will meet or exceed the standards set by the EU Mine Waste Directive, which dictates that RMGC must “restore the land to a satisfactory state, with particular regard to soil quality, wild life, natural habitats, freshwater systems, landscape, and appropriate beneficial uses.”

After completion of closure and rehabilitation, the 584 hectares (of the total 1646 hectares included in the PUZ) that compose the areas between the mine pits and processing facilities as well as the buffer zone will show no visual signs of the mining project. The infrastructure projects (i.e. roads, sewage treatment facilities, etc.) will be left for community use. In the case of the remaining 1062 hectares(see Chapter 4, Section 4.7 Landscape, table 3.1, from the EIA report), though they will be altered, they will also be remediate (reshaped, treated with an engineered soil-covering system, and revegetated) to blend with the surrounding landscape to the greatest extent possible.

*

The Roşia Montană Project (RMP) will be conducted in full compliance with all Romanian and European law, including environmental law, and in accordance with international best practices. Roşia Montană Gold Corporation (RMGC) has taken and will take every possible step to minimize the possibility of any environmental damage resulting from its operations. In the unlikely event that environmental damage were to occur, the company would be liable for this damage if the Romanian Government were to

determine that the damage resulted from the RMGC's fault.

The RMP will actually improve the environmental situation in Roșia Montană. Part of the project includes an aggressive plan of environmental rehabilitation, including in the mine closing plan, so that RMGC will also clean up the pollution that currently exists in the area from past poor mining practices. If anything, RMGC is assuming liability that under a strict definition of the "polluter pays" principle should belong to the previous operator of the mine. It is assuming this responsibility in good faith and because of its strong commitment to environmental protection.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or "the facility") has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam;
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, "The Tailings Facility Management Plan" for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

With respect to your comments made as regards a presumptive infringement of the provisions of Government Decision No.351/2005 ("GD 351/2005"), there are several aspects to be taken into consideration. Thus:

1. Firstly, please note that, according to the provisions of art. 6 of GD 351/2005, any activity that

might determine the discharge of dangerous substances into the environment is subject to the prior approval of the water management authorities and shall comply with the provisions of the water permit issued in accordance with the relevant legislation.

The GD 351/2005 provides that the water permit shall be issued only after all technical-construction measures are implemented as prevent the indirect discharge of dangerous substances into the underground waters. The maximum discharge limits are expressly provided under GD 351/2005 and compliance with such is a condition for granting and maintaining the water permit.

In accordance with the provisions of GD 351/2005, the actual discharge limits should be authorized by the relevant authority, such process being understood by the lawmaker in consideration of the complexity and variety of industrial activities, as well as the latest technological achievements.

Therefore, please note that the EIA stage is not intended to be finalized into an overall comprehensive permit, but it represents only a part of a more complex permitting process. Please note that, according with art. 3 of GD 918/2002, the data's level of detail provided in the EIA is the one available in the feasibility stage of the project, obviously making impossible for both the titleholder and authority to exhaust all required technical data and permits granted.

The adequate protection of the ground water shall be ensured by the terms and conditions of the water permit. The issuance of the water permit shall be performed following an individual assessment of the project, considering its particular aspects and the relevant legal requirements applicable for mining activities. Until the water permit is obtained, any allegation regarding the infringement of GD 351/2005 is obviously premature mainly because the water permit shall regulate, in accordance with the relevant legal provisions, the conditions to be observed by the developer as regards the protection of the ground water.

2. Secondly, kindly note that the complexity and specificity of mining projects generated the need of a particular legal framework. Therefore, for such projects, the reading of the legal provisions of a certain enactment should be corroborated with the relevant provisions of the other regulations applicable.

In this respect, please note that the understanding of GD 351/2005 must be corroborated with the provisions of the entire relevant legislation enforceable as regards Roşia Montană Project, with a particular accent to Directive 2006/21/EC on the management of waste from the extractive industries ("Directive 21").

The very scope of Directive 21 is to provide a specific legal framework for the extractive wastes and waste facilities related to mining projects, considering the complexity of such projects and the particular aspects of mining activities that can not always be subject to the common regulations on waste management and landfill.

From this perspective, Directive 21 provides that, an operator of a waste facility, as such is defined thereunder (please note that the TMF proposed by RMGC is considered a "waste facility" under Directive 21), must inter alia, ensure that:

- a) *"the waste facility is [...] designed so as to meet the necessary conditions for, in the short and long-term perspectives, preventing pollution of the soil, air, groundwater or surface water, taking into account especially Directives 76/464/EEC (1), 80/68/EEC (2) and 2000/60/EC, and ensuring efficient collection of contaminated water and leachate as and when required under the permit, and reducing erosion caused by water or wind as far as it is technically possible and economically viable;"*
- b) *"the waste facility is suitably constructed, managed and maintained to ensure its physical stability and to prevent pollution or contamination of soil, air, surface water or groundwater in the short and long-term perspectives as well as to minimize as far as possible damage to landscape."*

In addition, it should be mentioned that RMGC was required by MWEM under the Terms of Reference, to perform the EIA considering the provisions of Directive 21 and the BAT Management of Mining Waste. The Directive 21 was intended by the EU DG of Environment to be the legislative regime applicable to sound management of mining waste throughout Europe and therefore compliance with its provisions is mandatory.

*

The Roșia Montană Gold Corporation (“RMGC”) has established robust environmental financial guarantees, which follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

RMGC recognizes that mining, while permanently changing some surface topography, represents a temporary use of the land. Thus from the time the mine is constructed, continuing throughout its projected 16-year lifespan, closure-related activities – such as rehabilitating the land and water, and ensuring the safety and stability of the surrounding area – will be incorporated into our operating and closure plans.

In Romania, the creation of an Environmental Financial Guarantee (“EFG”) is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003). Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roșia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

There are two separate and distinct EFGs under Romanian law.

The first, which is updated annually, focuses on covering the projected reclamation costs associated with the operations of the mine in the following year. These costs are of no less than 1.5 percent per year, of total costs, reflective of annual work commitments.

The second, also updated annually, sets out the projected costs of the eventual closure of the Roșia Montană mine. The amount of the EFG to cover the final environmental rehabilitation is determined as an annual quota of the value of the environmental rehabilitation works provided within the monitoring program for the post-closure environmental elements. Such program is part of the Technical Program for Mine Closure, a document to be approved by the National Agency for Mineral Resources (“NAMR”).

The current projected closure cost for Roșia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

The annual updates capture the following four variables:

- Changes in the project that impact reclamation objectives ;
- Changes in Romania’s legal framework, including the implementation of EU directives ;
- New technologies that improve the science and practice of reclamation ;
- Changes in prices for key goods and services associated with reclamation.

Once these updates are completed, the new estimated closure costs will be incorporated into RMGC’s financial statements and made available to the public.

A number of different financial instruments are available to ensure that RMGC is capable of covering all of

the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The details of Roşia Montană Gold Corporation's ("RMGC") Environmental Financial Guarantee ("EFG") are discussed in the section of the Environmental Impact Assessment titled "Environmental and Social Management and System Plans" (Annex 1 of the subchapter titled "Mine Rehabilitation and Closure Management Plan").

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003). Two directives issued by the European Union also impact the EFG: the Mine Waste Directive ("MWD") and the Environmental Liability Directive ("ELD").

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

RMGC has retained one of the world's leading insurance brokers, which is well established in Romania and has a long and distinguished record of performing risk assessments on mining operations. The broker will use the most appropriate property and machinery breakdown engineers to conduct risk analysis and loss prevention audit activities, during the construction and operations activity at Roşia Montană, to minimize hazards. The broker will then determine the appropriate coverage, and work with A-rated insurance companies to put that program in place on behalf of RMGC, for all periods of the project life from construction through operations and closure.

RMGC is committed to maintaining the highest standards of occupational health and safety for its employees and service providers. Our utilization of Best Available Techniques helps us to ensure this goal is achieved. No organization gains from a loss, and to that end we will work to implement engineering solutions to risk, as they are far superior to insurance solutions to risk. Up to 75% of loss risk can be removed during the design and construction phase of a project.

Yet we recognize that with a project as large as that being undertaken at Roşia Montană, there is a need to hold comprehensive insurance policies (such policies are also a prerequisite for securing financing from lending institutions). Core coverage includes property, liability, and special purpose (e.g. delayed start up, transportation, non-owned). Thus in the event of legitimate claims against the company, these claims will be paid out by our insurers. All insurers and insurance coverage related to the mining operations at Roşia Montană will be in full compliance with Romania's insurance regulations.

Item no.	9/D; 5464/B
No. to identify the observations received from the public	No. 114724/ 31.08.2006
Proposal	The questioner opposes the proposed gold and silver mining project at Roşia Montană.
Solution	<p>Regarding your allegation, we mention that art. 44 (3) of the Minister of Waters and Environment Protection Order no. 860/2002 on the environmental impact assessment and the issuance of environmental agreements Procedures ("Order no. 860/2002") provides that <i>"based on the results of the public debate, the relevant authority for the environmental protection evaluates the grounded proposals/comments of the public and requests the titleholder the supplementation of the report on the environmental impact assessment study with an appendix comprising solutions for the solving of the indicated issues"</i>.</p> <p>Consequently, considering the fact that your proposal is just an allegation which does not indicate possible problems, nor provide additional information, we mention that the decision on the issuance or refusal of the environmental approval cannot be made only by considering a simple proposal, but according to certain objective criteria provided by the wording of art. 45 of the Order no. 860/2002 and <u>only after examining</u></p> <ul style="list-style-type: none"> (i) the report on the environmental impact assessment study; (ii) the conclusions of the parties involved in the assessment; (iii) the possibilities to implement the project; (iv) the titleholder answers to the grounded proposals/comments of the public.

Item no.

10/D;
5465/B

No. to identify
the
observations
received from
the public

No.
114722/
31.08.2006

Proposal

The questioner formulated remarks and proposals as follows:

- The total costs for the mine closure are unrealistic;
- The financial guarantees have not been established;
- There is no liner proposed for the tailings pond;
- The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit.
- There is not a Safety Report submitted for the public consultation;
- The EIA report does not assess the "Zero Alternative";
- The Project poses a threat for the protected flora and fauna;
- Roşia Montană Gold Corporation does not comply with the provisions of art. 11 of The Mining Law no. 85/2003.
- The EIA report does not comprise an assessment of the impact of "the cyanide rain" phenomenon generated by the evaporation of the cyanide from the tailings pond and also it does not describe the cross-border impact in case of a spillage affecting important natural areas, such as KOROS MAROS National Park located in Hungary, along the Mureş Valley.

Solution

The mine closure costs are not unrealistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and revegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase

the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003). Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Security Report has been made available for public access by being posted at the following Internet address http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm as well as through the printed version which could have been found at several information locations established for public hearings.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published

EU best available techniques (BAT) documentation.

*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and

priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The statement RMGC does not fulfill the provisions of art. 11 of the Mining Law no.85/2003, published in the Romanian Official Gazette, Section I, no. 197/27.03.2003 is incorrect. The Mining Law no. 85/2003 has a general applicability and makes no reference to the Roşia Montană Project or to other mining projects, as it has been mistakenly suggested. According to art. 11 of the Mining Law, *“the performance of mining activities on the lands where historical monuments are located, [...] archaeological sites of special interest [...], as well as the creation of an easement right for mining activities on such lands is strictly forbidden. The exemptions from the provisions of art. 1 are established by Government decision, with the approval of the relevant authorities in the field and by establishing indemnification and other compensatory measures”*.

Based on the Concession License for mining exploitation no. 47/1999, RMGC obtained the right to perform mining activities in the Roşia Montană perimeter, which includes areas upon which a protection regime has been instituted. In case the interdiction established by art. 11 would have been absolute, the Mining Law would have provided the legal interdiction of creating mining perimeters in the locations where there have been created protection regimes.

Such an interdiction does not exist; moreover, the Government Ordinance no. 43/2000 on the protection of the archaeological patrimony and declaring of some archaeological sites as national interest areas, republished in the Official Gazette, Section I, no. 951/24.11.2006 („GO no. 43/2000”), as well as Law n o. 422/2001 on the protection of the historical monuments, republished in the Official Gazette, Section I, no. 938/20.11.2006 („Law no. 422/2001”), provide specific procedures for the returning of such lands to current human activities, by declassifying the historical monument and by granting the archaeological clearance. Such procedures represent the rule applicable in all situations in which there is contemplated the performing of works requiring a construction authorization on lands subject to a protection regime.

The Mining Law no. 85/2003 does not forbid the use of such procedures, only allows that, in exceptional cases, the Government may be empowered, based on the Mining Law, to establish by decision the cases in which the performance of the mining activities would be possible without following the legal procedures

generally applicable, as provided by GO no. 42/2000 and Law no. 422/2001. Such a Government decision is not necessary in case of the Roşia Montană Project, as RMGC observes the provisions and procedures established by GO no. 43/2001 and Law no. 422/2001, for the archaeological clearance of the lands to be affected by the mining activities, as these are to be returned to the current human activities, as per the law.

Also, for the cultural patrimony values existing in the Roşia Montană perimeter and classified as per the law, the Project provides the creation of a protected area, within which no mining activity shall be performed, as well as the preservation *in situ* of the historical monuments located outside this area, as detailed in the Cultural Heritage Management Plan - Plan M from the EIA Report.

*

It is stated precisely that a “cyanide rain” phenomenon will not exist. Neither was encountered in other places or situations. Moreover, the specialty literature doesn't mention the so-called “cyanide rains” phenomenon, but only “acidic rains” phenomenon which can't be generated by the cyanic compounds breaking down in the atmosphere.

The reasons for making the statement that ‘cyanide rains’ phenomenon won't occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution cannot occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/L within the leaching tanks up to 7 mg/L (total cyanide) at the discharge point into the tailings management facility. The drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of the cyanide chemistry and on the grounds of the past experience, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released into air, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant. The maximum concentration is of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the standard value stipulated by the national legislation for occupational safety;
- The HCN concentrations within the ambient air in the populated areas close by the industrial site will be of 4 to 80 µg/m³, more than 250 – 12.5 times lower than standard value stipulated by the national legislation for occupational safety – the national legislation and European Union (EU) legislation on the Air Quality don't stipulate standard values for the population's health protection;
- Once released in air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being

weak water-soluble at partially low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001; Cicerone and Zellner, 1983);

- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project be significantly higher than the background values (0.2 ppb) is extremely low.

Details referring to the use of cyanide in the technological processes, to the cyanides balance as well as to the cyanide emission and the impact of the cyanides on the air quality are contained in the Environmental Impact Assessment (EIA) Report, Chapter 2, Subchapter 4.1 and Subchapter 4.2 (Section 4.2.3).

*

We appreciate that there is concern about transboundary impacts and have worked extensively with independent experts and scientists to fully assess all possibilities. These assessments, including a just-completed study of catastrophic failure scenarios by The University of Reading, have concluded that the Roşia Montană Project has no transboundary impact. A full copy of the University of Reading study can be found in the reference documents included as an annex to this report.

The Environmental Impact Assessment Report (EIA) (Chapter 10 Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial European Union Best Available Techniques (EU BAT) - compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the Tailings Management Facility -TMF- to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary. The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mures River Modelling Program and the full modelling report is presented as Annex 5.1.

Item no.	11/D; 5466/B Same as: 12/D,5467/B
No. to identify the observations received from the public	No. 114718/ 31.08.2006 Same as: Nr. 114719/31.08.2006
Proposal	<p>The questioner opposes the proposed gold and silver mining project at Roşia Montană and makes the following observations and comments:</p> <ul style="list-style-type: none"> -The tailings pond is unlined and is a hazard for the town of Abrud, as there is the risk of a failure; -The overall costs for mine closure are not realistic; -The Project poses a threat for protected flora and fauna; -The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate; -The company could not find an insurer for the mining project. -The EIA report does not assess the "Zero Alternative"; -The EIA report does not include an assessment of the "cyanide rain" phenomenon.
Solution	<p>An engineered liner is included in the design of the Tailings Management Facility (TMF) basin. Specifically, the Roşia Montană Tailings Management Facility (TMF or "the facility") has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.</p> <p>The TMF is composed of a series of individual components including:</p> <ul style="list-style-type: none"> • the tailings impoundment; • the tailings dam; • the secondary seepage collection pond; • the secondary containment dam; and • the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam. <p>All of these components are integral parts of the facility and necessary for the facility to perform as designed.</p> <p>The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, "The Tailings Facility Management Plan" for more information.</p> <p>The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:</p> <ul style="list-style-type: none"> • A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage; • A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage; • A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline; • A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit. <p>In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water</p>

is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

Proximity to Abrud

The EIA describes how the dam will be built with rockfill materials, engineered drain and filter materials and a low permeability core to control seepage. The facility is being designed and engineered by MWH, one of the leading dam designers in the world. In addition, the feasibility level designs have been reviewed and approved by certified Romanian dam experts and by the Romanian National Committee for the Safety of Large Dams. Prior to operation, the dam must again be certified for operations by the National Commission for Dams Safety (CONSIB).

The Tailings Management Facility (TMF) dam is rigorously designed to incorporate all EU, Romanian and international criteria to reduce the risk of failure. These guidelines allow for significant rainfall events and prevent dam failure due to overtopping. Specifically, the facility has been designed to store for the run off from two Probable Maximum Precipitation (PMP) events. This is generally referred to as the Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area.

Additionally, an emergency spillway for the dam will be constructed in the unlikely event that the site rainfall exceeds two PMPs. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Section 7 of the EIA report includes an assessment and analysis of risks and includes various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modeling indicates the extent of tailings runout for the specific conditions analyzed. Based on the two cases considered the tailings would not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

*

The overall costs for mine closure are realistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and re-vegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because

the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from not being realistic—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in

proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15th May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14th December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15th May 2006) and prior to the public debate strat up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26th 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot (art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

*

With respect to the issues indicated by you, namely the insurance of mining projects, we would like to underline the fact that the Directive no. 2004/35/CE regarding **on environmental liability with regard to the prevention and remedying of environmental damage**, which has been published in the Official Journal of the European Union no. L143/56 (“Directive no. 35/2004”) establishes the general governing framework with regard to environmental pollution.

According to the provisions stipulated by art. 1 of Directive no. 35/2004 “The purpose of this directive is to establish a framework of environmental liability based on the ‘polluter-pays’ principle, to prevent and remedy environmental damage.”

Directive no. 35/2004 states as a principle pursuant to the provisions of art. 14(1) the fact that “Member States shall take measures to encourage the development of financial security instruments and markets by the appropriate economic and financial operators, including financial mechanisms in case of insolvency, with the aim of enabling operators to use financial guarantees to cover their responsibilities under this Directive”.

Moreover, according to the provisions of art. 19(1) Directive no. 35/2004, Member States shall bring into force the laws, regulations and administrative provisions necessary to comply with this Directive by 30 April 2007. We would like to underline the fact that, up to now, the Directive no. 35/2004 hasn’t been transposed into our legislation. Taking into account the previously mentioned aspects, we kindly ask you to take notice of the fact that, at this moment there are no internal legal regulations to establish the material and procedural aspects related to the establishment of such a guarantee.

However, if specific legal dispositions are going to be created with regard to the establishment of certain guarantees, RMGC is going to take all necessary measures to fulfill all mandatory legal liabilities.

Moreover, we underline the fact that RMGC has contracted one of the world’s leading insurance brokers, which is well established in Romania and has a long and distinguished record of performing risk assessments on mining operations. The broker will use the most appropriate property and machinery breakdown engineers to conduct risk analysis and loss prevention audit activities, during the construction and operations activity at Roşia Montană, to minimize hazards. The broker will then determine the appropriate coverage, and work with A-rated insurance companies to put that program in place on behalf of RMGC, for all periods of the project life from construction through operations and closure.

RMGC is committed to maintaining the highest standards of occupational health and safety for its employees and service providers. Our utilization of Best Available Techniques helps us to ensure this goal

is achieved. No organization gains from a loss, and to that end we will work to implement engineering solutions to risk, as they are far superior to insurance solutions to risk. Up to 75% of loss risk can be removed during the design and construction phase of a project.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

It is stated precisely that a “cyanide rain” phenomenon will not exist. Neither was encountered in other places or situations. Moreover, the specialty literature doesn’t make any mentions related to the so-called “cyanide rains” phenomenon, but only “acidic rains” phenomenon which can’t be generated by the cyanic compounds breaking down in the atmosphere.

The reasons for making the statement that ‘cyanide rains’ phenomenon won’t occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution cannot occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/L within the leaching tanks up to 7 mg/L (total cyanide) at the discharge point into the tailings management facility. The drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of the cyanide chemistry and on the grounds of the past experience, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released into air, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant. The maximum concentration is of 382 µg/m³/h;

- The highest HCN concentrations within the ambient air will be 2.6 times lower than the standard value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air in the populated areas close by the industrial site will be of 4 to 80 $\mu\text{g}/\text{m}^3$, more than 250 – 12.5 times lower than standard value stipulated by the national legislation for labor protection – the national legislation and European Union (EU) legislation on the Air Quality don't stipulate standard values for the population's health protection;
- Once released in air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partially low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001; Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project be significantly higher than the background values (0.2 ppb) is extremely low.

Details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality are contained in the Environmental Impact Assessment (EIA) Report, Chapter 2, Subchapter 4.1 and Subchapter 4.2 (Section 4.2.3).

Item no.	13/D; 5468/B Same as: 14/D,5469/B
No. to identify the observations received from the public	No. 114720/ 31.08.2006 Same as: No. 114733/31.08.2006
Proposal	<p>The questioner opposes the proposed gold and silver mining project at Roşia Montană and makes the following observations and comments :</p> <ul style="list-style-type: none"> -The tailings pond is unlined and is a hazard for the town of Abrud, as there is the risk of a failure; -The overall costs for mine closure are not realistic. -The Project poses a threat for protected flora and fauna; -The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate; -The company could not find an insurer for the mining project; -The EIA report does not assess the "Zero Alternative"; -The EIA report does not include an assessment of the "cyanide rain" phenomenon.
Solution	<p>An engineered liner is included in the design of the Tailings Management Facility (TMF) basin. Specifically, the Roşia Montană Tailings Management Facility (TMF or "the facility") has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.</p> <p>The TMF is composed of a series of individual components including:</p> <ul style="list-style-type: none"> • the tailings impoundment; • the tailings dam; • the secondary seepage collection pond; • the secondary containment dam; and • the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam. <p>All of these components are integral parts of the facility and necessary for the facility to perform as designed.</p> <p>The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, "The Tailings Facility Management Plan" for more information.</p> <p>The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:</p> <ul style="list-style-type: none"> • A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage; • A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage; • A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline; • A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit. <p>In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water</p>

is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

Proximity to Abrud

The EIA describes how the dam will be built with rockfill materials, engineered drain and filter materials and a low permeability core to control seepage. The facility is being designed and engineered by MWH, one of the leading dam designers in the world. In addition, the feasibility level designs have been reviewed and approved by certified Romanian dam experts and by the Romanian National Committee for the Safety of Large Dams. Prior to operation, the dam must again be certified for operations by the National Commission for Dams Safety (CONSIB).

The Tailings Management Facility (TMF) dam is rigorously designed to incorporate all EU, Romanian and international criteria to reduce the risk of failure. These guidelines allow for significant rainfall events and prevent dam failure due to overtopping. Specifically, the facility has been designed to store for the run off from two Probable Maximum Precipitation (PMP) events. This is generally referred to as the Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area.

Additionally, an emergency spillway for the dam will be constructed in the unlikely event that the site rainfall exceeds two PMPs. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Section 7 of the EIA report includes an assessment and analysis of risks and includes various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modeling indicates the extent of tailings runout for the specific conditions analyzed. Based on the two cases considered the tailings would not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

*

The overall costs for mine closure are realistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and re-vegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because

the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from not being realistic—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world’s largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in

proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15th May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14th December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15th May 2006) and prior to the public debate strat up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26th 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot (art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

*

With respect to the issues indicated by you, namely the insurance of mining projects, we would like to underline the fact that the Directive no. 2004/35/CE regarding **on environmental liability with regard to the prevention and remedying of environmental damage**, which has been published in the Official Journal of the European Union no. L143/56 (“Directive no. 35/2004”) establishes the general governing framework with regard to environmental pollution.

According to the provisions stipulated by art. 1 of Directive no. 35/2004 “The purpose of this directive is to establish a framework of environmental liability based on the ‘polluter-pays’ principle, to prevent and remedy environmental damage.”

Directive no. 35/2004 states as a principle pursuant to the provisions of art. 14(1) the fact that “Member States shall take measures to encourage the development of financial security instruments and markets by the appropriate economic and financial operators, including financial mechanisms in case of insolvency, with the aim of enabling operators to use financial guarantees to cover their responsibilities under this Directive”.

Moreover, according to the provisions of art. 19(1) Directive no. 35/2004, Member States shall bring into force the laws, regulations and administrative provisions necessary to comply with this Directive by 30 April 2007. We would like to underline the fact that, up to now, the Directive no. 35/2004 hasn’t been transposed into our legislation. Taking into account the previously mentioned aspects, we kindly ask you to take notice of the fact that, at this moment there are no internal legal regulations to establish the material and procedural aspects related to the establishment of such a guarantee.

However, if specific legal dispositions are going to be created with regard to the establishment of certain guarantees, RMGC is going to take all necessary measures to fulfill all mandatory legal liabilities.

Moreover, we underline the fact that RMGC has contracted one of the world’s leading insurance brokers, which is well established in Romania and has a long and distinguished record of performing risk assessments on mining operations. The broker will use the most appropriate property and machinery breakdown engineers to conduct risk analysis and loss prevention audit activities, during the construction and operations activity at Roşia Montană, to minimize hazards. The broker will then determine the appropriate coverage, and work with A-rated insurance companies to put that program in place on behalf of RMGC, for all periods of the project life from construction through operations and closure.

RMGC is committed to maintaining the highest standards of occupational health and safety for its employees and service providers. Our utilization of Best Available Techniques helps us to ensure this goal

is achieved. No organization gains from a loss, and to that end we will work to implement engineering solutions to risk, as they are far superior to insurance solutions to risk. Up to 75% of loss risk can be removed during the design and construction phase of a project.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

It is stated precisely that a “cyanide rain” phenomenon will not exist. Neither was encountered in other places or situations. Moreover, the specialty literature doesn’t make any mentions related to the so-called “cyanide rains” phenomenon, but only “acidic rains” phenomenon which can’t be generated by the cyanic compounds breaking down in the atmosphere.

The reasons for making the statement that ‘cyanide rains’ phenomenon won’t occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution cannot occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/L within the leaching tanks up to 7 mg/L (total cyanide) at the discharge point into the tailings management facility. The drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of the cyanide chemistry and on the grounds of the past experience, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released into air, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant. The maximum concentration is of 382 µg/m³/h;

- The highest HCN concentrations within the ambient air will be 2.6 times lower than the standard value stipulated by the national legislation for labor protection;
- The HCN concentrations within the ambient air in the populated areas close by the industrial site will be of 4 to 80 $\mu\text{g}/\text{m}^3$, more than 250 – 12.5 times lower than standard value stipulated by the national legislation for labor protection – the national legislation and European Union (EU) legislation on the Air Quality don't stipulate standard values for the population's health protection;
- Once released in air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partially low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001; Cicerone and Zellner, 1983);
- The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project be significantly higher than the background values (0.2 ppb) is extremely low.

Details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality are contained in the Environmental Impact Assessment (EIA) Report, Chapter 2, Subchapter 4.1 and Subchapter 4.2 (Section 4.2.3).

Item no.	15/D; 5470/B Same as: 16/D,5471/B, 17/D,5472/B, 18/D,5473/B
No. to identify the observations received from the public	No. 114730/ 31.08.2006 Same as: No. 114729/31.08.2006, No. 114728/31.08.2006, No. 114734/08.09.2006
Proposal	<p>The questioner formulated remarks and proposals as follows:</p> <ul style="list-style-type: none"> - The total costs for the mine closure are unrealistic; - The financial guarantees have not been established; - There is no liner proposed for the tailings pond; - The EIA report does not stipulate financial guarantees destined to secure the waste rock deposit. - There is not a Safety Report submitted for the public consultation; - The EIA report does not assess the "Zero Alternative"; - The Project poses a threat for the protected flora and fauna; - Roşia Montană Gold Corporation does not comply with the provisions of art. 11 of The Mining Law no. 85/2003. - The EIA report does not comprise an assessment of the impact of "the cyanide rain" phenomenon generated by the evaporation of the cyanide from the tailings pond and also it does not describe the cross-border impact in case of a spillage affecting important natural areas, such as KOROS MAROS National Park located in Hungary, along the Mureş Valley.
Solution	<p>The mine closure costs are not unrealistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.</p> <p>Closure and rehabilitation at Roşia Montană involves the following measures:</p> <ul style="list-style-type: none"> • Covering and vegetating the waste dumps as far as they are not backfilled into the open pits; • Backfilling the open pits, except Cetate pit, which will be flooded to form a lake; • Covering and vegetating the tailings pond and its dam areas; • Dismantling of disused production facilities and revegetation of the cleaned-up areas; • Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment; • Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached. <p>While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense – that incurred by the earthmoving operation required to reshape the landscape – can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful revegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.</p> <p>Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase</p>

the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production

We believe that – far from being unrealistic – our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the

National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

*

The Security Report has been made available for public access by being posted at the following Internet address http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm as well as through the printed version which could have been found at several information locations established for public hearings.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on the protected flora and fauna will be obvious only at local level, and it will not lead to the disappearance of any species. The mining project was conceived from the onset so as to comply with the conditions and standards stipulated by the Romanian and European legislation in the field of environmental protection.

The company believes that the environmental impact generated by proposed project remains significant the more so as it will cover the pre-existing ones. But the required investments for the ecological restoration/rehabilitation of the Roşia Montană area meant to solve complex environmental issues existing at present can be developed only after the implementation of economic projects able to generate and ensure that direct and responsible measures are taken, as part of the principles that represent the basis for the sustainable development concepts. The presence of a strong economic system is the key for the implementation of clean economic processes and technologies, in full respect of the environment, which are able to remove the previous effects generated by anthropic activities.

The documentation drafted to support this mining project represents an objective justification for its implementation given that the company assumed the environmental responsibility, which is extremely complex in the Roşia Montană area.

Some of species existing at Roşia Montană that are under a certain protection status represent an insignificant percentage from populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Given the large amount of information contained, these tables are available in the electronic format of the EIA. 6000 DVD/CDs comprising the EIA Report have been made available to the public both in English and in Romanian. Moreover, the EIA is also available on RMGC's website as well as on the websites of the Ministry of Environment and Waters Management and of the Local and Regional Environment Protection Agencies of Alba County, Cluj County and Sibiu County, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to restore/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to

in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory. [...]

Art. 6. 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favorable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

The statement RMGC does not fulfill the provisions of art. 11 of the Mining Law no.85/2003, published in the Romanian Official Gazette, Section I, no. 197/27.03.2003 is incorrect. The Mining Law no. 85/2003 has a general applicability and makes no reference to the Roşia Montană Project or to other mining projects, as it has been mistakenly suggested. According to art. 11 of the Mining Law, *“the performance of mining activities on the lands where historical monuments are located, [...] archaeological sites of special interest [...], as well as the creation of an easement right for mining activities on such lands is strictly forbidden. The exemptions from the provisions of art. 1 are established by Government decision, with the approval of the relevant authorities in the field and by establishing indemnification and other compensatory measures”*.

Based on the Concession License for mining exploitation no. 47/1999, RMGC obtained the right to perform mining activities in the Roşia Montană perimeter, which includes areas upon which a protection regime has been instituted. In case the interdiction established by art. 11 would have been absolute, the Mining Law would have provided the legal interdiction of creating mining perimeters in the locations where there have been created protection regimes.

Such an interdiction does not exist; moreover, the Government Ordinance no. 43/2000 on the protection of the archaeological patrimony and declaring of some archaeological sites as national interest areas, republished in the Official Gazette, Section I, no. 951/24.11.2006 („GO no. 43/2000”), as well as Law n o. 422/2001 on the protection of the historical monuments, republished in the Official Gazette, Section I, no. 938/20.11.2006 („Law no. 422/2001”), provide specific procedures for the returning of such lands to current human activities, by declassifying the historical monument and by granting the archaeological clearance. Such procedures represent the rule applicable in all situations in which there is contemplated the performing of works requiring a construction authorization on lands subject to a protection regime.

The Mining Law no. 85/2003 does not forbid the use of such procedures, only allows that, in exceptional cases, the Government may be empowered, based on the Mining Law, to establish by decision the cases in which the performance of the mining activities would be possible without following the legal procedures generally applicable, as provided by GO no. 42/2000 and Law no. 422/2001. Such a Government decision is not necessary in case of the Roşia Montană Project, as RMGC observes the provisions and procedures established by GO no. 43/2001 and Law no. 422/2001, for the archaeological clearance of the lands to be affected by the mining activities, as these are to be returned to the current human activities, as per the law.

Also, for the cultural patrimony values existing in the Roşia Montană perimeter and classified as per the law, the Project provides the creation of a protected area, within which no mining activity shall be performed, as well as the preservation *in situ* of the historical monuments located outside this area, as detailed in the Cultural Heritage Management Plan - Plan M from the EIA Report.

*

It is stated precisely that a “cyanide rain” phenomenon will not exist. Neither was encountered in other places or situations. Moreover, the specialty literature doesn't mention the so-called “cyanide rains” phenomenon, but only “acidic rains” phenomenon which can't be generated by the cyanic compounds breaking down in the atmosphere.

The reasons for making the statement that ‘cyanide rains’ phenomenon won't occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution cannot occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/L within the leaching tanks up to 7 mg/L (total cyanide) at the discharge point into the tailings management facility. The drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of the cyanide chemistry and on the grounds of the past experience, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released into air, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant. The maximum concentration is of 382 µg/m³/h;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the standard value stipulated by the national legislation for occupational safety;
- The HCN concentrations within the ambient air in the populated areas close by the industrial site will be of 4 to 80 µg/m³, more than 250 – 12.5 times lower than standard value stipulated by the national legislation for occupational safety – the national legislation and European Union (EU) legislation on the Air Quality don't stipulate standard values for the population's health

- protection;
- Once released in air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partially low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001; Cicerone and Zellner, 1983);
 - The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project be significantly higher than the background values (0.2 ppb) is extremely low.

Details referring to the use of cyanide in the technological processes, to the cyanides balance as well as to the cyanide emission and the impact of the cyanides on the air quality are contained in the Environmental Impact Assessment (EIA) Report, Chapter 2, Subchapter 4.1 and Subchapter 4.2 (Section 4.2.3).

*

We appreciate that there is concern about transboundary impacts and have worked extensively with independent experts and scientists to fully assess all possibilities. These assessments, including a just-completed study of catastrophic failure scenarios by The University of Reading, have concluded that the Roşia Montană Project has no transboundary impact. A full copy of the University of Reading study can be found in the reference documents included as an annex to this report.

The Environmental Impact Assessment Report (EIA) (Chapter 10 Transboundary Impacts) assesses the proposed project with regard to potential for significant river basin and transboundary impacts downstream which could, for example, affect the Mureş and Tisa river basins in Hungary. The Chapter concludes that under normal operating conditions, there would be no significant impact for downstream river basins/transboundary conditions.

The issue of a possible accidental large-scale release of tailings to the river system was recognized to be an important issue during the public meetings when stakeholders conveyed their concern in this regard. As a result, further work has been undertaken to provide additional detail to that provided in the EIA Report on impacts on water quality downstream of the project and into Hungary. This work includes modelling of water quality under a range of possible operational and accident scenarios and for various flow conditions.

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modelling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physico-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial European Union Best Available Techniques (EU BAT) - compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the Tailings Management Facility -TMF- to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modelling work is presented under the title of the Mures River Modelling Program and the full modelling report is presented as Annex 5.1.

Item no.	19/D; 5474/B Same as: 20/D,5475/B, 21/D,5476/B, 22/D,5477/B, 23/D,5478/B, 24/D,5479/B, 25/D,5480/B, 26/D,5481/B, 27/D,5482/B, 28/D,5483/B, 29/D,5484/B
No. to identify the observations received from the public	No. 114726/ 31.08.2006 Same as: No. 114727/31.08.2006, No. 114731/31.08.2006, No. 114736/15.09.2006, No. 114274/28.08.2006, No. 114717/28.08.2006, No. 114723/31.08.2006, No. 114275/28.08.2006, No. 114278/28.08.2006, No. 114277/28.08.2006, No. 114276/28.08.2006
Proposal	<p>The questioner opposes the proposed gold and silver mining project at Roşia Montană and formulate comments and observations as follows:</p> <ul style="list-style-type: none"> -In EIA there are not presented all the possible risks derived from this project; -The overall costs for mine closure are not realistic. -There isn't until now an approved Zonal Urbanism Plan for the Protected Areas; -The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate; -Information about the foundation which RMGC will establish and subsidize is not given. This foundation follows to assume the obligations which the mining operation can not assume; -The present urbanism plans of the Roşia Montană commune do not correspond with the mining project proposal described in EIA; -There is no liner proposed for the tailings pond; -The proposed waste deposits will be not constructed according to the legislation in force; -The financial guarantees have not been established; -There is not a Safety Report submitted for the public consultation and evaluation by the competent authorities; -The EIA report does not assess the "Zero Alternative"; -The Project poses a threat for protected flora and fauna; -The EIA report does not refer to the impact on the listed heritage buildings of noise and vibrations caused by the mining operations; -The public/ONGs which to consult the contracts and agreements between Company and Romanian State; -The Urbanism Plan has been modified without public consultation; -From archeological point of view, the area proposed to by occupied by project was not legally investigated; -It disputes the spiritual and architectural monuments, including the responsible involvement of the Institutions of the State in the protection program;
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of he potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, "Risk Cases", from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so,</p>

socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.

More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.

A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer

serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river

system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of $400\mu\text{g}/\text{m}^3$ hourly average and $179\mu\text{g}/\text{m}^3$ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m^3 discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m^3/s . Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page 173-176.

*

The overall costs for mine closure are realistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and re-vegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase in the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from not being realistic—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

According to Law 5/2000, regarding the approval of the Territory Arrangement Plan – 3rd Section – protected areas (“Law 5/2000”) (article 5, paragraphs 2-3), local public authorities, with the support of the competent central public authorities, had the obligation to establish the boundaries of the protection areas for the cultural heritage elements stipulated in Annex III to the above-mentioned law. This measure should have been taken within 12 months from the effective date of Law 5/2000, based on specialized studies. For this purpose, the local public authorities had to prepare the town planning documentation and its related regulations, developed and approved according to the law. This documentation must comprise the necessary protection and conservation measures for the national cultural heritage elements located in this area.

Concurrently, Law 350/2001 on the territory arrangement and urbanism stipulates the right of legal or natural persons interested in arranging the territory, to initiate the development of urbanism plans.

In accordance with these legal provisions, in 2001, RMGC initiated the preparation of these specific town-planning documentations - the General Urbanism Plan and the Zonal Urbanism Plan. These plans have been developed by Romanian certified companies and followed the legal approval procedure. The permit for the establishment of the Roşia Montană Historical Centre Protected Area was issued by the Ministry of Culture and Religious Affairs in 2002 (permits no. 61/14.02.2002 and no. 178/20.06.2002) as part of the procedure for the approval of the town planning documentation. Based on these permits, the Ministry of Culture and Religious Affairs requested the company to develop a Zonal Urbanism Plan for the Historical Centre of Roşia Montană. Out of the 41 historical buildings in Roşia Montană, thirty-five (35) are located inside the protected area of the Roşia Montană Historical Centre.

As for the heritage elements located in the future industrial development area (6 historical buildings), these are discussed in the Industrial Zonal Urbanism Plan prepared by SC Proiect Alba SA. The regulations

included in this document will contain measures for the protection of these monuments.

In conclusion, the town planning studies and the specialized studies conducted for the purpose of establishing the boundaries of the protection areas within the future mining operations perimeter are currently pending approval, in accordance with the legal provisions, by the competent institutions and committees. Please note that none of the historical houses located in the perimeter of the proposed project will be affected; on the contrary, all the 41 historic buildings will be included in a complex restoration and rehabilitation program (see the Management Plan). This program is mandatory, regardless of the implementation of the mining project, if we want to prevent these buildings from collapsing because of their advanced degradation.

*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15th May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14th December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15th May 2006) and prior to the public debate start up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26th 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot (art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

*

Introduced as part of the Environmental Impact Assessment Report Study (EIA), the Roşia Montană Foundation is shifting in focus. The Community Sustainable Development Plan activities initially conceived as coming under the Foundation umbrella (business oriented activities: business incubator, business advisory center, micro-finance facility, as well as social oriented activities: education and training center) have been advanced independently, via partnerships and with community participation in decision-making – a preferable way to advance social and economic development programs.

Going forward, the Foundation will take shape around preservation, patrimony and cultural heritage issues, with its final form determined in consultation with the community.

In terms of the philosophy that guides the company's Sustainable Development efforts, the Roşia

Montană Gold Corporation (RMGC) sees itself not as principal provider, but as a partner. Community involvement is considered the starting point; over time, as the community builds the capacity to maintain programs in its own right, the company will turn over control of currently-established programs to the community and its institutions.

For more information, please see Roșia Montană Sustainable Development and the Roșia Montană Project – annex 4.

*

We underline the fact that your statement is false. The General Urbanism Plan for the Roșia Montană commune, endorsed in 2002 allows the development of Roșia Montană project, as it has been presented during the public consultations.

Concurrently, pursuant to the provisions of art. 41, paragraph 2, from the Mining Law no.85/2003, the authorities from the local administration have the liability to adjust and/or update the territory arrangement plans and the general urbanism plans, in order to allow the development of all operations necessary for the development of mining activities.

RMGC has also initiated the preparation of two zonal urbanism plans: Zonal Urbanism Plan Modification – Roșia Montană Industrial Area and Zonal Urbanism Plan – Roșia Montană Historical Area. The first urbanism plan is required by the urbanism certificate no.78/26.04.2006, which updates the Zonal Urbanism Plan for the Industrial Area approved in 2002. As far as the historical area is concerned, its Zonal Urbanism Plan is required by the General Urbanism Plan approved also in 2002. Both urbanism plans are pending approval and have been subject to public consultations.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;

- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

With respect to your comments made as regards a presumptive infringement of the provisions of

Government Decision No.351/2005 (“GD 351/2005”), there are several aspects to be taken into consideration. Thus:

1. Firstly, please note that, according to the provisions of art. 6 of GD 351/2005, any activity that might determine the discharge of dangerous substances into the environment is subject to the prior approval of the water management authorities and shall comply with the provisions of the water permit issued in accordance with the relevant legislation.

The GD 351/2005 provides that the water permit shall be issued only after all technical-construction measures are implemented as prevent the indirect discharge of dangerous substances into the underground waters. The maximum discharge limits are expressly provided under GD 351/2005 and compliance with such is a condition for granting and maintaining the water permit.

In accordance with the provisions of GD 351/2005, the actual discharge limits should be authorized by the relevant authority, such process being understood by the lawmaker in consideration of the complexity and variety of industrial activities, as well as the latest technological achievements.

Therefore, please note that the EIA stage is not intended to be finalized into an overall comprehensive permit, but it represents only a part of a more complex permitting process. Please note that, according with art. 3 of GD 918/2002, the data’s level of detail provided in the EIA is the one available in the feasibility stage of the project, obviously making impossible for both the titleholder and authority to exhaust all required technical data and permits granted.

The adequate protection of the ground water shall be ensured by the terms and conditions of the water permit. The issuance of the water permit shall be performed following an individual assessment of the project, considering its particular aspects and the relevant legal requirements applicable for mining activities. Until the water permit is obtained, any allegation regarding the infringement of GD 351/2005 is obviously premature mainly because the water permit shall regulate, in accordance with the relevant legal provisions, the conditions to be observed by the developer as regards the protection of the ground water;

2. Secondly, kindly note that the complexity and specificity of mining projects generated the need of a particular legal framework. Therefore, for such projects, the reading of the legal provisions of a certain enactment should be corroborated with the relevant provisions of the other regulations applicable.

In this respect, please not that the understanding of GD 351/2005 must be corroborated with the provisions of the entire relevant legislation enforceable as regards Roşia Montană Project, with a particular accent to Directive 2006/21/EC on the management of waste from the extractive industries (“Directive 21”).

The very scope of Directive 21 is to provide a specific legal framework for the extractive wastes and waste facilities related to mining projects, considering the complexity of such projects and the particular aspects of mining activities that can not always be subject to the common regulations on waste management and landfill.

From this perspective, Directive 21 provides that, an operator of a waste facility, as such is defined thereunder (please note that the TMF proposed by RMGC is considered a “waste facility” under Directive 21), must inter alia, ensure that:

- a) *“the waste facility is [...]designed so as to meet the necessary conditions for, in the short and long-term perspectives, preventing pollution of the soil, air, groundwater or surface water, taking into account especially Directives 76/464/EEC (1), 80/68/EEC (2) and 2000/60/EC, and ensuring efficient collection of contaminated water and leachate as and when required under the permit, and reducing erosion caused by water or wind as far as it is technically possible and economically viable;”*
- b) *“the waste facility is suitably constructed, managed and maintained to ensure its physical stability and to prevent pollution or contamination of soil, air, surface water or groundwater in the short and long-term perspectives as well as to minimize as far as possible damage to landscape.”*

In addition, it should be mentioned that RMGC was required by MWEM under the Terms of Reference, to perform the EIA considering the provisions of Directive 21 and the BAT Management of Mining Waste. The Directive 21 was intended by the EU DG of Environment to be the legislative regime applicable to

sound management of mining waste throughout Europe and therefore compliance with its provisions is mandatory.

*

Information regarding our Environmental Financial Guarantee (“EFG”) is fully discussed in the section of the Environmental Impact Assessment titled “Environmental and Social Management and System Plans” (Annex 1 of the subchapter titled “Mine Rehabilitation and Closure Management Plan”). The EFG is updated annually and will always reflect the costs associated with reclamation. These funds will be held in protected accounts at the Romanian state disposal.

In Romania, the creation of an EFG is required to ensure adequate funds are available from the mine operator for environmental cleanup. The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roșia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The current projected closure cost for Roșia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan. The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit;
- Trust funds;
- Letter of credit;
- Surety bonds;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roșia Montană project.

*

The Security Report has been made available for public access by being posted at the following Internet address http://www.mmediu.ro/dep_mediu/rosia_montana_securitate.htm as well as through the printed

version which could have been found at several information locations established for public hearings.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

This statement is ungrounded, because the environmental impact assessment (EIA) process has included preliminary cumulative estimates for stationary motorized equipment and linear (vehicular) sources were prepared in order to provide an initial understanding of the potential cumulative noise and vibration impacts from background and Roşia Montană Project sources, and to guide future monitoring and measurement activities as well as the selection of appropriate Best Management Practices/Best Available Techniques for further mitigation of the potential noise and vibration impacts from Project activities. These preliminary estimates apply to major construction activities, as well as the operation and decommissioning/closure of the mine and process plant. They are documented as data tables and isopleth maps for major noise-generating activities in selected, representative Project years; see **Tables 4.3.8** through **4.3.16** and **Exhibits 4.3.1** through **4.3.9**. All these details related to the applied assessment methodology, the input data of the dispersion model, the modeling results and the measures established for the prevention/mitigation/elimination of the potential impact for all project stages (construction, operation, closure) are included in Chapter 4, Section 4.3 Noise and Vibrations of the EIA Report.

Project Years 0, 9, 10, 12, 14, and 19 were selected for modeling because they are considered to be representative of the most significant levels of noise-generating activity. They are also the same years used

for air impact modeling purposes in Section 4.2, as air and noise impacts share many of the same sources or are otherwise closely correlated. In order to more accurately reflect potential receptor impacts, all of these exhibits integrate the background traffic estimates discussed in Section 4.3.6.1.

The Project site plan and process plant area and facility drawings were used to establish the position of the noise sources and other relevant physical characteristics of the site. Receptor locations were established using background reports and project engineering and environmental documentation provided by RMGC. With this information, the source locations and receptor locations were translated into input (x, y, and z) co-ordinates for the noise-modeling program.

Tables 4.3.8 through 4.3.16 and **Exhibits 4.3.1 through 4.3.9** present the average maximum noise values likely to be experienced by the receptor community over all Project phases after incorporation of a variety of initial mitigation measures designed specifically to reduce the impacts associated with mobile and stationary machinery sources. The influence of non-mining related background (primarily traffic) noise is also included.

To evaluate the sound levels associated with haul trucks and other mobile sources crossing the site carrying excavated ore, waste rock, and soil, a noise analysis program based on the (U.S.) Federal Highway Administration's (FHWA) standard RD-77-108 [1] model was used to calculate reference noise emissions values for heavy trucks along the project roadways. The FHWA model predicts hourly L_{eq} values for free-flowing traffic conditions and is generally considered to be accurate within 1.5 decibels (dB).

The model is based on the standardized noise emission factors for different types and weights of vehicles (e.g., automobiles, medium trucks, and heavy trucks), with consideration given to vehicle volume, speed, roadway configuration, distance to the receiver, and the acoustical characteristics of the site. The emission levels of all three vehicle types increase as a function of the logarithm of their speed.

To evaluate the sound sources from the proposed mine processing facility and the semi-stationary material handling equipment (at the ore extraction, waste rock and soil stockpiling areas), a proprietary computerized noise prediction program was used by AAC to simulate and model the future equipment noise emissions throughout the area. The modeling program uses industry-accepted propagation algorithms based on the following American National Standards Institute (ANSI) and International Organization for Standardization (ISO) standards:

- *ANSI S1.26-1995 (R2004), Method for the Calculation of the Absorption of Sound by the Atmosphere;*
- *ISO 9613-1:1993, Acoustics -- Attenuation of sound during propagation outdoors-- Part 1: Calculation of the absorption of sound by the atmosphere;*
- *ISO 9613-2:1996, Acoustics -- Attenuation of sound during propagation outdoors -- Part 2: General method of calculation;*
- *ISO 3891:1978, Acoustics -- Procedure for describing aircraft noise heard on the ground.*

The calculations account for classical sound wave divergence (i.e., spherical spreading loss with adjustments for source directivity from point sources) plus attenuation factors due to air absorption, minimal ground effects, and barriers/shielding.

This model has been validated by AAC over a number of years via noise measurements at several operating industrial sites that had been previously modeled during the engineering design phases. The comparison of modeled predictions versus actual measurements has consistently shown close agreement; typically in the range of 1 to 3 dB (A).

References:

[1] FHWA Highway Traffic Noise Prediction Model; see Federal Highway Administration Report Number FHWA-RD-77-108, USA, Washington, D.C., 1978.

A detailed presentation of blasting technology can be found in the annex 7.1 - Proposed blasting technology for the operational phase of Roşia Montană Project.

*

The partnership between Gabriel Resources and Regia Autonomă a Cuprului Deva (currently, CNCAF Minvest SA) has been established based on Law no. 15/1990 on the reorganization of the state owned companies as autonomous directions and trade companies, published in the Official Gazette, Section I, no. 98/08.08.1990, as subsequently amended and supplemented. Art. 35 of this law provides the possibility of the regies autonomous to enter into partnerships with legal third parties, Romanian or foreign, for the purpose of setting up new trading companies.

Roșia Montană Gold Corporation SA was set up in 1997, according to the legal provisions in force as at that time, the setting up being made by observing all the conditions imposed by Company Law no. 31/1990 and Trade Register Law no. 26/1990, in regard of the setting up of the joint stock companies with mixed capital.

We underline that the Articles of Associations of Roșia Montană Gold Corporation SA, representing the result of the parties agreement in regard of the terms and conditions under which the partnership between the Romanian state and investor takes place represents a public document, being included in the category of documents which, as per Law no. 26/1990 on the Trade Register, are published in the Romanian Official Gazette and for which the Trade Register is obliged to issue, on the expense of the persons submitting a request, certified copies.

As for the agreement concerning the setting up of the mixed company together with Gabriel Resources Ltd., this has been expressed by the Ministry of Industry and Trade, the conditions imposed by the setting up of the mixed company being the following: (i) ensuring of the jobs at the level existing upon the conclusion of the agreement concerning the setting up of the mixed company; (ii) the expenses incurred by the fulfillment of the exploration stage should be fully supported by Gabriel; (iii) the obtaining of the approval from the ANRM by the Copper Autonomous Direction Deva and (iv) the observance of all legal provisions in force concerning the setting up of the mixed companies with foreign partners. These conditions have been fully complied withy as at the setting up of the company and during the development of its activity.

We also specify that the establishing of the shareholders' quotas to the benefits and losses of Roșia Montană Gold Corporation SA has been made by considering their contribution quota to the company's share capital. The current percentage of 80% for Gabriel Resources Ltd. and of 19.31% for CNCAF Minvest SA resulted from the initial contribution and the subsequent contributions of the shareholders to the company's share capital, in consideration also of Gabriel Resources Ltd. advancing all expenses and costs related to the development-exploitation and permitting of the Roșia Montană Mining Project.

The provisions of the Articles of Associations of Roșia Montană Gold Corporation SA on the necessary majority and quorum conditions for the decision-making process within the General Shareholders Meeting and the quotas to the benefits and losses of the company are taken from Law no. 31/1990, and no derogation exists in regard of this aspect.

*

This claim is not true; the Urbanism Plan has been prepared with public consultation.

Roșia Montană Gold Corporation SA (RMGC) has requested and obtained from Alba County Council the Urbanism Certificate no. 78 of 26.04.2006, for the entire Roșia Montană mining project, including the tailings management facility. The Urbanism Certificate also stipulated the preparation of a Zonal Urbanism Plan, to reflect all changes made to the Roșia Montană Project, following the public consultations and debates organized in relation to this project, and the consultations with the permitting authorities. This plan, entitled "Modification of the Zonal Urbanism Plan, Roșia Montană Industrial Area", was prepared and subjected to public debate in June 2006 in accordance with the provisions of Order no.176/N/2000 issued by the Ministry of Public Works and Territory Development for the approval of the technical regulations "Guidelines regarding the methodology applied for the preparation and framework content of the Zonal Urbanism Plan" and, at present, it is pending approval.

Concerning the Roșia Montană General Urbanism Plan approved in 2002, such plan was prepared in parallel with the Zonal Urbanism Plan of 2002, all the provisions of the General Urbanism Plan being also included in the Zonal Urbanism Plan. Also, the approval procedure related to the two urbanism plans was

carried out in parallel.

*

Preventive archaeological researches within the Roşia Montană mining project area have been undertaken based on specific techniques, specifically trial trenches in all accessible areas that are suitable for human habitation, taking into account the bibliographical information and the observations recorded during the archaeological survey campaigns, the geophysical studies and the analyses of the photogrammetric flights. In addition, surface investigations were undertaken, where appropriate.

The archaeological researches at Roşia Montană covered a large surface and focused on the areas known to have archaeological potential. THEREFORE, ALL AREAS THAT HAVE BEEN ARCHAEOLOGICALLY DISCHARGED HAD BEEN PREVIOUSLY INVESTIGATED. All research programs, beginning with the 2004 campaign, have been undertaken in full compliance with the current legal requirements, i.e. Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs.

The proposed gold mining project at Roşia Montană has raised a series of issues related to the rescue of the historical-archaeological heritage within the area, as well as issues related to its scientific development and also the enhancement of heritage within a museum. Given the complex difficulties encountered in this respect, the Ministry of Culture and Religious Affairs decided to initiate the “Alburnus Maior” National Research Program.

The company’s role was to provide the necessary financial resources for the assessment, research and enhancement of the archaeological remains, in full compliance with the Romanian current legislation. The development of the research and of the archaeological discharge works has been conducted through specific means and methodologies that have been adjusted to the realities of every site researched, in our case, Roşia Montană. They consisted in:

- Archives studies;
- Archaeological surveys; trial trenches;
- aerial reconnaissance/survey and aerial photo interpretation ; high resolution satellite images;
- mining archaeology studies; underground topography and 3D modeling;
- geophysical surveys;
- extensive archaeological investigations in the areas with an identified archaeological potential- this implied carrying out archaeological excavations;
- Interdisciplinary studies- sedimentology, archaeo-zoology, comparative palynology, archaeo-metallurgy, geology, mineralogy;
- Radiocarbon dating and dendrochronology;
- This research and its results were included in an integrated database;
- traditional and digital archaeological topography and development of the GIS project; generate a photo archive- both traditional and digital;
- restoration of artifacts;
- an inventory and a digital catalogue of the artifacts;
- studies conducted by specialists in order to enhance the research results - publication of monographs/scientific books and journals, exhibitions, websites, etc.

All the preventive archaeological researches undertaken at Roşia Montană since 2000 have been carried out as part of a complex research program; permits for preventive archaeological excavations being issued in compliance with the current legislation. These archaeological investigations have been undertaken by representatives of 21 specialized institutions from Romania and 3 others from abroad, under the scientific coordination of the Romanian National Museum of History. All archaeological researches have been conducted in full compliance with the existing legislation. The investigations undertaken during each archaeological research campaign have been approved by the Ministry of Culture and Religious Affairs based on the Annual Archaeological Research Plan approved by the National Commission of Archaeology.

Under the current legislation (Ministerial Order no. 2392 of 6 September 2004 on the establishment of the Archaeological Standards and Procedures by the Ministry of Culture and Religious Affairs) the archaeologists who have conducted the research may ask that an archaeological discharge certificate be

granted. Based on a complex research program, the archaeologists prepare comprehensive documentation with regard to the researched area. Upon consideration of the submitted documentation, the National Commission of Archaeology makes a decision as to whether to recommend or not the granting of the archaeological discharge certificate. In the case of the research conducted in the period 2001-2006, the archaeological discharge certificate was issued directly by the Ministry of Culture and Religious Affairs or by its local agencies.

Preventive archaeological researches at Roşia Montană have allowed the research of five Roman cremation necropolis (Tău Corna, Hop-Găuri, Țarina, Jig - Piciorag and Pârâul Porcului – Tăul Secuilor), two funerary areas (Carpeni, Nanului Valley), sacred areas (Hăbad, Nanului Valley), habitation areas (Hăbad, Carpeni, Tăul Țapului, Hop), the most significant being the Roman structures on the Carpeni Hill and the circular funerary monument at Tău Găuri. In addition, for the first time in Romania, surface investigations have been paralleled by underground investigations of Cetate, Cârnic, Jig and Orlea massifs, with important discoveries in the Piatra Corbului, area, Cătălina-Monuleşti gallery and the Păru Carpeni mining sector.

The research consisted of aerial photo interpretation, archaeological magnetometric studies, electrical resistivity, palynology, sedimentology, geology studies, radiocarbon and dendrochronology dating. For a better management of the research units and of the archaeological findings, data bases were used, including text and photographs-among which 4 satellite images (an archive satellite image type SPOT Panchromatic (10m) from 1997; 2 satellite images LANDSAT 7 MS (30 m), dating from 2000 and 2003; a satellite image with priority programming SPOT 5 SuperMode color (2,5 m resolution-19 July 2004); all data have been included in a comprehensive GIS program, a first in the Romanian archaeological research.

In the case of archaeological monuments that are located close to industrial facilities, plans have been redesigned to ensure that the archaeological remains in question will not be affected. Where appropriate, the archaeological monument was preserved in situ and restored, i.e. the circular funerary monument at Hop-Găuri (see The "Alburnus Maior" monograph series, volume II, Bucharest, 2004). Another example in this respect is the Carpeni Hill, designated an "archaeological " reserve, and the Piatra Corbului area. In 2004, after being thoroughly investigated, these areas have been included on the List of Historic Monuments. Add to this the areas where ancient mining remains will be preserved, such as the Cătălina Monuleşti gallery and the mining sector Păru Carpeni, as well as the protected area Roşia Montană Historic Center, including a number of heritage assets (35 historic monument houses).

We emphasise in this respect that the identified and researched structures have been published in preliminary form in the Archaeological Research Chronicle of Romania, after every archaeological research campaign, as well as in volume 1 of the Alburnus Maior monographic series. We mention here the areas where Roman habitation structures have been identified and researched, as well as the references to be consulted for further information: Hop-Găuri, Carpeni, Tăul Țapului (CCA 2001 (2002), p. 254-257, no. 182; 261-262, nr. 185; 264-265, no. 188; 265-266, no. 189. Alburnus Maior I, 2003, p. 45-80; 81-122; 123-148; CCA 2001 (2002), 257-261; CCA 2003 (2004) ,280-283; Alburnus Maior I, 2003, p. 387-431, 433-446, 447-467).

For further details related to the applicable legal framework, the responsibilities of the Project titleholder, or for a detailed description of the preventive archaeological researches undertaken to date and of the Cultural Heritage Management Plans, please see Annex called "Information on the Cultural heritage of Roşia and Related Management Aspects". In addition, the annex includes supplementary information with regard to the result of the researches undertaken as part of the "Alburnus Maior" National Research Program between 2001 and 2006.

In conclusion, the area mentioned by the questioner has been researched in accordance with the Romanian legal requirements, as well as with European standards and practices in the field.

Note that the type of research undertaken at Roşia Montană, known as preventive/rescue archaeological research, as well as other related heritage studies, are done everywhere in the world in close connection with the economic development of certain areas. Both the costs for the research and for the enhancement and maintenance of the preserved areas are provided by investors, in a public-private partnership set up in order to protect the cultural heritage, as per the provisions of the European Convention on the Protection of the Archaeological Heritage (Malta-1992) [1].

References:

[1]The text of the Convention is available at the following address:

<http://conventions.coe.int/Treaty/Commun/QueVoulezVous.asp?NT=143&CM=8&DF=7/6/2006&CL=ENG>

*

In 2000, in the context of the proposal of a new mining project in the Roşia Montană area, the Ministry of Culture and Religious Affairs approved a series of studies to be conducted in order to research the archaeological and architectural heritage of the area. At the end of that year, the Design Centre for National Cultural Heritage (now the National Institute for Historical Monuments) presented the preliminary results of these researches in front of the National Commission for Historical Monuments and of the National Commission of Archaeology. Based on these results, in 2001, the Ministry of Culture and Religious Affairs initiated the “Alburnus Maior” National Research Program (the Order no. 2504 / 07.03.2001 of the Minister of Culture and Religious Affairs) in compliance with the Law 378/2001 (as subsequently amended by Law 462/2003 and by Law 258/2006 and Law 259/2006). Thus, since 2000, the Ministry of Culture and Religious Affairs has fulfilled its duties – directly or through its subordinated institutions - with regard to the management of the issues related to Roşia Montană’s heritage.

The preventive archaeological researches have been conducted by the representatives of 21 national institutions and 3 others from abroad, with a broad expertise in the field. They have been carried out based on the annual approval of the National Commission of Archaeology of the Ministry of Culture and Religious Affairs. In accordance with current legislation, this research program is carried out with financial support provided by RMGC, i.e. the company that plans to expand and continue to mine the gold-silver deposit in Roşia Montană. Thus, large-scale preventive investigations have been conducted or are underway in the RMP impact area. A proposal will be made based on the results of these investigations, either for the archaeological discharge of some researched areas or the preservation in situ of certain representative structures and monuments, in compliance with current legislation. For areas proposed for conservation or for archaeological discharge measures the decision was made based on the surveys conducted by specialists and on the analysis of the results by the National Commission of Archaeology. In the period 2000-2005, the mining project underwent a series of modifications designed to promote the conservation of the local heritage. Examples of this include extending the duration of the field investigations (e.g. in Tarina, Pârâul Porcului, Orlea) and changing the location of some elements of mining infrastructure in order to allow the conservation of the archaeological remains found in the Carpeni, in the Tău Găuri and Pietra Corbului areas.

The architectural and town-planning surveys have been conducted, in accordance with current legislation, by companies certified by the Ministry of Culture and Religious Affairs, while the town-planning documentation drafted by these companies, and the restoration and conservation works undertaken so far, have been approved by the National Commission for Historical Monuments. Thus, the town-planning documentation has been approved and implemented in accordance with current legislation, and the company has agreed to these decisions and modified the mine development plans accordingly:

Extensive ethnographic research was conducted in the Roşia Montană-Abrud-Corna area in the period 2001-2004 coordinated by a team of specialists for the Romanian Village Museum „Dimitrie Gusti” (a National Museum directly under the coordination of the Ministry of Culture and Religious Affairs). Moreover, a broad series of oral history interviews was conducted in the period 2001-2002 by the Romanian Society of Radio broadcasting through the „Gheorghe Brătianu” Oral History Centre, Bucharest (SRR - CIO).

In compliance with the requirements of the Ministry of Environment and Waters Management and the Ministry of Culture and Religious Affairs, specific management plans have been drawn up for the management and conservation of the heritage remains from the Roşia Montană area, in the context of the implementation of the mining project. These plans have been included in the documentation prepared for the report on the Environmental Impact Assessment Study. (see EIA Report, volume 32-33, Plan M-Cultural Heritage Management Plan, part I –Management Plan for the Archaeological Heritage from Roşia Montană Zone; part II-Management Plan for the Historical Monuments and Protected Zone from Roşia Montană; part III- Cultural Heritage Management Plan).

These management plans comprise detailed presentations of the obligations and responsibilities for the

protection and conservation of the heritage remains from the Roşia Montană area, which the company has assumed as part of the mining project, in accordance with the decision of the central government. These heritage remains include: archaeological remains above and under the ground, historic buildings, protected areas, intangible heritage assets, cultural landscape items, etc. In this context, it should be noted that besides the works for the protection and preservation of the archaeological heritage, works are also being carried out for the rehabilitation and conservation of the protected area Historical Centre Roşia Montană (comprising 35 historic buildings, and projects for the restoration of 11 of these buildings are currently being drafted) and at Tăul Mare, Tăul Brazi and Tăul Anghel, plus remains of the surface mining works from the Văidoaia area, and the creation of a modern museum dedicated to the history of mining in the Apuseni Mountains area. This museum will be established including exhibitions of geology, archaeology, industrial and ethnographic heritage as well as an underground section organized around the Cătălina Monuleşti gallery.

Moreover, representatives of the Directorate/Department for Culture, Religious Affairs and National Cultural Heritage of Alba County have paid a number of visits to Roşia Montană in order to collect information and to check the situation. The same administrative body was the intermediary for the acquisitions of historic buildings made by RMGC. The Ministry of Culture and Religious Affairs expressed its pre-emption right regarding the acquisition of these buildings.

It should be mentioned, however, that apart from the obligations undertaken by RMGC as regards the protection and conservation of the archaeological remains and historical monuments, there are also a series of obligations which rest with the local public authorities from Roşia Montană and from Alba County, and with the central public authorities, specifically the Romanian Government. These aspects are detailed in the Cultural Heritage Management Plans included in the EIA Report (see EIA Report, volume 32, Management Plan for the Archaeological Heritage from Roşia Montană Zone, pages 22-24, 49, 55-56, 71-72 and the EIA Report, volume 33- Management Plan for the Historical Monuments and Protected Zone from Roşia Montană pages 28-29, 47-50, 51-53, 65-66, page 103 – Annex 1).

Item no. 5485

No. to identify the observations received from the public
No.
112991/
25.08.2006

Proposal

The questioner opposes the proposed gold and silver mining project at Roşia Montană and makes the following observations and comments :

- The tailings pond is unlined and is a hazard for the town of Abrud, as there is the risk of a failure;
- The overall costs for mine closure are not realistic.
- The Project poses a threat for protected flora and fauna;
- The phase of public consultation and quality evaluation of the impact assessment study report begun without a valid urbanism certificate;
- The company could not find an insurer for the mining project;
- The EIA report does not assess the "Zero Alternative";
- The EIA report does not include an assessment of the "cyanide rain" phenomenon;

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin. Specifically, the Roşia Montană Tailings Management Facility (TMF or "the facility") has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

Solution

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, "The Tailings Facility Management Plan" for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline;
- A series of monitoring wells, below the toe of the secondary containment dam, to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented

to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

Proximity to Abrud

The EIA describes how the dam will be built with rockfill materials, engineered drain and filter materials and a low permeability core to control seepage. The facility is being designed and engineered by MWH, one of the leading dam designers in the world. In addition, the feasibility level designs have been reviewed and approved by certified Romanian dam experts and by the Romanian National Committee for the Safety of Large Dams. Prior to operation, the dam must again be certified for operations by the National Commission for Dams Safety (CONSIB).

The Tailings Management Facility (TMF) dam is rigorously designed to incorporate all EU, Romanian and international criteria to reduce the risk of failure. These guidelines allow for significant rainfall events and prevent dam failure due to overtopping. Specifically, the facility has been designed to store for the run off from two Probable Maximum Precipitation (PMP) events. This is generally referred to as the Probable Maximum Flood (PMF). The design criterion for TMF includes storage for two PMF flood events, more rain than has ever been recorded in this area.

Additionally, an emergency spillway for the dam will be constructed in the unlikely event that the site rainfall exceeds two PMPs. The TMF design therefore very significantly exceeds required standards for safety. This has been done to ensure that the risks involved in using Corna valley for tailings storage are well below what is considered safe in every day life.

Section 7 of the EIA report includes an assessment and analysis of risks and includes various dam break scenarios. Specifically, the dam break scenarios were analyzed for a failure of the starter dam and for the final dam configuration. The dam break modeling indicates the extent of tailings runout for the specific conditions analyzed. Based on the two cases considered the tailings would not extend beyond the confluence of the Corna valley stream and the Abrud River.

However, the project recognizes that in the highly unlikely case of a dam failure that a Emergency Preparation and Spill Contingency Management Plan must be implemented. This plan was submitted with the EIA as Plan I, Volume 28.

*

The overall costs for mine closure are realistic. RMGC's closure estimates, which were developed by a team of independent experts with international experience and will be reviewed by third party experts, are based on the assumption that the project can be completed according to the plan, without interruptions, bankruptcy or the like. They are engineering calculations and estimates based on the current commitments of the closure plan and are summarized in the EIA's Mine Closure and Rehabilitation Management Plan (Plan J in the EIA). Annex 1 of Plan J will be updated using a more detailed approach looking at every individual year and calculating the amount of surety, which must be set aside year by year to rehabilitate the mine before RMGC is released from all its legal obligations. Most importantly, the current estimates assume the application of international best practice, best available technology (BAT) and compliance with all Romanian and European Union laws and regulations.

Closure and rehabilitation at Roşia Montană involves the following measures:

- Covering and vegetating the waste dumps as far as they are not backfilled into the open pits;
- Backfilling the open pits, except Cetate pit, which will be flooded to form a lake;
- Covering and vegetating the tailings pond and its dam areas;
- Dismantling of disused production facilities and re-vegetation of the cleaned-up areas;
- Water treatment by semi-passive systems (with conventional treatment systems as backup) until all effluents have reached the discharge standards and need no further treatment;
- Maintenance of the vegetation, erosion control, and monitoring of the entire site until it has been demonstrated by RMGC that all remediation targets have been sustainably reached.

While the aspects of closure and rehabilitation are many, we are confident in our cost estimates because the largest expense—that incurred by the earthmoving operation required to reshape the landscape—can be estimated with confidence. Using the project design, we can measure the size of the areas that must be reshaped and resurfaced. Similarly, there is a body of scientific studies and experiments that enable scientists to determine the depth of soil cover for successful re-vegetation. By multiplying the size of the areas by the necessary depth of the topsoil by the unit rate (also derived from studying similar earthmoving operations at similar sites), we can estimate the potential costs of this major facet of the rehabilitation operation. The earthmoving operation, which will total approximately US \$65 million, makes up 87% of closure and rehabilitation costs.

Also, the necessity of additional technological measures to stabilize and reshape the tailings surface will be discussed in the update of the Economical Financial Guarantee (EFG) estimate, which leads to an increase the provisions for tailings rehabilitation, especially if the TMF is closed prematurely and no optimized tailings disposal regime is applied. The exact figures depend on the details of the TMF closure strategy which can be finally determined only during production.

We believe that—far from not being realistic—our cost estimates are evidence of our high level of commitment to closure and rehabilitation. Just as a comparison, the world's largest gold producer has set aside US \$683 million (as of December 31, 2006) for the rehabilitation of 27 operations, which equates to US \$25 million on average per mine. The RMGC closure cost estimates, recently revised upward from the US \$73 million reported in the EIA based on additional information, currently total US \$76 million.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

Your assertion regarding the failure to obtain an applicable urbanism certificate at the start up of the public debates and of the evaluation of the quality of the report to the environmental impact assessment, is not correct.

Thus, by the time when the public debate stage started up there was an applicable urbanism certificate and namely the urbanism certificate no. 78/26.04.2006 issued by Alba County Council. This certificate was obtained prior to the evaluation stage of the quality of the report to the environmental impact assessment which started up once the EIA was submitted to the Ministry of Environment and Water Management on the 15th May 2006.

For better understanding the applicable legal provisions and the facts developed within the mining

project of Roşia Montană zone we would like to make several comments:

- The procedure for issuing the environmental permit for Roşia Montană project started up on the 14th December 2004 by submitting the technical memorandum and the urbanism certificate no.68/26.August 2004 (certificate applicable by that time). S.C. Roşia Montană Gold Corporation S.A. (RMGC) applied for and obtained a new urbanism certificate no.78/26.04.2006 issued by Alba County Council for the entire Roşia Montană Project applicable on the date of the EIA Report submission (15th May 2006) and prior to the public debate strat up (June 2006);
- The Section 1 of the urbanism certificate no.78 of 26th 04.2006 entitled Work construction, position 10 – “Processing plant and associated constructions “ – including the tailing management facility which existence is compulsory for the processing plant running. The Tailing management facility is also specified on the layout plans which are integral part of the urbanism certificate and they were sealed by Alba County Council so that they cannot be modified;
- The Urbanism Certificate is an informative document and its goal is only to inform the applicant about the legal, economic and technical regime of the existing lands and buildings and to establish the urbanism requirements and the approvals necessary to obtain the construction permit (including the environmental permit) as per art.6 of Law 50/1991 referring to the completion of construction works, republished and art 27 paragraph 2 of the Norms for the application of Law 50/1991 – Official Journal 825 bis/13.09.2005).

As it is an informative document, it does not limit the number of certificates an applicant may obtain for the same land plot (art. 30 of Law no. 350/2001 regarding the territorial planning and urbanism).

*

With respect to the issues indicated by you, namely the insurance of mining projects, we would like to underline the fact that the Directive no. 2004/35/CE regarding **on environmental liability with regard to the prevention and remedying of environmental damage**, which has been published in the Official Journal of the European Union no. L143/56 (“Directive no. 35/2004”) establishes the general governing framework with regard to environmental pollution.

According to the provisions stipulated by art. 1 of Directive no. 35/2004 “The purpose of this directive is to establish a framework of environmental liability based on the ‘polluter-pays’ principle, to prevent and remedy environmental damage.”

Directive no. 35/2004 states as a principle pursuant to the provisions of art. 14(1) the fact that “Member States shall take measures to encourage the development of financial security instruments and markets by the appropriate economic and financial operators, including financial mechanisms in case of insolvency, with the aim of enabling operators to use financial guarantees to cover their responsibilities under this Directive”.

Moreover, according to the provisions of art. 19(1) Directive no. 35/2004, Member States shall bring into force the laws, regulations and administrative provisions necessary to comply with this Directive by 30 April 2007. We would like to underline the fact that, up to now, the Directive no. 35/2004 hasn’t been transposed into our legislation. Taking into account the previously mentioned aspects, we kindly ask you to take notice of the fact that, at this moment there are no internal legal regulations to establish the material and procedural aspects related to the establishment of such a guarantee.

However, if specific legal dispositions are going to be created with regard to the establishment of certain guarantees, RMGC is going to take all necessary measures to fulfill all mandatory legal liabilities.

Moreover, we underline the fact that RMGC has contracted one of the world’s leading insurance brokers, which is well established in Romania and has a long and distinguished record of performing risk assessments on mining operations. The broker will use the most appropriate property and machinery breakdown engineers to conduct risk analysis and loss prevention audit activities, during the construction and operations activity at Roşia Montană, to minimize hazards. The broker will then determine the appropriate coverage, and work with A-rated insurance companies to put that program in place on behalf of RMGC, for all periods of the project life from construction through operations and closure.

RMGC is committed to maintaining the highest standards of occupational health and safety for its

employees and service providers. Our utilization of Best Available Techniques helps us to ensure this goal is achieved. No organization gains from a loss, and to that end we will work to implement engineering solutions to risk, as they are far superior to insurance solutions to risk. Up to 75% of loss risk can be removed during the design and construction phase of a project.

*

The EIA Report considered all alternative developments, including the option of not proceeding with any project – an option that would generate no investment, allowing the existing pollution problems and socio-economic decline to continue. (Chapter 5 – Assessment of Alternatives)

The report also considered alternative developments – including agriculture, grazing, meat processing, tourism, forestry and forest products, cottage industries, and flora/fauna gathering for pharmaceutical purposes – and concluded that these activities could not provide the economic, cultural and environmental benefits brought by the Roşia Montană Project.

Chapter 5 also examines alternative locations for key facilities as well as alternative technologies for mining, processing and waste management, in line with best practice and as compared against published EU best available techniques (BAT) documentation.

*

It is stated precisely that a “cyanide rain” phenomenon will not exist. Neither was encountered in other places or situations. Moreover, the specialty literature doesn’t make any mentions related to the so-called “cyanide rains” phenomenon, but only “acidic rains” phenomenon which can’t be generated by the cyanic compounds breaking down in the atmosphere.

The reasons for making the statement that ‘cyanide rains’ phenomenon won’t occur are the followings:

- The sodium cyanide handling, from the unloading from the supplying trucks up to the processing tailings discharge onto the tailings management facility, will be carried out only in liquid form, represented by alkaline solutions of high pH value (higher than 10.5 – 11.0) having different sodium cyanide concentrations. The alkalinity of these solutions has the purpose to maintain the cyanide under the form of cyan ions (CN⁻) and to avoid the hydrocyanic acid formation (HCN), phenomenon that occurs only within environments of low pH;
- The cyanide volatilization from a certain solution cannot occur under the form of free cyanides, but only under the form of HCN;
- The handling and storage of the sodium cyanide solutions will take place only by means of some closed systems; the only areas/plants where the HCN can occur and volatilize into air, at low emission percentage, are the leaching tanks and slurry thickener, as well the tailings management facility for the processing tailings;
- The HCN emissions from the surface of the above mentioned tanks and from the tailings management facility surface can occur as a result of the pH decrease within the superficial layers of the solutions (that helps the HCN to form) and of the desorption (volatilization in air) of this compound;
- The cyanide concentrations within the handled solutions will decrease from 300 mg/L within the leaching tanks up to 7 mg/L (total cyanide) at the discharge point into the tailings management facility. The drastic reduction of the cyanide concentrations for discharging into the Tailings Management Facility (TMF) will be done by the detoxification system;
- The knowledge of the cyanide chemistry and on the grounds of the past experience, we estimated the following possible HCN emissions into air: 6 t/year from the leaching tanks, 13 t/year from the slurry thickener and 30 t/year (22.4 t, respectively 17 mg/h/m² during the hot season and 7.6 t, respectively 11.6 mg/h/m² during the cold season) from the tailings management facility surface, which totals 134.2 kg/day of HCN emission;
- Once released into air, the hydrocyanic acid is subject to certain chemical reactions at low pressure, resulting ammonia;
- The mathematical modeling of the HCN concentrations within the ambient air (if the HCN released in the air is not subject to chemical reactions) emphasized the highest concentrations being at the ground level, within the industrial site namely within the area of the tailings management facility and within a certain area near the processing plant. The maximum

- concentration is of 382 $\mu\text{g}/\text{m}^3/\text{h}$;
- The highest HCN concentrations within the ambient air will be 2.6 times lower than the standard value stipulated by the national legislation for labor protection;
 - The HCN concentrations within the ambient air in the populated areas close by the industrial site will be of 4 to 80 $\mu\text{g}/\text{m}^3$, more than 250 – 12.5 times lower than standard value stipulated by the national legislation for labor protection – the national legislation and European Union (EU) legislation on the Air Quality don't stipulate standard values for the population's health protection;
 - Once released in air, the evolution of the HCN implies an insignificant component resulted from the reactions while liquid (water vapors and rain drops). The reactions are due to HCN being weak water-soluble at partially low pressures (feature of the gases released in open air), and the rain not effectively reducing the concentrations in the air (Mudder, et al., 2001; Cicerone and Zellner, 1983);
 - The probability that the HCN concentration value contained by rainfalls within and outside the footprint of the Project be significantly higher than the background values (0.2 ppb) is extremely low.

Details referring to the use of cyanide in the technological processes, the cyanides balance as well as the cyanide emission and impact of the cyanides on the air quality are contained in the Environmental Impact Assessment (EIA) Report, Chapter 2, Subchapter 4.1 and Subchapter 4.2 (Section 4.2.3).

Item no.	5486 Same as: 5487, 5488, 5489, 5490, 5491, 5492, 5493, 5494, 5495, 5496, 5497, 5498, 5499, 5500, 5501, 5502, 5503, 5504, 5505, 5506, 5507, 5508, 5509, 5510, 5511, 5512, 5513, 5514, 5515
No. to identify the observations received from the public	No. 113295/25.08.2006 Same as: No. 113296/25.08.2006, No. 113297/25.08.2006, Nr. 113249/25.08.2006, N. 113298/25.08.2006, No. 113299/25.08.2006, No. 113300/25.08.2006, No. 113301/25.08.2006, No. 113302/25.08.2006, No. 113303/25.08.2006, No. 113304/25.08.2006, No. 113304BIS/25.08.2006, No. 113305/25.08.2006, No. 113306/25.08.2006, No. 113307/25.08.2006, No. 113308/25.08.2006, No. 113309/25.08.2006, No. 113310/25.08.2006, No. 113311/25.08.2006, No. 113312/25.08.2006, No. 113313/25.08.2006, No. 113314/25.08.2006, No. 113315/25.08.2006, No. 113316/25.08.2006, No. 113317/25.08.2006, No. 113318/25.08.2006, No. 113319/25.08.2006, No. 113320/25.08.2006, No. 113321/25.08.2006, No. 113322/25.08.2006
Proposal	<p>The questioner opposes the proposed project at Roşia Montană and makes the following observations and comments :</p> <ul style="list-style-type: none"> -In EIA there are no presented all the possible risks derived from this project; The Project poses a threat for protected flora and fauna; - There is no liner proposed for the tailings pond; - The proposed waste deposits will be not constructed in conformity with the Romanian legislation in force (at least 1000 m towards the inhabited areas); - Financial guarantees for the closure and post-closure periods were not fixed. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of he potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, “Risk Cases”, from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the</p>

Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corma Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level

of 400 μ g/m³ hourly average and 179 μ g/m³ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding *„the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits”*, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5516 Same as: 5517, 5518, 5519, 5520, 5521, 5522, 5523, 5524, 5525, 5526, 5527, 5528, 5529, 5530, 5531, 5532, 5533, 5534, 5535, 5536, 5537, 5538, 5539, 5540, 5541, 5542, 5543, 5544, 5545
No. to identify the observations received from the public	No. 112808/25.08.2006 Same as: No. 112809/25.08.2006, No. 112810/25.08.2006, No. 112811/25.08.2006, No. 112812/25.08.2006, No. 112813/25.08.2006, No. 112814/25.08.2006, No. 112815/25.08.2006, No. 112816/25.08.2006, No. 112817/25.08.2006, No. 112818/25.08.2006, No. 112819/25.08.2006, No. 112820/25.08.2006, No. 112821/25.08.2006, No. 112822/25.08.2006, No. 112823/25.08.2006, No. 112824/25.08.2006, No. 112825/25.08.2006, No. 112826/25.08.2006, No. 112826/25.08.2006, No. 112827/25.08.2006, No. 112828/25.08.2006, No. 112829/25.08.2006, No. 112830/25.08.2006, No. 112831/25.08.2006, No. 112832/25.08.2006, No. 112833/25.08.2006, No. 112834/25.08.2006, No. 112835/25.08.2006, No. 112836/25.08.2006
Proposal	<p>The questioner opposes the proposed project at Roşia Montană and makes the following observations and comments :</p> <ul style="list-style-type: none"> -In EIA there are no presented all the possible risks derived from this project; the Project poses a threat for protected flora and fauna; - There is no liner proposed for the tailings pond; - The proposed waste deposits will be not constructed in conformity with the Romanian legislation in force (at least 1000 m towards the inhabited areas); - Financial guarantees for the closure and post-closure periods were not fixed. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of he potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, “Risk Cases”, from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the</p>

Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corma Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level

of 400 μ g/m³ hourly average and 179 μ g/m³ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page 173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding *„the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits”*, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5546 Same as: 5547, 5548, 5549, 5550, 5551, 5552, 5553, 5554, 5555, 5556, 5557, 5558, 5559, 5560, 5561, 5562, 5563, 5564, 5565, 5566, 5567, 5568, 5569, 5570, 5571, 5572, 5573, 5574, 5575
No. to identify the observations received from the public	No. 113323/25.08.2006 Same as: No. 113324/25.08.2006, No. 113325/25.08.2006, No. 113326/25.08.2006, No. 113327/25.08.2006, No. 113328/25.08.2006, No. 113329/25.08.2006, No. 113330/25.08.2006, No. 113331/25.08.2006, No. 113332/25.08.2006, No. 113333/25.08.2006, No. 113334/25.08.2006, No. 113335/25.08.2006, No. 113336/25.08.2006, No. 113337/25.08.2006, No. 113338/25.08.2006, No. 113339/25.08.2006, No. 113340/25.08.2006, No. 113341/25.08.2006, No. 113342/25.08.2006, No. 113343/25.08.2006, No. 113344/25.08.2006, No. 113345/25.08.2006, No. 112860/25.08.2006, No. 112861/25.08.2006, No. 112862/25.08.2006, No. 112863/25.08.2006, No. 112864/25.08.2006, No. 112865/25.08.2006, No. 112866/25.08.2006
Proposal	<p>The questioner opposes the proposed project at Roşia Montană and makes the following observations and comments :</p> <ul style="list-style-type: none"> -In EIA there are no presented all the possible risks derived from this project; The Project poses a threat for protected flora and fauna; - There is no liner proposed for the tailings pond; - The proposed waste deposits will be not constructed in conformity with the Romanian legislation in force (at least 1000 m towards the inhabited areas); - Financial guarantees for the closure and post-closure periods were not fixed. <p>SEE THE CONTENT OF THE TYPE 5 CONTESTATION</p>
Solution	<p>It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances.</p> <p>A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of he potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below.</p> <p>In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA.</p> <p>As far as natural and technological risks assessments are concerned, Chapter 7, “Risk Cases”, from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario.</p> <p>More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10^{-6} (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale.</p> <p>A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the</p>

Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corma Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level

of 400 μ g/m³ hourly average and 179 μ g/m³ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be protective of groundwater. Specifically, the Roşia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roşia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding *„the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits”*, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.

Item no.	5576 Same as: 5577, 5578, 5579, 5580, 5581, 5582, 5583, 5584, 5585, 5586, 5587, 5588, 5589, 5590, 5591, 5592, 5593, 5594, 5595, 5596, 5597, 5598
No. to identify the observations received from the public	No. 112837/25.08.2006 Same as: No. 112838/25.08.2006, No. 112839/25.08.2006, No. 112840/25.08.2006, No. 112841/25.08.2006, No. 112842/25.08.2006, No. 112843/25.08.2006, No. 112844/25.08.2006, No. 112845/25.08.2006, No. 112846/25.08.2006, No. 112847/25.08.2006, No. 112848/25.08.2006, No. 112849/25.08.2006, No. 112850/25.08.2006, No. 112851/25.08.2006, No. 112852/25.08.2006, No. 112853/25.08.2006, No. 112854/25.08.2006, No. 112855/25.08.2006, No. 112856/25.08.2006, No. 112857/25.08.2006, No. 112858/25.08.2006, No. 112859/25.08.2006
Proposal	The questioner opposes the proposed project at Roşia Montană and makes the following observations and comments : -In EIA there are no presented all the possible risks derived from this project; The Project poses a threat for protected flora and fauna; - There is no liner proposed for the tailings pond; - The proposed waste deposits will be not constructed in conformity with the Romanian legislation in force (at least 1000 m towards the inhabited areas); - Financial guarantees for the closure and post-closure periods were not fixed. SEE THE CONTENT OF THE TYPE 5 CONTESTATION
Solution	It is the nature of risk that it can be mitigated and diminished; it cannot be made to disappear. In order to put this into context, the common action of walking on the street or developing everyday activities have an accident potential. This accident potential is twice higher than within the framework of industrial activities that use hazardous substances. A major chapter of the EIA report was dedicated to the identification of risks for the project. In addition, this chapter provides a discussion of the mitigation measures for each risk and how they were incorporated into the project designs. It is recognized that risk identification is difficult due to the number and diversity of events that can be envisioned. The EIA report cannot assume to cover all of he potential risks associated with the project. However, it has attempted to identify and address the most relevant risks. The extent of risk assessment and the intensity of the prevention and mitigation measures should be proportional to the risk involved and therefore only the risks that have been considered important have been assessed in detail. Each is described below. In the larger sense, the entire EIA report is focused on the assessment of impacts and their associated mitigation. Specifically, Chapter 4 of the EIA presents that impact assessment of the project. The following discussion presents a summary of the impact discussed in the EIA. As far as natural and technological risks assessments are concerned, Chapter 7, “Risk Cases”, from the Report on Environmental Impact Assessment, emphasizes the fact that safety and prevention measures, the implementation of the environmental management and risk systems are mitigating the consequences to acceptable levels as compared to the most restrictive norms, standards, the best practices or national and international recommendations in the field. The risk level has been established as moderate and so, socially acceptable. The extension of the risk assessment and the intensity of the prevention and mitigation measures of the consequences should be proportionate to the risk involved. Selection of a specific mitigation technique is depends on the analyzed accident scenario. More detailed assessments are conducted for accident scenarios that, based on the qualitative assessment are found to be potentially major, of probability more than 10 ⁻⁶ (reduced recovery periods of 1/1,000,000) meaning that they could have major consequences therefore, elevated associated risk, a higher risk level than 9 to 12 (on a scale of 1-25). To put this in context, simply living in southern Florida rates a 25 on the risk scale. A global assessment of the risks associated with the Roşia Montană Project is obtained by the quick environmental and health risk assessment methodology initially developed by the Italian Ministry of the Environment and the World Health Organization. Natural hazard and risk identification and analysis presents key data and information in assessing potential technological accidents. Thus:

- In designing the Tailings Management Facility, the design parameters were chosen to fully cover the characteristic seismic risk of the area. These seismic design parameters adopted for the TMF and other facilities on the proposed site result in a safety factor much greater than the minimum accepted under the Romanian and European design standards for such facilities;

- in the sector physically impacted by the Project, the risk of floods will remain very low due to the small catchments (controlled by the Roşia and Corna Streams) the area affected by the operation, and the creation of containment, diversion and drainage hydro-technical structures for storm waters on the site, and in the Abrud catchment in general;

- risks caused by meteorological events have been reviewed and used in assessing the hazards of the affected technological processes.

From the analysis of morphometrical parameters and their correlation with other sets of information on the natural slopes on and near the site shows that the (qualitatively estimated) landslide occurrence risk is low to moderate and its consequences will not cause major impacts on the structural components of the Project.

There is no significant risk associated with resource depletion. Mining activities are planned judiciously, so as to extract only the profitable gold and silver resources and only the necessary construction rock for the Project. The management of the mining concession site will minimize reserve "sterilization" (limitation of future access to the reserves).

In assessing technological hazards and risks, the quantity of hazardous substances on the site was calculated as a total and by category, as provided by the *Notification Procedure* approved by Ministry of Agriculture, Forestry, Water and Environment (MAFWE) Order 1084/2003. Based on an evaluation of hazardous substances in stock on the Project site in relation to the relevant quantities provided by the Government Decision 95/2003 which transposes the Seveso Directive, the Project ranges between the upper and the lower limits, and therefore S.C. Roşia Montană Gold Corporation S.A. is required to prepare a Report on Environmental Impact Assessment Study to be sent to the local environmental authority and the local civilian protection authority a *Safety Report* on its operations to prevent major accident risks.

In assessing the consequences of major accidents involving dangerous substances, physical-mathematical models accepted internationally and especially at EU level, and the current version of the SLAB (Canada) software have been used, the latter for the atmospheric dispersion of denser than air gases, that may handle a multitude of situations and scenarios. Similarly, the EFFECTSGis 5.5 (Netherlands) software, developed for the analysis of the effects of industrial accidents and of consequences. Several scenarios were considered in response to the internal legislative requirements, especially related to the implementation of the Internal Emergency Plans (GD 647/2005). The conclusions of the risk assessment for major accidents were:

- The total destruction of plant facilities may only be caused by terrorist attack with classic or nuclear weapons. Simultaneous damage to the HCl tank (including containment) and to the NaCN solution tank, the tanks containing enriched solution, to one or more leaching tanks, having as a result HCN dispersion into the air. At the same time, under certain situations and weather conditions unfavorable for dispersion, people within 40 m of the emission source, surprised by the toxic cloud for more than 1 minute without respiratory protection equipment, will most certainly die. It may also be considered that, on a radius of about 310 m, persons exposed for more than 10 minutes may suffer serious intoxications that may also lead to death. Toxic effects may occur in persons up to about 2 km downwind of the process plant;

- Operating errors and/or failures in the measurement and control devices, resulting in a lower pH in the leaching tank, thickener and/or DETOX slurry and accidental emissions of hydrocyanic acid. The area affected by concentrations of 290 ppm over a 10 min exposure time is within a circle of 36 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 157.5 m radius. The center of these circles is the middle of the CIL tanks platform;

- Accidental HCN emission from the decanter. The accident may be caused by a drop of pH in the CIL tanks combined with an overdose of flocculent solution and faulty pH monitoring systems. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 65 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 104 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Accidental HCN emission from the DETOX facility. The accident may be caused by a drop of pH in the reactors generated by an overdose of metabisulfite solution and/or copper sulphate combined with

faulty pH monitoring systems. The area affected by high 1900 ppm concentrations for a 1 min exposure time is located within a 10 m radius circle. The area affected by concentrations of 300 ppm over a 10 min exposure time is within a circle of 27 m radius and the 50 ppm IDLH threshold for 30 min exposure will be reached over an area of 33 m radius. The center of these circles is mid-distance between the two DETOX facilities;

- Explosion of the LPG storage tank. The LPG storage tank has a 50 ton capacity and is located outdoors, near the heating plant. The simulation was conducted for the worst case scenario, considering an explosion of the full tank. Threshold I with heat 12.5 kW/m² is within a 10.5 m radius circle and Threshold II, of heat radiation 5 kW/m² is within a circle of 15 m radius;

- Damage and/or fire at the fuel tanks. Simulations were conducted for the worst case scenarios, considering ignition and combustion of all the diesel (fire in the tank, or in the containment vat, when full of diesel);

- Corna Dam break and breach development. Two credible accident scenarios were considered in simulating tailings flow out of the Tailings Management Facility, and six credible scenarios for the flow of decant water and tailings pore water, with significant effects on the terrestrial and aquatic ecosystems, in different weather conditions;

- Tailings flow may occur along Corna Valley, on a 800 m (starter dam break) or over 1600 m reach should the Corna dam break in its final stage;

- In regard to water quality impacts, cyanide concentrations in the water in the shape of a pollution plume may reach Arad, near the Romanian-Hungarian border on the Mureş River, in concentrations ranging between 0.03 and 0.5 mg/L. Due to inherent mathematical limitations in the models, these values and the accident effects are considered overestimated. Therefore, the results describe the “worst case scenario” based on extreme dam break assumptions for the Corna Dam.

A new and much more precise and realistic simulation has been subsequently established based on the INCA Mine model, that considers the dispersion, volatilization and breakdown of cyanides during the downstream movement of the pollutant flow (Whiteland et al., 2006).

The model used is the INCA model developed over the past 10 years to simulate both terrestrial and aquatic systems within the EUROLIMPACS EU research program (www.eurolimpacs.ucl.ac.uk). The model has been used to assess the impacts from future mining, and collection and treatment operations for pollution from past mining at Roşia Montană.

The modeling created for Roşia Montană simulates eight metals (cadmium, lead, zinc, mercury, arsenic, copper, chromium, manganese) as well as Cyanide, Nitrate, Ammonia and dissolved oxygen. The model has been applied to the upper catchments at Roşia Montană as well as the complete Abrud-Arieş-Mureş river system down to the Hungarian Border and on into the Tisa River. The model takes into account the dilution, mixing and physical-chemical processes affecting metals, ammonia and cyanide in the river system and gives estimates of concentrations at key locations along the river, including at the Hungarian Boarder and in the Tisa after the Mureş joins it.

Because of dilution and dispersion in the river system, and of the initial EU BAT-compliant technology adopted for the project (for example, the use of a cyanide destruct process for tailings effluent that reduces cyanide concentration in effluent stored in the TMF to below 6 mg/l), even a large scale unprogrammed release of tailings materials (for example, following failure of the dam) into the river system would not result in transboundary pollution. The model has shown that under worse case dam failure scenario all legal limits for cyanide and heavy metals concentrations would be met in the river water before it crosses into Hungary.

The INCA model has also been used to evaluate the beneficial impacts of the existing mine water collection and treatment and it has shown that substantial improvements in water quality are achieved along the river system under normal operational conditions.

For more information, an information sheet presenting the INCA modeling work is presented under the title of the Mureş River Modeling Program and the full modeling report is presented in Annex 5.1:

- Development of HCN on the tailings pond surface. Simulated emissions of HCN from the Tailings Management Facility pond surface and of their dispersion into the ambient air show that the level of 400µ g/m³ hourly average and 179µ g/m³ 8hr average will not be exceeded. These HCN concentrations are only slightly over the odor threshold (0.17ppm) and much below potentially dangerous

concentrations;

- Cetate Dam break and breach development. Flood modeling was in case of a break in Cetate dam was based on the design parameters obtained from the hydrometeorological study "Assessment of rainfall intensity, frequency and runoff for the Roşia Montană Project - Radu Drobot". The breach characteristics were predicted using the BREACH model, and the maximum height of the flood wave in various flow sections was modeled using the FLDWAV software. The assumptions included a total 800000 m³ discharge for one hour, when the peak of the flood hydrograph is about 4.9 m above base flow immediately below the dam and in the narrow Abrud valley 5.9-7,5 km downstream of the dam, while in the last section considered (10,5 km) water depth is about 2.3 m above base flow and the maximum flow rate 877 m³/s. Further, the broader Aries valley allows the flood wave to propagate on a significantly wider bed, which results in a highly attenuated hydrograph. These results describe the "worst case scenario" based on extreme dam break assumptions:

- Accidents during cyanide transportation. Due to the large quantities of cyanide transported (about 30t /day) the risks associated to this activity were assessed in detail using the ZHA- Zurich Hazard Analysis method. As a consequence, the optimum transport route was selected from the manufacturer to the Process Plant, e.g.;

- Cyanide transport (in solid state) will exclusively involve special SLS (Solid to Liquid System) containers, 16 tons each. The ISO compliant container will be protected by a framework with legs, which allows separation from the transport trailer for temporary storage. The wall is 5.17 mm thick, which, together with the protective framework, provides additional protection to the load in case of accident. This system is considered BAT and is currently one of the safest cyanide transportation options.

It is being mentioned the fact that the study develops the occurrence possibility of these scenarios (pages 166-171, Conclusions).

As regards the cyanides management, there is a baseline study named "Roşia Montană Golden Project, Cyanides Management Plan" prepared in compliance with the "International Management Code for the Manufacture, Transport and Use of Cyanide in the Production of Gold (International Cyanide management Institute) May 2002". S.C. Roşia Montană Gold Corporation is signatory to this code.

Bibliographical references for Chapter 7 "Risk Cases" are listed at page 173-176.

*

The impact on protected flora and fauna will exist only locally, but this impact will not lead to the loss of any specie. The Project has been designed even from the beginning to fully comply with the requirements and norms imposed by Romanian and European environmental legislation.

The company believes the fact that the project impact on environment remains significant, especially because covers previous impacts. But, the investments required to ecologically restore/rehabilitate Roşia Montană area in order to address current complex environmental issues, are only achievable following the implementation of some economic projects that will generate and warrant implementation of some direct and responsible actions as a component of base principles of sustainable development concepts. Clean processes and technologies may be developed only in the presence of a solid economic environment fully compliant with the environment that will also resolve previous impacts of anthropic activities.

The base documents of the Project are in fact an unbiased reason of its implementation, considering the highly complex environmental commitment within Roşia Montană area.

Some of the Roşia Montană species that are under a certain protection status stand for an insignificant percentage of the scale of populations estimated at national level. The characterization of species from their habitat point of view exists in the species tables presented in the Biodiversity Chapter of the EIA Report and its annexes, although this is not a requirement imposed by the Habitats Directive. Due to their large volume of information, the annexes of chapter 4.6 Biodiversity can be found in the electronic version of the EIA disclosed by the company both in Romanian and English through approx. 6,000 DVD/CD copies, being accessible on the company website, and on the websites of Ministry of Environment and Water Management, local and regional environmental protection agencies of Alba, Sibiu, Cluj, etc.

From practical point of view, the low value of conservation of the impact area is also indirectly emphasized

by the fact that there is no proposal to designate the area a SPA (aviafaunistic special protected area) and by the denial as unfounded of the proposal to designate the area as a pSCI area (sites of community importance).

Taking all these into account, we believe that the proposed Project is compliant with the provisions of EU Directive no. 92/43 Habitats[1], and EU Directive no. 79/409 Birds[2] respectively, especially because within Biodiversity Management Plan, Plan H, several active and responsible measures are provided to reconstruct/rehabilitate several natural habitats, pursuant to the provisions of the same documents [3].

References:

[1] art.3, 2nd paragraph, Each Member State shall contribute to the creation of Natura 2000 (network) in proportion to the representation within its territory of the natural habitat types and the habitats of species referred to in paragraph 1. To that effect each Member State shall designate, in accordance with Article 4, sites as special areas of conservation taking account of the objectives set out in paragraph 1.

art.4, 1st paragraph. On the basis of the criteria set out in Annex III (Stage 1) and relevant scientific information, each Member State shall propose a list of sites indicating which natural habitat types in Annex I and which species in Annex II that are native to its territory the sites host. For animal species ranging over wide areas these sites shall correspond to the places within the natural range of such species which present the physical or biological factors essential to their life and reproduction. For aquatic species which range over wide areas, such sites will be proposed only where there is a clearly identifiable area representing the physical and biological factors essential to their life and reproduction. Where appropriate, Member States shall propose adaptation of the list in the light of the results of the surveillance referred to in Article 11. [...]

2nd paragraph.[...] Member States whose sites hosting one or more priority natural habitat types and priority species represent more than 5 % of their national territory may, in agreement with the Commission, request that the criteria listed in Annex III (Stage 2) be applied more flexibly in selecting all the sites of Community importance in their territory.[...]

Art. 6, 4th paragraph. If, in spite of a negative assessment of the implications for the site and in the absence of alternative solutions, a plan or project must nevertheless be carried out for imperative reasons of overriding public interest, including those of a social or economic nature, the Member State shall take all compensatory measures necessary to ensure that the overall coherence of Natura 2000 is protected. It shall inform the Commission of the compensatory measures adopted.

Art. 16. Provided that there is no satisfactory alternative and the derogation is not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range, Member States may derogate from the provisions of Articles 12, 13, 14 and 15 (a) and (b):[...]

- in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment;

[2] Art.4, 1st paragraph. The species mentioned in annex 1 shall be the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. [...]

Trends and variations in population levels shall be taken into account as a background for evaluations. Member states shall classify in particular the most suitable territories in number and size as special protection areas for the conservation of these species, taking into account their protection requirements in the geographical sea and land area where this directive applies.

[3] Directive 92/43 Habitats, art. 2, 2nd paragraph; Directive 79/409 Birds, art. 3, 2nd paragraph, letter c.

*

An engineered liner is included in the design of the Tailings Management Facility (TMF) basin to be

protective of groundwater. Specifically, the Roșia Montană Tailings Management Facility (TMF or “the facility”) has been designed to be compliant with the EU Groundwater Directive (80/68/EEC), transposed as Romanian GD 351/2005. The TMF is also designed for compliance with the EU Mine Waste Directive (2006/21/EC) as required by the Terms of Reference established by the MEWM in May, 2005. The following paragraphs provide a discussion of how the facility is compliant with the directives.

The TMF is composed of a series of individual components including:

- the tailings impoundment;
- the tailings dam;
- the secondary seepage collection pond;
- the secondary containment dam; and
- the groundwater monitoring wells/extraction wells located downstream of the Secondary Containment dam.

All of these components are integral parts of the facility and necessary for the facility to perform as designed.

The directives indicated above require that the TMF design be protective of groundwater. For the Roșia Montană project (RMP), this requirement is addressed by consideration of the favorable geology (low permeability shales underlying the TMF impoundment, the TMF dam, and the Secondary Containment dam) and the proposed installation of a low-permeability (1×10^{-6} cm/sec) recompacted soil liner beneath the TMF basin. Please see Chapter 2 of EIA Plan F, “The Tailings Facility Management Plan” for more information.

The proposed low permeability soil liner will be fully compliant with Best Available Techniques (BAT) as defined by EU Directive 96/61 (IPPC) and EU Mine Waste Directive. Additional design features that are included in the design to be protective of groundwater include:

- A low permeability (1×10^{-6} cm/sec) cut off wall within the foundation of the starter dam to control seepage;
- A low permeability (1×10^{-6} cm/sec) core in the starter dam to control seepage;
- A seepage collection dam and pond below the toe of the tailings dam to collect and contain any seepage that does extend beyond the dam centerline,
- A series of monitoring wells, below the toe of the secondary containment dam; to monitor seepage and ensure compliance, before the waste facility limit.

In addition to the design components noted above specific operational requirements will be implemented to be protective of human health and the environment. In the extremely unlikely case that impacted water is detected in the monitoring wells below the secondary containment dam, they will be converted to pumping wells and will be used to extract the impacted water and pump it into the reclaim pond where it will be incorporated into the RMP processing plant water supply system, until the compliance is reestablish.

*

Please consider that the provisions of annex no. 2 to the Government Decision no. 349/2005 on the storing of the wastes, for the verification of the location, regarding „*the positioning in report to the existing or planned populated areas, the protection distance to the warehouse body must be of at least 1,000 meters for the non-dangerous and dangerous wastes deposits*”, do not apply in case of the mining wastes.

The Ministry of Environment and Waters Management, by the Hazardous Chemical Substances and Wastes Management Direction, requested the project titleholder, by the Guidelines sent with a view to the performance of the evaluation of the environmental impact, according to the provisions of the Order of the Minister of Waters and Environmental Protection no. 860/2002 on the environmental impact assessment and environmental approval issuance Procedure, that this project “must be in compliance with the provisions of the new CE Directive on the management of the wastes from the extractive industry”.

To this end, we underline that the Directive no. 2006/21/EC referring to the management of the wastes from the extractive industry provides, at art. 2 (4), that the wastes falling under this directive are

exempted from the provisions of the Directive 1999/31/EC on the wastes storing, implemented in the national legislation by GD no. 349/2995. Consequently, the provisions of the Directive 1999/31/EC do not apply to the Roşia Montană project and therefore, neither the provisions of GD no. 349/2005 are applicable. The Directive on the extractive wastes contains provisions and conditions specific in regard of the storing of this type of wastes, and which are applied with priority in report to the regulations already in existence on wastes storing.

*

Detailed financial guarantees are in place, in the form of the Environmental Financial Guarantee (“EFG”), which require Roşia Montană Gold Corporation (“RMGC”) to maintain adequate funds for environmental cleanup. The EFG is updated annually and will always reflect the costs associated with reclamation. The current projected closure cost for Roşia Montană is US \$76 million, which is based on the mine operating for its full 16-year lifespan.

The EFG is governed by the Mining Law (no. 85/2003) and the National Agency for Mineral Resources instructions and Mining Law Enforcement Norms (no. 1208/2003).

Two directives issued by the European Union also impact the EFG: the Mine Waste Directive (“MWD”) and the Environmental Liability Directive (“ELD”).

The Mine Waste Directive aims to ensure that coverage is available for 1) all the obligations connected to the permit granted for the disposal of waste material resulting from mining activities and 2) all of the costs related to the rehabilitation of the land affected by a waste facility. The Environmental Liability Directive regulates the remedies, and measures to be taken by the environmental authorities, in the event of environmental damage created by mining operations, with the goal of ensuring adequate financial resources are available from the operators for environmental cleanup efforts. While these directives have yet to be transposed by the Romanian Government, the deadlines for implementing their enforcement mechanisms are 30 April 2007 (ELD) and 1 May 2008 (MWD) – thus before operations are scheduled to begin at Roşia Montană.

RMGC has already begun the process of complying with these directives, and once their implementation instruments are enacted by the Romanian Government, we will be in full compliance.

Each EFG will follow detailed guidelines generated by the World Bank and the International Council on Mining and Metals.

The annual updates will be completed by independent experts, carried out in consultation with the NAMR, as the Governmental authority competent in mining activities field. These updates will ensure that in the unlikely event of early closure of the project, at any point in time, each EFG will always reflect the costs associated with reclamation. (These annual updates will result in an estimate that exceeds our current US \$76 million costs of closure, because some reclamation activity is incorporated into the routine operations of the mine.)

A number of different financial instruments are available to ensure that RMGC is capable of covering all of the expected closure costs. These instruments, which will be held in protected accounts at the Romanian state disposal, include:

- Cash deposit ;
- Trust funds ;
- Letter of credit ;
- Surety bonds ;
- Insurance policy.

Under the terms of this guarantee, the Romanian government will have no financial liability in connection with the rehabilitation of the Roşia Montană project.
