

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

DS:Galati

OS:Grivita

UP: 1

SUP: A

Pag.: 1

| Cl. vrt. | Gr. Specia | Clasa de productie |       |        |       |       | T O T A L |      |      |       |     |       |          |       |          |              | Var- sta Ani | Cls. pr. med | Consistentia |  |  |
|----------|------------|--------------------|-------|--------|-------|-------|-----------|------|------|-------|-----|-------|----------|-------|----------|--------------|--------------|--------------|--------------|--|--|
|          |            | I Ha               | II Ha | III Ha | IV Ha | V Ha  | Suprafata |      |      | Volum |     |       | Crestere |       | < 0.4 Ha | 0.4 - 0.6 Ha |              |              | > 0.6 Ha     |  |  |
|          |            |                    |       |        |       |       | Ha        | %    | % K  | Mc    | %   | Mc/Ha | Mc       | Mc/Ha |          |              |              |              |              |  |  |
| 1        | 1          | GO                 |       | 0.96   | 0.17  |       | 1.13      | 29   | 73   | 8     | 7   | 7     | 1        | 0.9   | 7        | 3.2          |              |              | 1.13         |  |  |
|          |            | TE                 |       | 0.32   |       |       | 0.32      | 9    | 91   | 22    | 19  | 69    | 2        | 6.3   | 15       | 3.0          |              | 0.32         |              |  |  |
|          |            | ST                 |       | 0.46   |       |       | 0.46      | 12   | 89   | 28    | 24  | 61    | 2        | 4.3   | 15       | 3.0          |              | 0.46         |              |  |  |
|          |            | FR                 |       | 0.25   |       |       | 0.25      | 7    | 72   |       |     |       |          |       | 5        | 3.0          |              | 0.25         |              |  |  |
|          |            | SC                 |       | 0.49   | 0.06  |       | 0.55      | 15   | 87   | 21    | 18  | 38    | 5        | 9.1   | 15       | 3.1          |              | 0.55         |              |  |  |
|          |            | DT                 |       | 0.99   | 0.06  |       | 1.05      | 28   | 82   | 37    | 32  | 35    | 2        | 1.9   | 12       | 3.1          |              | 1.05         |              |  |  |
|          |            | T.gr.              |       | 3.47   | 0.29  |       | 3.76      | 81   | 81   | 116   | 98  | 31    | 12       | 3.2   | 11       | 3.1          |              | 3.76         |              |  |  |
|          |            |                    | 92 %  | 8 %    |       | 100 % |           |      |      |       |     |       |          |       |          |              | 100 %        |              |              |  |  |
| 1        | 2          | GO                 |       | 0.64   |       |       | 0.64      | 70   | 70   | 1     | 50  | 2     | 1        | 1.6   | 5        | 3.0          |              | 0.64         |              |  |  |
|          |            | TE                 |       | 0.27   |       |       | 0.27      | 30   | 70   | 1     | 50  | 4     |          |       | 5        | 3.0          |              | 0.27         |              |  |  |
|          | T.gr.      |                    | 0.91  |        |       | 0.91  | 19        | 70   | 2    | 2     | 2   | 1     | 1.1      | 5     | 3.0      |              | 0.91         |              |              |  |  |
|          |            |                    |       | 100 %  |       | 100 % |           |      |      |       |     |       |          |       |          | 100 %        |              |              |              |  |  |
| 1        | T          | GO                 |       | 1.60   | 0.17  |       | 1.77      | 38   | 72   | 9     | 8   | 5     | 2        | 1.1   | 6        | 3.1          |              | 1.77         |              |  |  |
|          |            | TE                 |       | 0.59   |       |       | 0.59      | 13   | 81   | 23    | 19  | 39    | 2        | 3.4   | 10       | 3.0          |              | 0.59         |              |  |  |
|          |            | ST                 |       | 0.46   |       |       | 0.46      | 10   | 89   | 28    | 24  | 61    | 2        | 4.3   | 15       | 3.0          |              | 0.46         |              |  |  |
|          |            | FR                 |       | 0.25   |       |       | 0.25      | 5    | 72   |       |     |       |          |       | 5        | 3.0          |              | 0.25         |              |  |  |
|          |            | SC                 |       | 0.49   | 0.06  |       | 0.55      | 12   | 87   | 21    | 18  | 38    | 5        | 9.1   | 15       | 3.1          |              | 0.55         |              |  |  |
|          |            | DT                 |       | 0.99   | 0.06  |       | 1.05      | 22   | 82   | 37    | 31  | 35    | 2        | 1.9   | 12       | 3.1          |              | 1.05         |              |  |  |
|          |            | T.cl.              |       | 4.38   | 0.29  |       | 4.67      | 1    | 79   | 118   |     | 25    | 13       | 2.8   | 10       | 3.1          |              | 4.67         |              |  |  |
|          | vrt.       |                    | 94 %  | 6 %    |       | 100 % |           |      |      |       |     |       |          |       |          |              | 100 %        |              |              |  |  |
|          | 2          | 1                  | TE    |        | 0.94  |       |           | 0.94 | 8    | 80    | 138 | 11    | 147      | 8     | 8.5      | 30           | 3.0          |              | 0.94         |  |  |
|          |            |                    | ST    |        |       | 1.09  |           | 1.09 | 10   | 90    | 117 | 9     | 107      | 7     | 6.4      | 35           | 4.0          |              | 1.09         |  |  |
|          |            |                    | FR    |        | 0.94  | 1.08  |           | 2.02 | 18   | 85    | 269 | 22    | 133      | 15    | 7.4      | 37           | 3.5          |              | 2.02         |  |  |
|          |            |                    | PIN   |        | 3.81  |       |           | 3.81 | 34   | 81    | 433 | 35    | 114      | 25    | 6.6      | 33           | 3.0          |              | 3.81         |  |  |
|          |            |                    | SC    |        |       | 1.21  |           | 1.21 | 11   | 82    | 86  | 7     | 71       | 8     | 6.6      | 28           | 4.0          |              | 1.21         |  |  |
| DT       |            |                    |       | 1.25   | 0.85  |       | 2.10      | 19   | 81   | 195   | 16  | 93    | 9        | 4.3   | 32       | 3.4          |              | 2.10         |              |  |  |
| T.gr.    |            |                    | 6.94  | 4.23   |       | 11.17 | 48        | 83   | 1238 | 57    | 111 | 72    | 6.4      | 33    | 3.4      |              | 11.17        |              |              |  |  |
|          |            | 62 %               | 38 %  |        | 100 % |       |           |      |      |       |     |       |          |       |          | 100 %        |              |              |              |  |  |
| 2        | 2          | TE                 |       |        | 0.85  |       | 0.85      | 7    | 80   | 90    | 10  | 106   | 5        | 5.9   | 30       | 4.0          |              | 0.85         |              |  |  |
|          |            | FR                 |       |        | 0.43  |       | 0.43      | 4    | 79   | 34    | 4   | 79    | 3        | 7.0   | 30       | 4.0          |              | 0.43         |              |  |  |
|          |            | PIN                |       | 5.35   |       |       | 5.35      | 45   | 74   | 467   | 50  | 87    | 33       | 6.2   | 35       | 3.0          |              | 5.35         |              |  |  |
|          |            | NU                 |       |        | 1.80  | 0.36  | 2.16      | 18   | 78   | 100   | 11  | 46    | 10       | 4.6   | 40       | 4.2          |              | 2.16         |              |  |  |
|          |            | NUA                |       |        | 1.73  |       | 1.73      | 15   | 80   | 127   | 14  | 73    | 8        | 4.6   | 40       | 4.0          |              | 1.73         |              |  |  |
|          |            | DT                 |       | 0.36   | 0.99  |       | 1.35      | 11   | 77   | 103   | 11  | 76    | 8        | 5.9   | 33       | 3.7          |              | 1.35         |              |  |  |

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

DS:Galati

OS:Grivita

UP: 1

SUP: A

Pag.: 2

| Cl. vrt. | Gr. Specia    | Clasa de productie |          |               |               |               | Suprafata      |    |     | T O T A L |    |       | Crestere |       | Var-<br>sta<br>Ani | Cls.<br>pr.<br>med | Consistenta |                 |                |
|----------|---------------|--------------------|----------|---------------|---------------|---------------|----------------|----|-----|-----------|----|-------|----------|-------|--------------------|--------------------|-------------|-----------------|----------------|
|          |               | I<br>Ha            | II<br>Ha | III<br>Ha     | IV<br>Ha      | V<br>Ha       | Ha             | %  | % K | Mc        | %  | Mc/Ha | Mc       | Mc/Ha |                    |                    | < 0.4<br>Ha | 0.4 - 0.6<br>Ha | > 0.6<br>Ha    |
|          | T.gr.         |                    |          | 5.71<br>48 %  | 5.80<br>49 %  | 0.36<br>3 %   | 11.87<br>100 % | 52 | 77  | 921       | 43 | 78    | 67       | 5.6   | 36                 | 3.5                |             |                 | 11.87<br>100 % |
| 2        | T             | TE                 |          | 0.94          | 0.85          |               | 1.79           | 8  | 80  | 228       | 11 | 127   | 13       | 7.3   | 30                 | 3.5                |             |                 | 1.79           |
|          |               | ST                 |          |               | 1.09          |               | 1.09           | 5  | 90  | 117       | 5  | 107   | 7        | 6.4   | 35                 | 4.0                |             |                 | 1.09           |
|          |               | FR                 |          | 0.94          | 1.51          |               | 2.45           | 11 | 84  | 303       | 14 | 124   | 18       | 7.3   | 36                 | 3.6                |             |                 | 2.45           |
|          |               | PIN                |          | 9.16          |               |               | 9.16           | 39 | 77  | 900       | 41 | 98    | 58       | 6.3   | 34                 | 3.0                |             |                 | 9.16           |
|          |               | NU                 |          |               | 1.80          | 0.36          | 2.16           | 9  | 78  | 100       | 5  | 46    | 10       | 4.6   | 40                 | 4.2                |             |                 | 2.16           |
|          |               | SC                 |          |               | 1.21          |               | 1.21           | 5  | 82  | 86        | 4  | 71    | 8        | 6.6   | 28                 | 4.0                |             |                 | 1.21           |
|          |               | NUA                |          |               | 1.73          |               | 1.73           | 8  | 80  | 127       | 6  | 73    | 8        | 4.6   | 40                 | 4.0                |             |                 | 1.73           |
|          |               | DT                 |          | 1.61          | 1.84          |               | 3.45           | 15 | 79  | 298       | 14 | 86    | 17       | 4.9   | 33                 | 3.5                |             |                 | 3.45           |
|          | T.cl.<br>vrt. |                    |          | 12.65<br>54 % | 10.03<br>44 % | 0.36<br>2 %   | 23.04<br>100 % | 6  | 80  | 2159      | 3  | 94    | 139      | 6.0   | 34                 | 3.5                |             |                 | 23.04<br>100 % |
| 3        | 1             | GO                 |          | 1.71          | 0.29          |               | 2.00           | 5  | 87  | 429       | 6  | 215   | 11       | 5.5   | 60                 | 3.1                |             |                 | 2.00           |
|          |               | TE                 |          | 2.29          |               |               | 2.29           | 5  | 90  | 661       | 9  | 289   | 21       | 9.2   | 60                 | 3.0                |             |                 | 2.29           |
|          |               | ST                 |          | 0.32          | 13.42         | 15.97         | 29.71          | 68 | 77  | 4977      | 64 | 168   | 170      | 5.7   | 60                 | 4.5                |             |                 | 29.71          |
|          |               | CA                 |          |               | 1.73          | 0.59          | 2.32           | 5  | 88  | 382       | 5  | 165   | 13       | 5.6   | 60                 | 4.3                |             |                 | 2.32           |
|          |               | FR                 |          | 2.58          |               | 0.07          | 2.65           | 6  | 75  | 606       | 8  | 229   | 15       | 5.7   | 60                 | 3.1                |             |                 | 2.65           |
|          |               | NU                 |          |               |               | 0.44          | 0.44           | 1  | 70  | 46        | 1  | 105   | 1        | 2.3   | 60                 | 5.0                |             |                 | 0.44           |
|          |               | SC                 |          |               | 0.13          | 0.05          | 0.18           |    | 78  | 23        |    | 128   | 1        | 5.6   | 42                 | 4.3                |             |                 | 0.18           |
|          |               | DT                 |          | 0.22          | 3.40          | 0.72          | 4.34           | 10 | 77  | 544       | 7  | 125   | 20       | 4.6   | 59                 | 4.1                |             |                 | 4.34           |
|          | T.gr.         |                    |          | 7.12<br>16 %  | 18.97<br>43 % | 17.84<br>41 % | 43.93<br>100 % | 81 | 78  | 7668      | 80 | 175   | 252      | 5.7   | 60                 | 4.2                |             |                 | 43.93<br>100 % |
| 3        | 2             | GO                 |          | 2.89          |               |               | 2.89           | 28 | 80  | 482       | 26 | 167   | 14       | 4.8   | 60                 | 3.0                |             |                 | 2.89           |
|          |               | TE                 |          | 3.86          |               |               | 3.86           | 37 | 80  | 800       | 42 | 207   | 32       | 8.3   | 60                 | 3.0                |             |                 | 3.86           |
|          |               | ST                 |          | 0.47          |               |               | 0.47           | 5  | 70  | 94        | 5  | 200   | 3        | 6.4   | 60                 | 3.0                |             |                 | 0.47           |
|          |               | FR                 |          |               | 1.93          |               | 1.93           | 19 | 80  | 357       | 19 | 185   | 10       | 5.2   | 60                 | 4.0                |             |                 | 1.93           |
|          |               | DT                 |          | 0.12          | 0.96          |               | 1.08           | 11 | 79  | 142       | 8  | 131   | 6        | 5.6   | 60                 | 3.9                |             |                 | 1.08           |
|          | T.gr.         |                    |          | 7.34<br>72 %  | 2.89<br>28 %  |               | 10.23<br>100 % | 19 | 79  | 1875      | 20 | 183   | 65       | 6.4   | 60                 | 3.3                |             |                 | 10.23<br>100 % |
| 3        | T             | GO                 |          | 4.60          | 0.29          |               | 4.89           | 9  | 83  | 911       | 10 | 186   | 25       | 5.1   | 60                 | 3.1                |             |                 | 4.89           |
|          |               | TE                 |          | 6.15          |               |               | 6.15           | 11 | 84  | 1461      | 15 | 238   | 53       | 8.6   | 60                 | 3.0                |             |                 | 6.15           |
|          |               | ST                 |          | 0.79          | 13.42         | 15.97         | 30.18          | 57 | 77  | 5071      | 54 | 168   | 173      | 5.7   | 60                 | 4.5                |             |                 | 30.18          |
|          |               | CA                 |          |               | 1.73          | 0.59          | 2.32           | 4  | 88  | 382       | 4  | 165   | 13       | 5.6   | 60                 | 4.3                |             |                 | 2.32           |
|          |               | FR                 |          | 2.58          | 1.93          | 0.07          | 4.58           | 8  | 77  | 963       | 10 | 210   | 25       | 5.5   | 60                 | 3.5                |             |                 | 4.58           |

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

**DS:Galati**

## OS:Grivita

**UP: 1**

**SUP: A**

**Pag.: 3**

| Cl. vrt. | Gr.        | Specia     | Clasa de productie |                |                |               |                 | T O T A L     |       |       |       |       |       |          | Var- sta Ani | Cls. pr. med | Consistentia            |                |              |
|----------|------------|------------|--------------------|----------------|----------------|---------------|-----------------|---------------|-------|-------|-------|-------|-------|----------|--------------|--------------|-------------------------|----------------|--------------|
|          |            |            | I Ha               | II Ha          | III Ha         | IV Ha         | V Ha            | Suprafata     |       |       | Volum |       |       | Crestere |              |              |                         |                |              |
|          |            |            |                    |                |                |               |                 | Ha            | %     | % K   | Mc    | %     | Mc/Ha | Mc       |              |              | Mc/Ha                   | < 0.4 Ha       | 0.4 - 0.6 Ha |
| 3        | T          | NU         |                    |                |                | 0.44          | 0.44            | 1             | 70    | 46    |       | 105   | 1     | 2.3      | 60           | 5.0          |                         | 0.44           |              |
|          |            | SC         |                    |                | 0.13           | 0.05          | 0.18            |               | 78    | 23    |       | 128   | 1     | 5.6      | 42           | 4.3          |                         | 0.18           |              |
|          |            | DT         |                    | 0.34           | 4.36           | 0.72          | 5.42            | 10            | 77    | 686   | 7     | 127   | 26    | 4.8      | 59           | 4.1          |                         | 5.42           |              |
|          |            | T.cl. vrt. |                    | 14.46<br>27 %  | 21.86<br>40 %  | 17.84<br>33 % | 54.16<br>100 %  | 13            | 79    | 9543  | 12    | 176   | 317   | 5.9      | 60           | 4.1          |                         | 54.16<br>100 % |              |
|          | 4          | 1          | GO                 |                | 0.64           | 58.35         | 18.65           | 1.68          | 79.32 | 54    | 81    | 16210 | 52    | 204      | 305          | 3.8          | 77                      | 3.3            | 79.32        |
| TE       |            |            |                    | 1.62           | 3.46           | 32.09         |                 | 37.17         | 25    | 88    | 9602  | 31    | 258   | 250      | 6.7          | 71           | 3.8                     | 37.17          |              |
| ST       |            |            |                    |                |                | 6.57          | 6.72            | 13.29         | 9     | 73    | 2035  | 7     | 153   | 69       | 5.2          | 71           | 4.5                     | 13.03          |              |
| CA       |            |            |                    |                | 1.06           | 11.86         | 1.13            | 14.05         | 9     | 86    | 2017  | 7     | 144   | 63       | 4.5          | 72           | 4.0                     | 14.05          |              |
| FR       |            |            |                    | 0.64           |                | 0.48          |                 | 1.12          | 1     | 79    | 247   | 1     | 221   | 6        | 5.4          | 70           | 2.9                     | 0.72           |              |
| DT       |            |            |                    |                | 1.06           | 2.41          | 0.08            | 3.55          | 2     | 88    | 570   | 2     | 161   | 18       | 5.1          | 68           | 3.7                     | 3.55           |              |
| T.gr.    |            |            | 2.90<br>2 %        | 63.93<br>43 %  | 72.06<br>49 %  | 9.61<br>6 %   | 148.50<br>100 % | 46            | 83    | 30681 | 46    | 207   | 711   | 4.8      | 75           | 3.6          | 0.66<br>147.84<br>100 % |                |              |
| 4        | 2          | GO         |                    |                | 76.47          | 2.39          |                 | 78.86         | 46    | 83    | 16199 | 45    | 205   | 333      | 4.2          | 73           | 3.0                     | 78.86          |              |
|          |            | TE         |                    |                | 23.07          | 38.82         |                 | 61.89         | 36    | 82    | 15132 | 41    | 244   | 382      | 6.2          | 72           | 3.6                     | 61.89          |              |
|          |            | ST         |                    |                |                | 0.51          | 2.35            | 2.86          | 2     | 72    | 473   | 1     | 165   | 13       | 4.5          | 74           | 4.8                     | 2.63           |              |
|          |            | CA         |                    |                | 2.09           | 1.99          |                 | 4.08          | 2     | 85    | 579   | 2     | 142   | 20       | 4.9          | 71           | 3.5                     | 4.08           |              |
|          |            | FR         |                    |                |                | 9.19          |                 | 9.19          | 5     | 79    | 1787  | 5     | 194   | 39       | 4.2          | 68           | 4.0                     | 8.67           |              |
|          |            | DT         |                    |                | 3.04           | 11.78         | 0.06            | 14.88         | 9     | 81    | 2337  | 6     | 157   | 63       | 4.2          | 73           | 3.8                     | 14.88          |              |
|          | T.gr.      |            |                    | 104.67<br>61 % | 64.68<br>38 %  | 2.41<br>1 %   | 171.76<br>100 % | 54            | 82    | 36507 | 54    | 213   | 850   | 4.9      | 72           | 3.4          | 0.75<br>171.01<br>100 % |                |              |
| 4        | T          | GO         |                    | 0.64           | 134.82         | 21.04         | 1.68            | 158.18        | 49    | 82    | 32409 | 48    | 205   | 638      | 4.0          | 75           | 3.2                     | 158.18         |              |
|          |            | TE         |                    | 1.62           | 26.53          | 70.91         |                 | 99.06         | 31    | 84    | 24734 | 37    | 250   | 632      | 6.4          | 72           | 3.7                     | 99.06          |              |
|          |            | ST         |                    |                |                | 7.08          | 9.07            | 16.15         | 5     | 73    | 2508  | 4     | 155   | 82       | 5.1          | 72           | 4.6                     | 15.66          |              |
|          |            | CA         |                    |                | 3.15           | 13.85         | 1.13            | 18.13         | 6     | 86    | 2596  | 4     | 143   | 83       | 4.6          | 72           | 3.9                     | 18.13          |              |
|          |            | FR         |                    | 0.64           |                | 9.67          |                 | 10.31         | 3     | 79    | 2034  | 3     | 197   | 45       | 4.4          | 68           | 3.9                     | 9.39           |              |
|          |            | DT         |                    |                | 4.10           | 14.19         | 0.14            | 18.43         | 6     | 82    | 2907  | 4     | 158   | 81       | 4.4          | 72           | 3.8                     | 18.43          |              |
|          | T.cl. vrt. |            | 2.90<br>1 %        | 168.60<br>52 % | 136.74<br>43 % | 12.02<br>4 %  | 320.26<br>100 % | 79            | 82    | 67188 | 83    | 210   | 1561  | 4.9      | 73           | 3.5          | 1.41<br>318.85<br>100 % |                |              |
| 5        | 2          | GO         |                    |                |                | 1.56          |                 | 1.56          | 30    | 80    | 323   | 26    | 207   | 4        | 2.6          | 90           | 4.0                     | 1.56           |              |
|          |            | TE         |                    |                |                | 3.13          |                 | 3.13          | 60    | 80    | 802   | 66    | 256   | 13       | 4.2          | 90           | 4.0                     | 3.13           |              |
|          |            | DT         |                    |                |                | 0.52          |                 | 0.52          | 10    | 81    | 104   | 8     | 200   | 2        | 3.8          | 90           | 4.0                     | 0.52           |              |
|          |            | T.gr.      |                    |                |                | 5.21<br>100 % |                 | 5.21<br>100 % | 100   | 80    | 1229  | 100   | 236   | 19       | 3.6          | 90           | 4.0                     | 5.21<br>100 %  |              |

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

DS:Galati

OS:Grivita

UP: 1

SUP: A

Pag.: 4

| Cl. vrt. | Gr. Specia | Clasa de productie |       |        |       |       | Suprafata |    |     | T O T A L |    |       | Crestere |       | Var- sta | Cls. pr. med | Consistentia |              |          |
|----------|------------|--------------------|-------|--------|-------|-------|-----------|----|-----|-----------|----|-------|----------|-------|----------|--------------|--------------|--------------|----------|
|          |            | I Ha               | II Ha | III Ha | IV Ha | V Ha  | Ha        | %  | % K | Mc        | %  | Mc/Ha | Mc       | Mc/Ha | Ani      |              | < 0.4 Ha     | 0.4 - 0.6 Ha | > 0.6 Ha |
| 5        | T          | GO                 |       |        | 1.56  |       | 1.56      | 30 | 80  | 323       | 26 | 207   | 4        | 2.6   | 90       | 4.0          |              |              | 1.56     |
|          |            | TE                 |       |        | 3.13  |       | 3.13      | 60 | 80  | 802       | 66 | 256   | 13       | 4.2   | 90       | 4.0          |              |              | 3.13     |
|          |            | DT                 |       |        | 0.52  |       | 0.52      | 10 | 81  | 104       | 8  | 200   | 2        | 3.8   | 90       | 4.0          |              |              | 0.52     |
| T.cl.    |            |                    |       |        | 5.21  |       | 5.21      | 1  | 80  | 1229      | 2  | 236   | 19       | 3.6   | 90       | 4.0          |              |              | 5.21     |
| vrt.     |            |                    |       |        | 100 % |       | 100 %     |    |     |           |    |       |          |       |          |              |              |              | 100 %    |
| T        | 1          | GO                 | 0.64  | 61.02  | 19.11 | 1.68  | 82.45     | 40 | 81  | 16647     | 43 | 202   | 317      | 3.8   | 76       | 3.3          |              |              | 82.45    |
|          |            | TE                 | 1.62  | 7.01   | 32.09 |       | 40.72     | 20 | 88  | 10423     | 26 | 256   | 281      | 6.9   | 69       | 3.7          |              |              | 40.72    |
|          |            | ST                 |       | 0.78   | 21.08 | 22.69 | 44.55     | 21 | 76  | 7157      | 18 | 161   | 248      | 5.6   | 62       | 4.5          |              | 0.26         | 44.29    |
|          |            | CA                 |       | 1.06   | 13.59 | 1.72  | 16.37     | 8  | 86  | 2399      | 6  | 147   | 76       | 4.6   | 71       | 4.0          |              |              | 16.37    |
|          |            | FR                 | 0.64  | 3.77   | 1.56  | 0.07  | 6.04      | 3  | 79  | 1122      | 3  | 186   | 36       | 6.0   | 52       | 3.2          |              | 0.40         | 5.64     |
|          |            | PIN                |       | 3.81   |       |       | 3.81      | 2  | 81  | 433       | 1  | 114   | 25       | 6.6   | 33       | 3.0          |              |              | 3.81     |
|          |            | NU                 |       |        |       | 0.44  | 0.44      |    | 70  | 46        |    | 105   | 1        | 2.3   | 60       | 5.0          |              |              | 0.44     |
|          |            | SC                 |       | 0.49   | 1.40  | 0.05  | 1.94      | 1  | 83  | 130       |    | 67    | 14       | 7.2   | 25       | 3.8          |              |              | 1.94     |
|          |            | DT                 |       | 3.52   | 6.72  | 0.80  | 11.04     | 5  | 82  | 1346      | 3  | 122   | 49       | 4.4   | 52       | 3.8          |              |              | 11.04    |
| TOTAL    |            |                    | 2.90  | 81.46  | 95.55 | 27.45 | 207.36    | 51 | 82  | 39703     | 49 | 191   | 1047     | 5.0   | 68       | 3.7          |              | 0.66         | 206.70   |
|          |            |                    | 1 %   | 39 %   | 47 %  | 13 %  | 100 %     |    |     |           |    |       |          |       |          |              |              |              | 100 %    |
| T        | 2          | GO                 |       | 80.00  | 3.95  |       | 83.95     | 41 | 82  | 17005     | 43 | 203   | 352      | 4.2   | 72       | 3.0          |              |              | 83.95    |
|          |            | TE                 |       | 27.20  | 42.80 |       | 70.00     | 35 | 81  | 16825     | 42 | 240   | 432      | 6.2   | 72       | 3.6          |              |              | 70.00    |
|          |            | ST                 |       | 0.47   | 0.51  | 2.35  | 3.33      | 2  | 72  | 567       | 1  | 170   | 16       | 4.8   | 72       | 4.6          |              | 0.23         | 3.10     |
|          |            | CA                 |       | 2.09   | 1.99  |       | 4.08      | 2  | 85  | 579       | 1  | 142   | 20       | 4.9   | 71       | 3.5          |              |              | 4.08     |
|          |            | FR                 |       |        | 11.55 |       | 11.55     | 6  | 79  | 2178      | 5  | 189   | 52       | 4.5   | 65       | 4.0          |              | 0.52         | 11.03    |
|          |            | PIN                |       | 5.35   |       |       | 5.35      | 3  | 74  | 467       | 1  | 87    | 33       | 6.2   | 35       | 3.0          |              |              | 5.35     |
|          |            | NU                 |       |        | 1.80  | 0.36  | 2.16      | 1  | 78  | 100       |    | 46    | 10       | 4.6   | 40       | 4.2          |              |              | 2.16     |
|          |            | NUA                |       |        | 1.73  |       | 1.73      | 1  | 80  | 127       |    | 73    | 8        | 4.6   | 40       | 4.0          |              |              | 1.73     |
|          |            | DT                 |       | 3.52   | 14.25 | 0.06  | 17.83     | 9  | 81  | 2686      | 7  | 151   | 79       | 4.4   | 69       | 3.8          |              |              | 17.83    |
| TOTAL    |            |                    |       | 118.63 | 78.58 | 2.77  | 199.98    | 49 | 81  | 40534     | 51 | 203   | 1002     | 5.0   | 70       | 3.4          |              | 0.75         | 199.23   |
|          |            |                    |       | 60 %   | 39 %  | 1 %   | 100 %     |    |     |           |    |       |          |       |          |              |              |              | 100 %    |
| T        | T          | GO                 | 0.64  | 141.02 | 23.06 | 1.68  | 166.40    | 42 | 82  | 33652     | 42 | 202   | 669      | 4.0   | 74       | 3.2          |              |              | 166.40   |
|          |            | TE                 | 1.62  | 34.21  | 74.89 |       | 110.72    | 27 | 84  | 27248     | 34 | 246   | 713      | 6.4   | 71       | 3.7          |              |              | 110.72   |
|          |            | ST                 |       | 1.25   | 21.59 | 25.04 | 47.88     | 12 | 76  | 7724      | 10 | 161   | 264      | 5.5   | 63       | 4.5          |              | 0.49         | 47.39    |
|          |            | CA                 |       | 3.15   | 15.58 | 1.72  | 20.45     | 5  | 86  | 2978      | 4  | 146   | 96       | 4.7   | 71       | 3.9          |              |              | 20.45    |
|          |            | FR                 | 0.64  | 3.77   | 13.11 | 0.07  | 17.59     | 4  | 79  | 3300      | 4  | 188   | 88       | 5.0   | 61       | 3.7          |              | 0.92         | 16.67    |
|          |            | PIN                |       | 9.16   |       |       | 9.16      | 2  | 77  | 900       | 1  | 98    | 58       | 6.3   | 34       | 3.0          |              |              | 9.16     |
|          |            | NU                 |       |        | 1.80  | 0.80  | 2.60      | 1  | 77  | 146       |    | 56    | 11       | 4.2   | 43       | 4.3          |              |              | 2.60     |
|          |            | SC                 |       | 0.49   | 1.40  | 0.05  | 1.94      |    | 83  | 130       |    | 67    | 14       | 7.2   | 25       | 3.8          |              |              | 1.94     |

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

**DS:Galati**

## OS:Grivita

UP: 1

**SUP: A**

**Pag.: 5**

| Cl. vrt. | Gr. Specia | Clasa de productie |       |        |        |        | T O T A L |        |     |       |       |       |          |       | Var- sta | Cls. pr. | Consistentia |              |          |     |       |
|----------|------------|--------------------|-------|--------|--------|--------|-----------|--------|-----|-------|-------|-------|----------|-------|----------|----------|--------------|--------------|----------|-----|-------|
|          |            | I Ha               | II Ha | III Ha | IV Ha  | V Ha   | Suprafata |        |     | Volum |       |       | Crestere |       |          |          | < 0.4 Ha     | 0.4 - 0.6 Ha | > 0.6 Ha |     |       |
|          |            |                    |       |        |        |        | Ha        | %      | % K | Mc    | %     | Mc/Ha | Mc       | Mc/Ha |          |          |              |              |          | Ani |       |
| T        | T          | NUA                |       |        | 1.73   |        | 1.73      |        | 80  | 127   |       | 73    | 8        | 4.6   | 40       | 4.0      |              | 1.73         |          |     |       |
|          |            | DT                 |       | 7.04   | 20.97  | 0.86   | 28.87     | 7      | 81  | 4032  | 5     | 140   | 128      | 4.4   | 63       | 3.8      |              | 28.87        |          |     |       |
| TOTAL    |            |                    |       | 2.90   | 200.09 | 174.13 | 30.22     | 407.34 | 100 | 81    | 80237 | 100   | 197      | 2049  | 5.0      | 69       | 3.6          | 1.41         | 405.93   |     |       |
|          |            |                    |       | 1 %    | 49 %   | 43 %   | 7 %       | 100 %  |     |       |       |       |          |       |          |          |              |              |          |     | 100 % |

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

## DS: Galati

## OS: Grivita

**UP: 1**

**SUP: E**

**Pag.: 6**

[illegible]

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

**DS:Galati**

## OS:Grivita

**UP: 1**

**SUP: K**

**Pag.: 7**

[illegible]

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

**Pag.: 8**

| Cl. vrt. | Gr. | Specia | Clasa de productie |       |        |       |        | T O T A L |    |      |       |     |       |          | Var- sta Ani | Cls. pr. med | Consistenta |          |              |          |
|----------|-----|--------|--------------------|-------|--------|-------|--------|-----------|----|------|-------|-----|-------|----------|--------------|--------------|-------------|----------|--------------|----------|
|          |     |        | I Ha               | II Ha | III Ha | IV Ha | V Ha   | Suprafata |    |      | Volum |     |       | Crestere |              |              |             |          |              |          |
|          |     |        |                    |       |        |       |        | Ha        | %  | % K  | Mc    | %   | Mc/Ha | Mc       |              |              | Mc/Ha       | < 0.4 Ha | 0.4 - 0.6 Ha | > 0.6 Ha |
| 1        | 1   | SC     |                    |       | 98.01  | 23.18 | 121.19 | 98        | 83 | 4357 | 94    | 36  | 501   | 4.1      | 12           | 4.2          |             |          | 121.19       |          |
|          |     | ULC    |                    |       |        | 0.62  | 0.62   |           | 69 | 31   | 1     | 50  | 1     | 1.6      | 20           | 5.0          |             |          | 0.62         |          |
|          |     | PLA    |                    |       | 0.49   |       | 0.49   |           | 80 | 79   | 2     | 161 | 3     | 6.1      | 30           | 4.0          |             |          | 0.49         |          |
|          |     | DT     |                    |       | 2.17   | 0.62  | 2.79   | 2         | 86 | 125  | 3     | 45  | 10    | 3.6      | 15           | 4.2          |             |          | 2.79         |          |
|          |     | DM     |                    |       | 0.08   |       | 0.08   |           | 75 | 9    |       | 113 | 1     | 12.5     | 12           | 4.0          |             |          | 0.08         |          |
| T.cl.    |     |        |                    |       | 100.75 | 24.42 | 125.17 | 100       | 83 | 4601 | 100   | 37  | 516   | 4.1      | 12           | 4.2          |             |          | 125.17       |          |
| vrt.     |     |        |                    |       | 80 %   | 20 %  | 100 %  |           |    |      |       |     |       |          |              |              |             |          | 100 %        |          |
| 1        | T   | SC     |                    |       | 98.01  | 23.18 | 121.19 | 98        | 83 | 4357 | 94    | 36  | 501   | 4.1      | 12           | 4.2          |             |          | 121.19       |          |
|          |     | ULC    |                    |       |        | 0.62  | 0.62   |           | 69 | 31   | 1     | 50  | 1     | 1.6      | 20           | 5.0          |             |          | 0.62         |          |
|          |     | PLA    |                    |       | 0.49   |       | 0.49   |           | 80 | 79   | 2     | 161 | 3     | 6.1      | 30           | 4.0          |             |          | 0.49         |          |
|          |     | DT     |                    |       | 2.17   | 0.62  | 2.79   | 2         | 86 | 125  | 3     | 45  | 10    | 3.6      | 15           | 4.2          |             |          | 2.79         |          |
|          |     | DM     |                    |       | 0.08   |       | 0.08   |           | 75 | 9    |       | 113 | 1     | 12.5     | 12           | 4.0          |             |          | 0.08         |          |
| T.cl.    |     |        |                    |       | 100.75 | 24.42 | 125.17 | 64        | 83 | 4601 | 27    | 37  | 516   | 4.1      | 12           | 4.2          |             |          | 125.17       |          |
| vrt.     |     |        |                    |       | 80 %   | 20 %  | 100 %  |           |    |      |       |     |       |          |              |              |             |          | 100 %        |          |
| 2        | 1   | SC     |                    |       | 9.70   | 5.33  | 15.03  | 94        | 69 | 812  | 96    | 54  | 56    | 3.7      | 24           | 4.4          |             |          | 3.11         | 11.92    |
|          |     | DT     |                    |       | 0.18   | 0.54  | 0.72   | 5         | 63 | 27   | 3     | 38  | 1     | 1.4      | 24           | 4.8          |             |          | 0.54         | 0.18     |
|          |     | DM     |                    |       |        | 0.11  | 0.11   | 1         | 64 | 7    | 1     | 64  |       |          | 24           | 5.0          |             |          | 0.11         |          |
| T.cl.    |     |        |                    |       | 9.88   | 5.98  | 15.86  | 100       | 68 | 846  | 100   | 53  | 57    | 3.6      | 24           | 4.4          |             |          | 3.76         | 12.10    |
| vrt.     |     |        |                    |       | 62 %   | 38 %  | 100 %  |           |    |      |       |     |       |          |              |              |             |          | 24 %         | 76 %     |
| 2        | T   | SC     |                    |       | 9.70   | 5.33  | 15.03  | 94        | 69 | 812  | 96    | 54  | 56    | 3.7      | 24           | 4.4          |             |          | 3.11         | 11.92    |
|          |     | DT     |                    |       | 0.18   | 0.54  | 0.72   | 5         | 63 | 27   | 3     | 38  | 1     | 1.4      | 24           | 4.8          |             |          | 0.54         | 0.18     |
|          |     | DM     |                    |       |        | 0.11  | 0.11   | 1         | 64 | 7    | 1     | 64  |       |          | 24           | 5.0          |             |          | 0.11         |          |
| T.cl.    |     |        |                    |       | 9.88   | 5.98  | 15.86  | 8         | 68 | 846  | 5     | 53  | 57    | 3.6      | 24           | 4.4          |             |          | 3.76         | 12.10    |
| vrt.     |     |        |                    |       | 62 %   | 38 %  | 100 %  |           |    |      |       |     |       |          |              |              |             |          | 24 %         | 76 %     |
| 3        | 1   | SC     |                    |       | 4.40   | 2.24  | 6.64   | 79        | 68 | 689  | 76    | 104 | 10    | 1.5      | 54           | 4.3          |             |          | 1.57         | 5.07     |
|          |     | PLN    |                    |       | 1.49   |       | 1.49   | 18        | 70 | 201  | 22    | 135 |       |          | 50           | 4.0          |             |          | 1.49         |          |
|          |     | DT     |                    |       | 0.23   |       | 0.23   | 3         | 70 | 21   | 2     | 91  |       |          | 60           | 4.0          |             |          | 0.23         |          |
| T.cl.    |     |        |                    |       | 6.12   | 2.24  | 8.36   | 100       | 68 | 911  | 100   | 109 | 10    | 1.2      | 53           | 4.3          |             |          | 1.57         | 6.79     |
| vrt.     |     |        |                    |       | 73 %   | 27 %  | 100 %  |           |    |      |       |     |       |          |              |              |             |          | 19 %         | 81 %     |
| 3        | T   | SC     |                    |       | 4.40   | 2.24  | 6.64   | 79        | 68 | 689  | 76    | 104 | 10    | 1.5      | 54           | 4.3          |             |          | 1.57         | 5.07     |
|          |     | PLN    |                    |       | 1.49   |       | 1.49   | 18        | 70 | 201  | 22    | 135 |       |          | 50           | 4.0          |             |          | 1.49         |          |
|          |     | DT     |                    |       | 0.23   |       | 0.23   | 3         | 70 | 21   | 2     | 91  |       |          | 60           | 4.0          |             |          | 0.23         |          |
| T.cl.    |     |        |                    |       | 6.12   | 2.24  | 8.36   | 4         | 68 | 911  | 5     | 109 | 10    | 1.2      | 53           | 4.3          |             |          | 1.57         | 6.79     |
| vrt.     |     |        |                    |       | 73 %   | 27 %  | 100 %  |           |    |      |       |     |       |          |              |              |             |          | 19 %         | 81 %     |



**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

**Pag.: 9**

| Cl. vrt. | Gr. | Specia | Clasa de productie |          |           |          |         | T O T A L |        |      |       |       |       |          | Var-<br>sta<br>pr.<br>med | Consistenta |                 |             |       |        |
|----------|-----|--------|--------------------|----------|-----------|----------|---------|-----------|--------|------|-------|-------|-------|----------|---------------------------|-------------|-----------------|-------------|-------|--------|
|          |     |        | I<br>Ha            | II<br>Ha | III<br>Ha | IV<br>Ha | V<br>Ha | Suprafata |        |      | Volum |       |       | Crestere |                           | < 0.4<br>Ha | 0.4 - 0.6<br>Ha | > 0.6<br>Ha |       |        |
|          |     |        |                    |          |           |          |         | Ha        | %      | % K  | Mc    | %     | Mc/Ha | Mc       |                           |             |                 |             | Mc/Ha |        |
| 4        | 1   | TE     |                    |          | 4.90      | 19.68    | 24.58   | 50        | 89     | 5715 | 55    | 233   | 177   | 7.2      | 67                        | 3.8         |                 |             | 24.58 |        |
|          |     | GO     |                    | 1.02     | 5.49      | 4.51     | 11.02   | 23        | 90     | 2282 | 22    | 207   | 52    | 4.7      | 67                        | 3.3         |                 |             | 11.02 |        |
|          |     | FR     |                    |          | 3.23      | 5.00     | 8.23    | 17        | 88     | 1746 | 17    | 212   | 44    | 5.3      | 66                        | 3.6         |                 |             | 8.23  |        |
|          |     | CA     |                    |          |           | 1.89     | 1.89    | 4         | 89     | 241  | 2     | 128   | 9     | 4.8      | 70                        | 4.0         |                 |             | 1.89  |        |
|          |     | DT     |                    |          | 0.61      | 2.25     | 2.86    | 6         | 90     | 444  | 4     | 155   | 14    | 4.9      | 65                        | 3.8         |                 |             | 2.86  |        |
|          |     | T.cl.  |                    |          | 1.02      | 14.23    | 33.33   | 48.58     | 100    | 89   | 10428 | 100   | 215   | 296      | 6.1                       | 67          | 3.7             |             |       | 48.58  |
|          |     | vrt.   |                    |          | 2 %       | 29 %     | 69 %    | 100 %     |        |      |       |       |       |          |                           |             |                 | 100 %       |       |        |
| 4        | T   | TE     |                    |          | 4.90      | 19.68    | 24.58   | 50        | 89     | 5715 | 55    | 233   | 177   | 7.2      | 67                        | 3.8         |                 |             | 24.58 |        |
|          |     | GO     |                    | 1.02     | 5.49      | 4.51     | 11.02   | 23        | 90     | 2282 | 22    | 207   | 52    | 4.7      | 67                        | 3.3         |                 |             | 11.02 |        |
|          |     | FR     |                    |          | 3.23      | 5.00     | 8.23    | 17        | 88     | 1746 | 17    | 212   | 44    | 5.3      | 66                        | 3.6         |                 |             | 8.23  |        |
|          |     | CA     |                    |          |           | 1.89     | 1.89    | 4         | 89     | 241  | 2     | 128   | 9     | 4.8      | 70                        | 4.0         |                 |             | 1.89  |        |
|          |     | DT     |                    |          | 0.61      | 2.25     | 2.86    | 6         | 90     | 444  | 4     | 155   | 14    | 4.9      | 65                        | 3.8         |                 |             | 2.86  |        |
|          |     | T.cl.  |                    |          | 1.02      | 14.23    | 33.33   | 48.58     | 24     | 89   | 10428 | 62    | 215   | 296      | 6.1                       | 67          | 3.7             |             |       | 48.58  |
|          |     | vrt.   |                    |          | 2 %       | 29 %     | 69 %    | 100 %     |        |      |       |       |       |          |                           |             |                 | 100 %       |       |        |
| 5        | 1   | TE     |                    |          |           | 0.09     | 0.09    | 10        | 78     | 22   | 9     | 244   |       |          | 95                        | 4.0         |                 | 0.09        |       |        |
|          |     | FR     |                    |          | 0.77      |          | 0.77    | 90        | 81     | 221  | 91    | 287   | 2     | 2.6      | 95                        | 3.0         |                 | 0.77        |       |        |
|          |     | T.cl.  |                    |          | 0.77      | 0.09     | 0.86    | 100       | 80     | 243  | 100   | 283   | 2     | 2.3      | 95                        | 3.1         |                 | 0.86        |       |        |
|          |     | vrt.   |                    |          | 90 %      | 10 %     | 100 %   |           |        |      |       |       |       |          |                           |             |                 | 100 %       |       |        |
| 5        | T   | TE     |                    |          |           | 0.09     | 0.09    | 10        | 78     | 22   | 9     | 244   |       |          | 95                        | 4.0         |                 | 0.09        |       |        |
|          |     | FR     |                    |          | 0.77      |          | 0.77    | 90        | 81     | 221  | 91    | 287   | 2     | 2.6      | 95                        | 3.0         |                 | 0.77        |       |        |
|          |     | T.cl.  |                    |          | 0.77      | 0.09     | 0.86    |           | 80     | 243  | 1     | 283   | 2     | 2.3      | 95                        | 3.1         |                 | 0.86        |       |        |
|          |     | vrt.   |                    |          | 90 %      | 10 %     | 100 %   |           |        |      |       |       |       |          |                           |             |                 | 100 %       |       |        |
| T        | 1   | SC     |                    |          |           | 112.11   | 30.75   | 142.86    | 72     | 80   | 5858  | 35    | 41    | 567      | 4.0                       | 15          | 4.2             |             | 4.68  | 138.18 |
|          |     | TE     |                    |          | 4.90      | 19.77    | 24.67   | 12        | 89     | 5737 | 34    | 233   | 177   | 7.2      | 67                        | 3.8         |                 |             | 24.67 |        |
|          |     | GO     |                    | 1.02     | 5.49      | 4.51     | 11.02   | 6         | 90     | 2282 | 13    | 207   | 52    | 4.7      | 67                        | 3.3         |                 |             | 11.02 |        |
|          |     | FR     |                    |          | 4.00      | 5.00     | 9.00    | 5         | 87     | 1967 | 12    | 219   | 46    | 5.1      | 69                        | 3.6         |                 |             | 9.00  |        |
|          |     | CA     |                    |          |           | 1.89     | 1.89    | 1         | 89     | 241  | 1     | 128   | 9     | 4.8      | 70                        | 4.0         |                 |             | 1.89  |        |
|          |     | PLN    |                    |          |           | 1.49     | 1.49    | 1         | 70     | 201  | 1     | 135   |       |          | 50                        | 4.0         |                 | 1.49        |       |        |
|          |     | ULC    |                    |          |           |          | 0.62    | 0.62      |        | 69   | 31    |       | 50    | 1        | 1.6                       | 20          | 5.0             |             | 0.62  |        |
|          |     | PLA    |                    |          |           | 0.49     | 0.49    |           | 80     | 79   |       | 161   | 3     | 6.1      | 30                        | 4.0         |                 | 0.49        |       |        |
|          |     | DT     |                    |          | 0.61      | 4.83     | 1.16    | 6.60      | 3      | 84   | 617   | 4     | 93    | 25       | 3.8                       | 39          | 4.1             |             | 0.54  | 6.06   |
|          |     | DM     |                    |          |           | 0.08     | 0.11    | 0.19      |        | 68   | 16    |       | 84    | 1        | 5.3                       | 19          | 4.6             |             | 0.11  | 0.08   |
|          |     | TOTAL  |                    |          | 1.02      | 15.00    | 150.17  | 32.64     | 198.83 | 100  | 82    | 17029 | 100   | 86       | 881                       | 4.4         | 29              | 4.1         |       | 5.33   |
|          |     |        | 1 %                | 8 %      | 75 %      | 16 %     | 100 %   |           |        |      |       |       |       |          |                           |             |                 | 3 %         | 97 %  |        |

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

## DS: Galati

## OS: Grivita

**UP: 1**

**SUP: M**

**Pag.: 10**

| Cl.<br>vrt. | Gr. | Specia | Clasa de productie |          |           |          |         | T O T A L |     |     |       |     |       |          | Var-<br>sta<br>Ani | Cls.<br>pr.<br>med | Consistentă |                 |             |        |  |     |      |
|-------------|-----|--------|--------------------|----------|-----------|----------|---------|-----------|-----|-----|-------|-----|-------|----------|--------------------|--------------------|-------------|-----------------|-------------|--------|--|-----|------|
|             |     |        | I<br>Ha            | II<br>Ha | III<br>Ha | IV<br>Ha | V<br>Ha | Suprafata |     |     | Volum |     |       | Crestere |                    |                    | < 0.4<br>Ha | 0.4 - 0.6<br>Ha | > 0.6<br>Ha |        |  |     |      |
|             |     |        |                    |          |           |          |         | Ha        | %   | % K | Mc    | %   | Mc/Ha | Mc       |                    |                    |             |                 |             | Mc/Ha  |  |     |      |
| T           | T   | SC     |                    |          |           | 112.11   | 30.75   | 142.86    | 72  | 80  | 5858  | 35  | 41    | 567      | 4.0                | 15                 | 4.2         |                 | 4.68        | 138.18 |  |     |      |
|             |     | TE     |                    |          | 4.90      | 19.77    |         | 24.67     | 12  | 89  | 5737  | 34  | 233   | 177      | 7.2                | 67                 | 3.8         |                 |             | 24.67  |  |     |      |
|             |     | GO     |                    | 1.02     | 5.49      | 4.51     |         | 11.02     | 6   | 90  | 2282  | 13  | 207   | 52       | 4.7                | 67                 | 3.3         |                 |             | 11.02  |  |     |      |
|             |     | FR     |                    |          | 4.00      | 5.00     |         | 9.00      | 5   | 87  | 1967  | 12  | 219   | 46       | 5.1                | 69                 | 3.6         |                 |             | 9.00   |  |     |      |
|             |     | CA     |                    |          |           | 1.89     |         | 1.89      | 1   | 89  | 241   | 1   | 128   | 9        | 4.8                | 70                 | 4.0         |                 |             | 1.89   |  |     |      |
|             |     | PLN    |                    |          |           | 1.49     |         | 1.49      | 1   | 70  | 201   | 1   | 135   |          |                    | 50                 | 4.0         |                 |             | 1.49   |  |     |      |
|             |     | ULC    |                    |          |           |          | 0.62    | 0.62      |     | 69  | 31    |     | 50    | 1        | 1.6                | 20                 | 5.0         |                 |             | 0.62   |  |     |      |
|             |     | PLA    |                    |          |           | 0.49     |         | 0.49      |     | 80  | 79    |     | 161   | 3        | 6.1                | 30                 | 4.0         |                 |             | 0.49   |  |     |      |
|             |     | DT     |                    |          | 0.61      | 4.83     | 1.16    | 6.60      | 3   | 84  | 617   | 4   | 93    | 25       | 3.8                | 39                 | 4.1         |                 | 0.54        | 6.06   |  |     |      |
|             |     | DM     |                    |          |           | 0.08     | 0.11    | 0.19      |     | 68  | 16    |     | 84    | 1        | 5.3                | 19                 | 4.6         |                 | 0.11        | 0.08   |  |     |      |
| TOTAL       |     |        |                    | 1.02     | 15.00     | 150.17   | 32.64   | 198.83    | 100 | 82  | 17029 | 100 | 86    | 881      | 4.4                | 29                 | 4.1         |                 | 5.33        | 193.50 |  |     |      |
|             |     |        |                    | 1 %      | 8 %       | 75 %     | 16 %    | 100 %     |     |     |       |     |       |          |                    |                    |             |                 |             |        |  | 3 % | 97 % |

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

DS:Galati

OS:Grivita

UP: 1

SUP: Q

Pag.: 11

| Cl. vrt. | Gr. Specia | Clasa de productie |      |      |        |       | T O T A L |     |     |       |     |       |          |       |             |             | Consistenta |           |        |
|----------|------------|--------------------|------|------|--------|-------|-----------|-----|-----|-------|-----|-------|----------|-------|-------------|-------------|-------------|-----------|--------|
|          |            | I                  | II   | III  | IV     | V     | Suprafata |     |     | Volum |     |       | Crestere |       | Var-<br>sta | Cls.<br>pr. | < 0.4       | 0.4 - 0.6 | > 0.6  |
|          |            | Ha                 | Ha   | Ha   | Ha     | Ha    | Ha        | %   | % K | Mc    | %   | Mc/Ha | Mc       | Mc/Ha | Ani         | med         | Ha          | Ha        | Ha     |
| 1        | 1          | SC                 |      | 5.66 | 166.33 |       | 171.99    | 100 | 89  | 2696  | 97  | 16    | 562      | 3.3   | 5           | 4.0         |             |           | 171.99 |
|          |            | PLY                |      | 0.73 |        |       | 0.73      |     | 70  | 72    | 3   | 99    | 10       | 13.7  | 10          | 3.0         |             |           | 0.73   |
|          |            | FR                 | 0.03 |      |        |       | 0.03      |     | 100 | 1     |     | 33    |          |       | 5           | 2.0         |             |           | 0.03   |
|          |            | PLT                | 0.23 | 0.12 |        |       | 0.35      |     | 97  | 4     |     | 11    |          |       | 5           | 2.3         |             |           | 0.35   |
|          |            | DT                 |      | 0.03 | 0.37   |       | 0.40      |     | 90  | 6     |     | 15    |          |       | 3           | 3.9         |             |           | 0.40   |
|          |            | T.gr.              | 0.26 | 6.54 | 166.70 |       | 173.50    | 97  | 89  | 2779  | 98  | 16    | 572      | 3.3   | 5           | 4.0         |             |           | 173.50 |
|          |            |                    |      | 4 %  | 96 %   |       | 100 %     |     |     |       |     |       |          |       |             |             |             |           | 100 %  |
| 1        | 2          | SC                 |      | 2.22 | 2.26   |       | 4.48      | 98  | 87  | 62    | 98  | 14    | 15       | 3.3   | 4           | 3.5         |             |           | 4.48   |
|          |            | DT                 |      | 0.09 |        |       | 0.09      | 2   | 89  | 1     | 2   | 11    |          |       | 4           | 3.0         |             |           | 0.09   |
|          |            | T.gr.              |      | 2.31 | 2.26   |       | 4.57      | 3   | 87  | 63    | 2   | 14    | 15       | 3.3   | 4           | 3.5         |             |           | 4.57   |
|          |            |                    |      | 51 % | 49 %   |       | 100 %     |     |     |       |     |       |          |       |             |             |             |           | 100 %  |
| 1        | T          | SC                 |      | 7.88 | 168.59 |       | 176.47    | 100 | 89  | 2758  | 97  | 16    | 577      | 3.3   | 5           | 4.0         |             |           | 176.47 |
|          |            | PLY                |      | 0.73 |        |       | 0.73      |     | 70  | 72    | 3   | 99    | 10       | 13.7  | 10          | 3.0         |             |           | 0.73   |
|          |            | FR                 | 0.03 |      |        |       | 0.03      |     | 100 | 1     |     | 33    |          |       | 5           | 2.0         |             |           | 0.03   |
|          |            | PLT                | 0.23 | 0.12 |        |       | 0.35      |     | 97  | 4     |     | 11    |          |       | 5           | 2.3         |             |           | 0.35   |
|          |            | DT                 |      | 0.12 | 0.37   |       | 0.49      |     | 90  | 7     |     | 14    |          |       | 3           | 3.8         |             |           | 0.49   |
|          |            | T.cl.<br>vrt.      | 0.26 | 8.85 | 168.96 |       | 178.07    | 43  | 89  | 2842  | 12  | 16    | 587      | 3.3   | 5           | 3.9         |             |           | 178.07 |
|          |            |                    |      | 5 %  | 95 %   |       | 100 %     |     |     |       |     |       |          |       |             |             |             |           | 100 %  |
| 2        | 1          | SC                 |      | 0.31 | 104.93 | 1.31  | 106.55    | 97  | 87  | 5469  | 95  | 51    | 581      | 5.5   | 14          | 4.0         |             |           | 106.55 |
|          |            | PLY                |      | 1.75 | 0.23   |       | 1.98      | 2   | 85  | 216   | 4   | 109   | 28       | 14.1  | 15          | 3.1         |             |           | 1.98   |
|          |            | DT                 |      |      | 0.63   | 0.15  | 0.78      | 1   | 86  | 44    | 1   | 56    | 3        | 3.8   | 15          | 4.2         |             |           | 0.78   |
|          |            | T.gr.              |      | 2.06 | 105.79 | 1.46  | 109.31    | 98  | 87  | 5729  | 99  | 52    | 612      | 5.6   | 14          | 4.0         |             |           | 109.31 |
|          |            |                    |      | 2 %  | 97 %   | 1 %   | 100 %     |     |     |       |     |       |          |       |             |             |             |           | 100 %  |
| 2        | 2          | SC                 |      |      | 1.71   | 0.37  | 2.08      | 100 | 85  | 69    | 100 | 33    | 10       | 4.8   | 13          | 4.2         |             | 0.37      | 1.71   |
|          |            | T.gr.              |      |      | 1.71   | 0.37  | 2.08      | 2   | 85  | 69    | 1   | 33    | 10       | 4.8   | 13          | 4.2         |             | 0.37      | 1.71   |
|          |            |                    |      |      | 82 %   | 18 %  | 100 %     |     |     |       |     |       |          |       |             |             | 18 %        |           | 82 %   |
| 2        | T          | SC                 |      | 0.31 | 106.64 | 1.68  | 108.63    | 97  | 87  | 5538  | 95  | 51    | 591      | 5.4   | 14          | 4.0         |             | 0.37      | 108.26 |
|          |            | PLY                |      | 1.75 | 0.23   |       | 1.98      | 2   | 85  | 216   | 4   | 109   | 28       | 14.1  | 15          | 3.1         |             |           | 1.98   |
|          |            | DT                 |      |      | 0.63   | 0.15  | 0.78      | 1   | 86  | 44    | 1   | 56    | 3        | 3.8   | 15          | 4.2         |             |           | 0.78   |
|          |            | T.cl.<br>vrt.      |      | 2.06 | 107.50 | 1.83  | 111.39    | 26  | 87  | 5798  | 24  | 52    | 622      | 5.6   | 14          | 4.0         |             | 0.37      | 111.02 |
|          |            |                    |      | 2 %  | 96 %   | 2 %   | 100 %     |     |     |       |     |       |          |       |             |             |             |           | 100 %  |
| 3        | 1          | SC                 |      |      | 85.16  | 10.86 | 96.02     | 92  | 79  | 10465 | 93  | 109   | 463      | 4.8   | 23          | 4.1         |             | 0.63      | 95.39  |
|          |            | FR                 |      |      | 1.64   |       | 1.64      | 2   | 80  | 181   | 2   | 110   | 8        | 4.9   | 24          | 4.0         |             |           | 1.64   |
|          |            | ULC                |      |      |        | 1.64  | 1.64      | 2   | 80  | 230   | 2   | 140   | 5        | 3.0   | 24          | 5.0         |             |           | 1.64   |

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

DS:Galati

OS:Grivita

UP: 1

SUP: Q

Pag.: 12

| Cl. vrt. | Gr. Specia | Clasa de productie |    |     |       |       | T O T A L |     |     |       |     |       |          |       |             |             | Consistentia |           |        |
|----------|------------|--------------------|----|-----|-------|-------|-----------|-----|-----|-------|-----|-------|----------|-------|-------------|-------------|--------------|-----------|--------|
|          |            | I                  | II | III | IV    | V     | Suprafata |     |     | Volum |     |       | Crestere |       | Var-<br>sta | Cls.<br>pr. | < 0.4        | 0.4 - 0.6 | > 0.6  |
|          |            | Ha                 | Ha | Ha  | Ha    | Ha    | Ha        | %   | % K | Mc    | %   | Mc/Ha | Mc       | Mc/Ha | Ani         | med         | Ha           | Ha        | Ha     |
| 3        | 1          | NU                 |    |     | 0.14  |       | 0.14      |     | 79  | 21    |     | 150   | 1        | 7.1   | 22          | 4.0         |              |           | 0.14   |
|          |            | DT                 |    |     | 0.68  | 3.28  | 3.96      | 4   | 79  | 328   | 3   | 83    | 19       | 4.8   | 24          | 4.8         |              |           | 3.96   |
|          |            | T.gr.              |    |     | 87.62 | 15.78 | 103.40    | 96  | 79  | 11225 | 97  | 109   | 496      | 4.8   | 23          | 4.2         |              | 0.63      | 102.77 |
|          |            |                    |    |     | 85 %  | 15 %  | 100 %     |     |     |       |     |       |          |       |             |             |              | 1 %       | 99 %   |
| 3        | 2          | SC                 |    |     | 1.22  | 2.11  | 3.33      | 88  | 77  | 240   | 81  | 72    | 13       | 3.9   | 25          | 4.6         |              |           | 3.33   |
|          |            | CA                 |    |     | 0.17  |       | 0.17      | 4   | 82  | 22    | 7   | 129   | 1        | 5.9   | 28          | 4.0         |              |           | 0.17   |
|          |            | PLA                |    |     | 0.17  |       | 0.17      | 4   | 82  | 16    | 5   | 94    | 1        | 5.9   | 28          | 4.0         |              |           | 0.17   |
|          |            | DT                 |    |     | 0.17  |       | 0.17      | 4   | 82  | 21    | 7   | 124   | 1        | 5.9   | 28          | 4.0         |              |           | 0.17   |
|          |            | T.gr.              |    |     | 1.73  | 2.11  | 3.84      | 4   | 78  | 299   | 3   | 78    | 16       | 4.2   | 26          | 4.5         |              |           | 3.84   |
|          |            |                    |    |     | 45 %  | 55 %  | 100 %     |     |     |       |     |       |          |       |             |             |              |           | 100 %  |
| 3        | T          | SC                 |    |     | 86.38 | 12.97 | 99.35     | 92  | 79  | 10705 | 93  | 108   | 476      | 4.8   | 23          | 4.1         |              | 0.63      | 98.72  |
|          |            | FR                 |    |     | 1.64  |       | 1.64      | 2   | 80  | 181   | 2   | 110   | 8        | 4.9   | 24          | 4.0         |              |           | 1.64   |
|          |            | ULC                |    |     |       | 1.64  | 1.64      | 2   | 80  | 230   | 2   | 140   | 5        | 3.0   | 24          | 5.0         |              |           | 1.64   |
|          |            | NU                 |    |     | 0.14  |       | 0.14      |     | 79  | 21    |     | 150   | 1        | 7.1   | 22          | 4.0         |              |           | 0.14   |
|          |            | CA                 |    |     | 0.17  |       | 0.17      |     | 82  | 22    |     | 129   | 1        | 5.9   | 28          | 4.0         |              |           | 0.17   |
|          |            | PLA                |    |     | 0.17  |       | 0.17      |     | 82  | 16    |     | 94    | 1        | 5.9   | 28          | 4.0         |              |           | 0.17   |
|          |            | DT                 |    |     | 0.85  | 3.28  | 4.13      | 4   | 79  | 349   | 3   | 85    | 20       | 4.8   | 24          | 4.8         |              |           | 4.13   |
|          |            | T.cl.              |    |     | 89.35 | 17.89 | 107.24    | 25  | 79  | 11524 | 49  | 107   | 512      | 4.8   | 23          | 4.2         |              | 0.63      | 106.61 |
|          |            | vert.              |    |     | 83 %  | 17 %  | 100 %     |     |     |       |     |       |          |       |             |             |              | 1 %       | 99 %   |
| 4        | 1          | SC                 |    |     | 24.50 | 0.69  | 25.19     | 98  | 79  | 3394  | 97  | 135   | 104      | 4.1   | 33          | 4.0         |              | 0.69      | 24.50  |
|          |            | FR                 |    |     | 0.24  |       | 0.24      | 1   | 79  | 26    | 1   | 108   | 1        | 4.2   | 36          | 4.0         |              |           | 0.24   |
|          |            | ULC                |    |     | 0.07  |       | 0.07      |     | 71  | 11    |     | 157   |          |       | 80          | 4.0         |              |           | 0.07   |
|          |            | NU                 |    |     | 0.12  |       | 0.12      |     | 67  | 20    | 1   | 167   | 1        | 8.3   | 40          | 4.0         |              |           | 0.12   |
|          |            | DT                 |    |     | 0.08  | 0.08  | 0.16      | 1   | 63  | 20    | 1   | 125   |          |       | 36          | 4.5         |              | 0.08      | 0.08   |
|          |            | DM                 |    |     | 0.04  |       | 0.04      |     | 75  | 5     |     | 125   |          |       | 40          | 4.0         |              |           | 0.04   |
|          |            | T.gr.              |    |     | 25.05 | 0.77  | 25.82     | 100 | 79  | 3476  | 100 | 135   | 106      | 4.1   | 33          | 4.0         |              | 0.77      | 25.05  |
|          |            |                    |    |     | 97 %  | 3 %   | 100 %     |     |     |       |     |       |          |       |             |             |              | 3 %       | 97 %   |
| 4        | T          | SC                 |    |     | 24.50 | 0.69  | 25.19     | 98  | 79  | 3394  | 97  | 135   | 104      | 4.1   | 33          | 4.0         |              | 0.69      | 24.50  |
|          |            | FR                 |    |     | 0.24  |       | 0.24      | 1   | 79  | 26    | 1   | 108   | 1        | 4.2   | 36          | 4.0         |              |           | 0.24   |
|          |            | ULC                |    |     | 0.07  |       | 0.07      |     | 71  | 11    |     | 157   |          |       | 80          | 4.0         |              |           | 0.07   |
|          |            | NU                 |    |     | 0.12  |       | 0.12      |     | 67  | 20    | 1   | 167   | 1        | 8.3   | 40          | 4.0         |              |           | 0.12   |
|          |            | DT                 |    |     | 0.08  | 0.08  | 0.16      | 1   | 63  | 20    | 1   | 125   |          |       | 36          | 4.5         |              | 0.08      | 0.08   |
|          |            | DM                 |    |     | 0.04  |       | 0.04      |     | 75  | 5     |     | 125   |          |       | 40          | 4.0         |              |           | 0.04   |

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

DS:Galati

OS:Grivita

UP: 1

SUP: Q

Pag.: 13

| Cl. vrt.   | Gr. | Specia     | Clasa de productie |       |               |               |                | T O T A L       |    |      |       |     |       | Var- sta Ani | Cls. pr. med | Consistenta |               |             |               |                 |
|------------|-----|------------|--------------------|-------|---------------|---------------|----------------|-----------------|----|------|-------|-----|-------|--------------|--------------|-------------|---------------|-------------|---------------|-----------------|
|            |     |            | I Ha               | II Ha | III Ha        | IV Ha         | V Ha           | Suprafata       |    |      | Volum |     |       |              |              | Crestere    |               |             |               |                 |
|            |     |            |                    |       |               |               |                | Ha              | %  | % K  | Mc    | %   | Mc/Ha |              |              | Mc          | Mc/Ha         | < 0.4 Ha    | 0.4 - 0.6 Ha  | > 0.6 Ha        |
| T.cl. vrt. |     |            |                    |       | 25.05<br>97 % | 0.77<br>3 %   | 25.82<br>100 % | 6               | 79 | 3476 | 15    | 135 | 106   | 4.1          | 33           | 4.0         |               | 0.77<br>3 % | 25.05<br>97 % |                 |
| 6          | 1   | SC         |                    |       | 0.66          |               | 0.66           | 80              | 70 | 46   | 63    | 70  | 2     | 3.0          | 56           | 4.0         |               |             | 0.66          |                 |
|            |     | DT         |                    |       | 0.17          |               | 0.17           | 20              | 71 | 27   | 37    | 159 | 1     | 5.9          | 56           | 4.0         |               |             | 0.17          |                 |
|            |     | T.gr.      |                    |       | 0.83<br>100 % |               | 0.83<br>100 %  | 100             | 70 | 73   | 100   | 88  | 3     | 3.6          | 56           | 4.0         |               |             | 0.83<br>100 % |                 |
| 6          | T   | SC         |                    |       | 0.66          |               | 0.66           | 80              | 70 | 46   | 63    | 70  | 2     | 3.0          | 56           | 4.0         |               |             | 0.66          |                 |
|            |     | DT         |                    |       | 0.17          |               | 0.17           | 20              | 71 | 27   | 37    | 159 | 1     | 5.9          | 56           | 4.0         |               |             | 0.17          |                 |
|            |     | T.cl. vrt. |                    |       | 0.83<br>100 % |               | 0.83<br>100 %  |                 | 70 | 73   |       | 88  | 3     | 3.6          | 56           | 4.0         |               |             | 0.83<br>100 % |                 |
| 7          | 1   | SC         |                    |       |               | 0.62          | 0.62           | 30              | 10 | 6    | 27    | 10  |       |              | 15           | 5.0         | 0.62          |             |               |                 |
|            |     | NU         |                    |       |               | 1.04          | 1.04           | 50              | 10 | 12   | 55    | 12  |       |              | 70           | 5.0         | 1.04          |             |               |                 |
|            |     | DT         |                    |       |               | 0.41          | 0.41           | 20              | 10 | 4    | 18    | 10  |       |              | 25           | 5.0         | 0.41          |             |               |                 |
|            |     | T.gr.      |                    |       |               | 2.07<br>100 % | 2.07<br>100 %  | 100             | 10 | 22   | 100   | 11  |       |              | 45           | 5.0         | 2.07<br>100 % |             |               |                 |
| 7          | T   | SC         |                    |       |               | 0.62          | 0.62           | 30              | 10 | 6    | 27    | 10  |       |              | 15           | 5.0         | 0.62          |             |               |                 |
|            |     | NU         |                    |       |               | 1.04          | 1.04           | 50              | 10 | 12   | 55    | 12  |       |              | 70           | 5.0         | 1.04          |             |               |                 |
|            |     | DT         |                    |       |               | 0.41          | 0.41           | 20              | 10 | 4    | 18    | 10  |       |              | 25           | 5.0         | 0.41          |             |               |                 |
|            |     | T.cl. vrt. |                    |       |               | 2.07<br>100 % | 2.07<br>100 %  |                 | 10 | 22   |       | 11  |       |              | 45           | 5.0         | 2.07<br>100 % |             |               |                 |
| T          | 1   | SC         |                    |       | 5.97          | 381.58        | 13.48          | 401.03          | 98 | 86   | 22076 | 95  | 55    | 1712         | 4.3          | 14          | 4.0           | 0.62        | 1.32          | 399.09          |
|            |     | PLY        |                    |       | 2.48          | 0.23          |                | 2.71            | 1  | 81   | 288   | 1   | 106   | 38           | 14.0         | 14          | 3.1           |             |               | 2.71            |
|            |     | FR         |                    | 0.03  |               | 1.88          |                | 1.91            |    | 80   | 208   | 1   | 109   | 9            | 4.7          | 25          | 4.0           |             |               | 1.91            |
|            |     | ULC        |                    |       |               | 0.07          | 1.64           | 1.71            |    | 80   | 241   | 1   | 141   | 5            | 2.9          | 26          | 5.0           |             |               | 1.71            |
|            |     | NU         |                    |       |               | 0.26          | 1.04           | 1.30            |    | 22   | 53    |     | 41    | 2            | 1.5          | 62          | 4.8           | 1.04        |               | 0.26            |
|            |     | PLT        |                    | 0.23  | 0.12          |               |                | 0.35            |    | 97   | 4     |     | 11    |              |              | 5           | 2.3           |             |               | 0.35            |
|            |     | DT         |                    |       | 0.03          | 1.93          | 3.92           | 5.88            | 1  | 75   | 429   | 2   | 73    | 23           | 3.9          | 23          | 4.7           | 0.41        | 0.08          | 5.39            |
|            |     | DM         |                    |       |               | 0.04          |                | 0.04            |    | 75   | 5     |     | 125   |              |              | 40          | 4.0           |             |               | 0.04            |
|            |     | TOTAL      |                    |       | 0.26<br>2 %   | 8.60<br>93 %  | 385.99<br>5 %  | 414.93<br>100 % | 98 | 85   | 23304 | 98  | 56    | 1789         | 4.3          | 14          | 4.0           | 2.07        | 1.40          | 411.46<br>100 % |
| T          | 2   | SC         |                    |       | 2.22          | 5.19          | 2.48           | 9.89            | 94 | 83   | 371   | 86  | 38    | 38           | 3.8          | 13          | 4.0           |             | 0.37          | 9.52            |
|            |     | CA         |                    |       |               | 0.17          |                | 0.17            | 2  | 82   | 22    | 5   | 129   | 1            | 5.9          | 28          | 4.0           |             |               | 0.17            |
|            |     | PLA        |                    |       |               | 0.17          |                | 0.17            | 2  | 82   | 16    | 4   | 94    | 1            | 5.9          | 28          | 4.0           |             |               | 0.17            |
|            |     | DT         |                    |       | 0.09          | 0.17          |                | 0.26            | 2  | 85   | 22    | 5   | 85    | 1            | 3.8          | 20          | 3.7           |             |               | 0.26            |

**(L026) STRUCTURA SI MARIMEA FONDULUI FORESTIER PE SUBUNITATI DE PRODUCTIE/PROTECTIE DUPA CLASE DE VARSTA, GRUPE FUNCTIONALE SI SPECII**

**Pag.: 14**

| Cl. vrt. | Gr. Specia | Clasa de productie |          |              |                |              | Suprafata       |     |     | T O T A L |     |     | Crestere |      | Var-<br>sta<br>pr.<br>med | Consistenta |      |             |                 |             |
|----------|------------|--------------------|----------|--------------|----------------|--------------|-----------------|-----|-----|-----------|-----|-----|----------|------|---------------------------|-------------|------|-------------|-----------------|-------------|
|          |            | I<br>Ha            | II<br>Ha | III<br>Ha    | IV<br>Ha       | V<br>Ha      | Ha              | %   | % K | Volum     |     | Mc  | Mc/Ha    | Mc   |                           | Mc/Ha       | Ani  | < 0.4<br>Ha | 0.4 - 0.6<br>Ha | > 0.6<br>Ha |
|          |            |                    |          |              |                |              |                 |     |     | Mc        | %   |     |          |      |                           |             |      |             |                 |             |
| TOTAL    |            |                    |          | 2.31<br>22 % | 5.70<br>54 %   | 2.48<br>24 % | 10.49<br>100 %  | 2   | 83  | 431       | 2   | 41  | 41       | 3.9  | 14                        | 4.0         |      | 0.37<br>4 % | 10.12<br>96 %   |             |
| T        | T          | SC                 |          | 8.19         | 386.77         | 15.96        | 410.92          | 98  | 86  | 22447     | 95  | 55  | 1750     | 4.3  | 14                        | 4.0         | 0.62 | 1.69        | 408.61          |             |
|          |            | PLY                |          | 2.48         | 0.23           |              | 2.71            | 1   | 81  | 288       | 1   | 106 | 38       | 14.0 | 14                        | 3.1         |      |             |                 | 2.71        |
|          |            | FR                 | 0.03     |              | 1.88           |              | 1.91            |     | 80  | 208       | 1   | 109 | 9        | 4.7  | 25                        | 4.0         |      |             |                 | 1.91        |
|          |            | ULC                |          | 0.07         | 1.64           |              | 1.71            |     | 80  | 241       | 1   | 141 | 5        | 2.9  | 26                        | 5.0         |      |             |                 | 1.71        |
|          |            | NU                 |          | 0.26         | 1.04           |              | 1.30            |     | 22  | 53        |     | 41  | 2        | 1.5  | 62                        | 4.8         |      |             |                 | 1.04        |
|          |            | PLT                | 0.23     | 0.12         |                |              | 0.35            |     | 97  | 4         |     | 11  |          |      | 5                         | 2.3         |      | 0.35        |                 |             |
|          |            | CA                 |          |              | 0.17           |              | 0.17            |     | 82  | 22        |     | 129 | 1        | 5.9  | 28                        | 4.0         |      | 0.17        |                 |             |
|          |            | PLA                |          |              | 0.17           |              | 0.17            |     | 82  | 16        |     | 94  | 1        | 5.9  | 28                        | 4.0         |      | 0.17        |                 |             |
|          |            | DT                 |          | 0.12         | 2.10           | 3.92         | 6.14            | 1   | 75  | 451       | 2   | 73  | 24       | 3.9  | 22                        | 4.6         | 0.41 | 0.08        | 5.65            |             |
|          |            | DM                 |          |              | 0.04           |              | 0.04            |     | 75  | 5         |     | 125 |          |      | 40                        | 4.0         |      |             | 0.04            |             |
| TOTAL    |            |                    | 0.26     | 10.91<br>3 % | 391.69<br>92 % | 22.56<br>5 % | 425.42<br>100 % | 100 | 85  | 23735     | 100 | 56  | 1830     | 4.3  | 14                        | 4.0         | 2.07 | 1.77        | 421.58<br>100 % |             |